



FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Account Page Feature	2	0	2	0	29.946 s
2	Login page feature	3	0	3	0	50.420 s

SCENARIOS SUMMARY



-- 3 --


#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Account Page Feature	Accounts page title	4	0	0	4	21.184 s
2	Account Page Feature	Accounts section count	4	0	0	4	8.742 s
3	Login page feature	Login page title	3	0	0	3	22.142 s
4	Login page feature	Forgot Password link	2	0	0	2	7.080 s
5	Login page feature	Login with correct credentials	6	0	0	6	21.176 s

DETAILED SECTION -- 4 --

(F)- Account Page Feature

FAILED	DURATION - 29.946 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 5:38:31.809 PM	1 // 5:39:01.755 PM /	Pass - 0	2	Pass - 0	8
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 8	


(S)- Accounts page title



#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	21.135 s
	org.openqa.selenium.WebDriverException: Process unexpectedly closed with status 0 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-JF9V1DF', ip: '192.168.99.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: driver.version: FirefoxDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:125) at cucumberPOM.qa.factory.DriverFactory.init_driver(DriverFactory.java:32) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:38) * First 4 and last 3 stack lines are displayed to fit in the available space.</init>		
1	Given - Given user has already logged in to application	SKIPPED	0.002 s
	username password samraj.bhowmik@gmail.com Samraj@12345		
2	Given - Given user is on Accounts page	SKIPPED	0.000 s
3	When - When user gets the title of the page	SKIPPED	0.000 s
4	Then - Then page title should be "My account - My Store"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:52)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:44)		

(S)- Accounts section count




#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	8.735 s
	org.openqa.selenium.WebDriverException: Process unexpectedly closed with status 0 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-JF9V1DF', ip: '192.168.99.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: driver.version: FirefoxDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:125) at cucumberPOM.qa.factory.DriverFactory.init_driver(DriverFactory.java:32) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:38) * First 4 and last 3 stack lines are displayed to fit in the available space.</init>		
1	Given - Given user has already logged in to application	SKIPPED	0.000 s
	username password samraj.bhowmik@gmail.com Samraj@12345		
2	Given - Given user is on Accounts page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	Then - Then user gets accounts section	SKIPPED	0.000 s
	ORDER HISTORY AND DETAILS		
	MY CREDIT SLIPS		
	MY ADDRESSES		
	MY PERSONAL INFORMATION MY WISHLISTS		
4	And - And accounts section count should be 5	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException		
	at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:52)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:44)		

(F)- Login page feature

FAILED	DURATION - 50.420 s	Scenarios		Steps	
		Total - 3		Total - 11	
/ 5:38:31.828	3 PM // 5:39:22.248 PM /	Pass - 0	3	Pass - 0	11
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 11	

(S)- Login page title



# Step / Hook Details	Status	Duration
-----------------------	--------	----------


Status

Duration

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	22.110 s
	org.openqa.selenium.WebDriverException: Process unexpectedly closed with status 0 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-JF9V1DF', ip: '192.168.99.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: driver.version: FirefoxDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:125) at cucumberPOM.qa.factory.DriverFactory.init_driver(DriverFactory.java:32) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:38) * First 4 and last 3 stack lines are displayed to fit in the available space.</init>		
1	Given - Given user is on login page	SKIPPED	0.000 s
2	When - When user gets the title of the page	SKIPPED	0.001 s
3	Then - Then page title should be "Login - My Store"	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:52)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:44)		

(S)- Forgot Password link


#



Step / Hook Details

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	7.071 s
	org.openqa.selenium.WebDriverException: Process unexpectedly closed with status 0 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-JF9V1DF', ip: '192.168.99.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: driver.version: FirefoxDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:125) at cucumberPOM.qa.factory.DriverFactory.init_driver(DriverFactory.java:32) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:38) * First 4 and last 3 stack lines are displayed to fit in the available space.</init>		
1	Given - Given user is on login page	SKIPPED	0.001 s
2	Then - Then forgot your password link should be displayed	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:52)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:44)		

(S)- Login with correct credentials



#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	21.171 s
	org.openqa.selenium.WebDriverException: Process unexpectedly closed with status 0 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-JF9V1DF', ip: '192.168.99.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10' Driver info: driver.version: FirefoxDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:125) at cucumberPOM.qa.factory.DriverFactory.init_driver(DriverFactory.java:32) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:38) * First 4 and last 3 stack lines are displayed to fit in the available space.</init>		
1	Given - Given user is on login page	SKIPPED	0.001 s
2	When - When user enters username "samraj.bhowmik@gmail.com"	SKIPPED	0.000 s
3	And - And user enters password "Samraj@12345"	SKIPPED	0.000 s
4	And - And user clicks on Login button	SKIPPED	0.001 s
5	Then - Then user gets the title of the page	SKIPPED	0.000 s
6	And - And page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:52)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:44)		