


EAP Invoke Parsing Integration Call

Process model which handles the Invoke Parsing Integration call

1 Process Model Properties

Process Display Name	=pv!requestDetails.requestId&" - EAP Invoke Parsing Integration Call"
Model Id	5302
UUID	0002e4d0-893c-8000-59bf-1b4d981b4d98
Last updated	by akshaya.mohankumar@wipro.com

2 Process Model Diagram



3 Process Model Contents

Process Start Form Type SAIL Form

Process Variables (9)

Name	Type	Multiple	Default Value	Parameter	Required	Hidden
response	Text	No		No	No	No
isParsingRequired	Number (Integer)	No	0	No	No	No
Error	IntegrationError	No		No	No	No
InputParsingInputData	EAP_U_InputParsingRequest	No		Yes	No	No
Result	HttpResponse	No		No	No	No
Success	Boolean	No		No	No	No
intTransData	EAP_T_ProcessInFileParsingTrans	Yes		No	No	No
param	Text	Yes		Yes	No	No
requestDetails	EAP_T_ProcessRequest	No		Yes	No	No

Lanes

	Label	Size (px)	Lane Assignment	Attended	Assignees / Run As
0	System	472	Yes	false	Process Designer

Nodes

Id	GUI Id	Name	Task Display Name	Lane	Attended	Assignees / Run As
54703	5	Dummy Node	Dummy Node	System	No (from lane)	Process Designer (from lane)
54697	1	End Node	End Node	System	No (from lane)	Process Designer (from lane)
54701	3	Get File Type Info	Get File Type Info	System	No (from lane)	Process Designer (from lane)
54698	2	Invoke Input Parsing	Invoke Input Parsing	System	No (from lane)	Process Designer (from lane)
54704	4	Is Parsing Required?	Is Parsing Required?	System	No	Process Initiator
54706	10	Parser Module	Parser Module	System	No (from lane)	Process Designer (from lane)
54700	7	Persist In File Parsing Trans Data	Persist In File Parsing Trans Data	System	No (from lane)	Process Designer (from lane)
54699	6	Populate In File Parsing Trans	Populate In File Parsing Trans	System	No (from lane)	Process Designer (from lane)
54702	8	Set Parsing Audit	Set Parsing Audit	System	No (from lane)	Process Designer (from lane)

Id	GUI Id	Name	Task Display Name	Lane	Attended	Assignees / Run As
54696	0	Start Node	Start Node	System	No (from lane)	Process Designer (from lane)
54705	9	XOR	XOR	System	No	Process Initiator

Annotations

GUI Id	Text
5	Invoke Input Parsing Call

Connections

Start Node	End Node	Chained
Start Node	Get File Type Info	No
Invoke Input Parsing	Populate In File Parsing Trans	No
Populate In File Parsing Trans	Persist In File Parsing Trans Data	No
Persist In File Parsing Trans Data	End Node	No
Get File Type Info	Is Parsing Required?	No
Set Parsing Audit	End Node	No
Dummy Node	XOR	No
Is Parsing Required?	Set Parsing Audit	No
Is Parsing Required?	Dummy Node	No
XOR	Invoke Input Parsing	No
XOR	Parser Module	No
Parser Module	Populate In File Parsing Trans	No

4 Process Model Nodes

 Dummy Node	Node Type Unattended Multiple Questions (internal.16) UUID 0001ea26-c8c2-8000-781c-1b4d981b4d98 Description Task Display Name Dummy Node Lane System Assignment From Lane unattended, run as: Process Designer Other
 End Node	Node Type End Node (core.1) UUID 0001e4d0-893c-8000-59bf-1b4d981b4d98 Description Task Display Name End Node Lane System Assignment From Lane unattended, run as: Process Designer Other
 Get File Type Info	Node Type Unattended Multiple Questions (internal.16) UUID 0001e5c5-0c62-8000-73fb-1b4d981b4d98 Description Task Display Name Get File Type Info Lane System Assignment From Lane unattended, run as: Process Designer Other
Outputs	
Expression	Operation Variable
index(rule!EAP_QE_RefProcessInFileType(inFileTypeConfigId: index(pv!InputParsingInputData, "inFileTypeConfigId", {}), "is_parsing_reqd", {})	is stored as isParsingRequired
 Invoke Input Parsing	Node Type Call Integration (internal3.integration) UUID 0001e4d0-89ee-8000-59c1-1b4d981b4d98 Description Task Display Name Invoke Input Parsing Lane System Assignment From Lane unattended, run as: Process Designer Other
Inputs	

Name	Type	Multiple	Value	Save Into	Required	Generated	Hidden from designer
Integration	Integration	No	EAP_InputParserCall		Yes	No	Yes
param	Text	No	=pv!param	param	No	Yes	No

Outputs

Expression	Operation	Variable
AC!Error	is stored as	Error
AC!Result	is stored as	Result
AC!Success	is stored as	Success

Is Parsing Required?

Node Type	XOR (core.4)
UUID	0002e5c5-0c62-8000-73fb-1b4d981b4d98
Description	
Task Display Name	Is Parsing Required?
Lane	System
Assignment	unattended, run as: Process Initiator
Other	

Conditions

Condition	Result	Path Label
If toboolean(pv!isParsingRequired)	go to Dummy Node	
If none of the above are TRUE	go to Set Parsing Audit	

Parser Module

Node Type	Parser Module (com.wipro.plugins.euc.ParserEUCModV1)
UUID	0001ea31-5825-8000-786a-1b4d981b4d98
Description	
Task Display Name	Parser Module
Lane	System
Assignment From Lane	unattended, run as: Process Designer
Other	

Inputs

Name	Type	Multiple	Value	Save Into	Required	Generated	Hidden from designer
excelDocument	Document	No	=index(alfromJson(pv!param),"appianDocumentId",null)		Yes	No	No
licenseFile	Document	No	Aspose.Cells (3)		No	No	No
param	Text	No	=pv!param		Yes	No	No
secretKey	Text	No	=cons!EAP_SECRETKEY_PLUGIN		Yes	No	No

Outputs

Expression	Operation	Variable
AC!res	is stored as	response

Persist In File Parsing Trans Data

Node Type	Write to Data Store Entity (appian.system.smart-services.write-to-data-store)
UUID	0003e4d5-0312-8000-5c41-1b4d981b4d98
Description	
Task Display Name	Persist In File Parsing Trans Data
Lane	System
Assignment From Lane	unattended, run as: Process Designer
Other	

Inputs

Name	Type	Multiple	Value	Save Into	Required	Generated	Hidden from designer
DataStoreEntity	Data Store Entity	No	=cons!EAP_DE_PROCESS_IN_FILE_PARSED_TRANS		Yes	No	No
fileParsIntData	EAP_T_ProcessInFileParsingTrans	Yes	=pv!intTransData		No	No	No

Outputs

Expression	Operation	Variable
AC!StoredValues	is stored as	intTransData



Populate In File Parsing Trans

Node Type	Unattended Multiple Questions (internal.16)
UUID	0004e4d5-0312-8000-5c41-1b4d981b4d98
Description	
Task Display Name	Populate In File Parsing Trans
Lane	System
Assignment From Lane	unattended, run as: Process Designer
Other	

Outputs

Expression	Operation	Variable
rule!EAP_updateFileParseIntIntegrationTransCall(response:pv!InputParsingInputData,integrationResponse:pv!Result)	is stored as	intTransData



Set Parsing Audit

Node Type	SUB_PROC (internal.38)
UUID	0003e5c5-0c62-8000-73fb-1b4d981b4d98
Description	
Task Display Name	Set Parsing Audit
Lane	System
Assignment From Lane	unattended, run as: Process Designer
Other	
Is Asynchronous	No
Data from sub-process can be included in reports on the parent process model	Yes
Sub-Process Model	EAP Skip Parsing and Call Next Step

Input Variables

Sub-Process Variable	Set From
dwfUniqueIdentifiers	
requestDetails	=requestDetails

Output Variables

Sub-Process Variable	Save Into
This Sub-process does not have any output mappings	



Start Node

Node Type	Start Node (core.0)
UUID	0000e4d0-893c-8000-59bf-1b4d981b4d98
Description	
Task Display Name	Start Node
Lane	System
Assignment From Lane	unattended, run as: Process Designer
Other	



XOR

Node Type	XOR (core.4)
UUID	0002ea26-c8c2-8000-781c-1b4d981b4d98
Description	
Task Display Name	XOR
Lane	System
Assignment	unattended, run as: Process Initiator
Other	

Conditions

Condition	Result	Path Label
If cons!EAP_USE_PLUGIN_FLAG	go to Parser Module	
If none of the above are TRUE	go to Invoke Input Parsing	