




EAP Generate Output Files

This Process model is used to generate the output files for 393 process Ids

1 Process Model Properties

Process Display Name	= "EAP Generate Output Files - " & UPPER(pp!initiator)& "-"& text(now(),"YYYYMMDDHHSSMMM")
Model Id	6282
UUID	0006ec57-2ce1-8000-1cdd-7f0000014e7a
Last updated	by gopinath.m1@wipro.com

2 Process Model Diagram



3 Process Model Contents

Process Start Form Type SAIL Form

Process Variables (4)

Name	Type	Multiple	Default Value	Parameter	Required	Hidden
cancel	Boolean	No		No	No	No
memoDocumentData	EAP_MemoDocumentData	No		No	No	No
requestId	Number (Integer)	No	0	Yes	Yes	No
userInputMemo	Document	No		No	No	No

Lanes

Label	Size (px)	Lane Assignment	Attended	Assignees / Run As
This process model does not have any lanes				

Nodes

Id	GUI Id	Name	Task Display Name	Lane	Attended	Assignees / Run As
56427	3	End Node	End Node		No	Process Initiator
56428	1	End Node	End Node		No	Process Initiator
56432	2	Enter Memo Details	= "Enter Memo Details" & pv!requestId		Yes	= pp!initiator
56433	6	Invoke PDF Generation	Invoke PDF Generation		No	Process Initiator
56429	5	Is Cancelled?	Is Cancelled?		No	Process Initiator
56426	0	Start Node	Start Node		No	Process Initiator
56430	18	Success Message	= "Success Message" & pv!requestId		Yes	= pp!initiator
56431	4	get Static Data for Memo	get Static Data for Memo		No	Process Initiator

Annotations

GUI Id	Text
This process model does not have any annotations	

Connections

Start Node	End Node	Chained
Start Node	get Static Data for Memo	Yes
Is Cancelled?	End Node	Yes
Is Cancelled?	Invoke PDF Generation	Yes
Success Message	End Node	No

Start Node	End Node	Chained
get Static Data for Memo	Enter Memo Details	Yes
Enter Memo Details	Is Cancelled?	Yes
Invoke PDF Generation	Success Message	Yes

4 Process Model Nodes

End Node

Node Type	End Node (core.1)
UUID	0001ec57-7e62-8000-1cf2-7f0000014e7a
Description	
Task Display Name	End Node
Assignment	unattended, run as: Process Initiator
Other	

End Node

Node Type	End Node (core.1)
UUID	0001ec57-2ce1-8000-1cdd-7f0000014e7a
Description	
Task Display Name	End Node
Assignment	unattended, run as: Process Initiator
Other	

Enter Memo Details

Node Type	User Input Task (internal.17)
UUID	0002ec57-7e62-8000-1cf2-7f0000014e7a
Description	
Task Display Name	= "Enter Memo Details" & pv!requestId
Assignment	attended, assigned to: =pp!initiator send email:false
Other	Refresh default values every time the task form is viewed.
Form Type	SAIL Form

Name	Type	Multiple	Value	Save Into	Required	Generated	Hidden from designer
cancel	Boolean	No		cancel	No	No	No
memoDocumentData	EAP_MemoDocumentData	No	=pv!memoDocumentData	memoDocumentData	No	No	No
userUploadedMemo	Document	No		userInputMemo	No	No	No

Type	Name	Listener Type	Conditions
Timer	Timer_1	N/A	N/A

Invoke PDF Generation

Node Type	[Deprecated] Start Process (appian.system.smart-services.start-process-2)
UUID	0001ec58-2686-8000-1d0a-7f0000014e7a
Description	
Task Display Name	Invoke PDF Generation
Assignment	unattended, run as: Process Initiator
Other	

Name	Type	Multiple	Value	Save Into	Required	Generated	Hidden from designer
ProcessModel	Process Model	No	=cons!EAP_PM_INVOKE_OUTPUT_FILES_GENERATION_PM		Yes	No	No
ProcessParameters	Any Type	No	= { memoDocumentData: pv!memoDocumentData, requestId: pv!requestId, userInputMemoDoc: pv!userInputMemo}		No	No	No

Is Cancelled?

Node Type	XOR (core.4)
UUID	0003ec57-7e62-8000-1cf2-7f0000014e7a
Description	
Task Display Name	Is Cancelled?
Assignment	unattended, run as: Process Initiator
Other	

Condition	Result	Path Label
If pv!cancel	go to End Node	Yes
If none of the above are TRUE	go to Invoke PDF Generation	

Start Node

Node Type

Start Node (core.0)

UUID

0000ec57-2ce1-8000-1cdd-7f0000014e7a

Description

Task Display Name

Start Node

Assignment

unattended, run as: Process Initiator

Other



Success Message

Node Type

User Input Task (internal.17)

UUID

0007ec57-7e62-8000-1cf2-7f0000014e7a

Description

Task Display Name

= "Success Message" & pv!requestId

Assignment

attended, assigned to: =pp!initiator send email:false

Other

Refresh default values every time the task form is viewed.

Form Type

SAIL Form

Inputs

Name	Type	Multiple	Value	Save Into	Required	Generated	Hidden from designer
requestId	Number (Integer)	No	=pv!requestId		No	No	No

Exception Flow Triggers

Type	Name	Listener Type	Conditions
Timer	Timer_1	N/A	N/A



get Static Data for Memo

Node Type

Unattended Multiple Questions (internal.16)

UUID

0001ec5b-2831-8000-1d16-7f0000014e7a

Description

Task Display Name

get Static Data for Memo

Assignment

unattended, run as: Process Initiator

Other

Outputs

Expression	Operation	Variable
a!localVariables(local!quarterEndDate:if(or(month(todate(today())) = 1, month(todate(today())) = 2, month(todate(today())) = 3,), date(year(today()), 3, 31), if(or(month(todate(today())) = 4, month(todate(today())) = 5, month(todate(today())) = 6,), date(year(today()), 6, 30), if(or(month(todate(today())) = 7, month(todate(today())) = 8, month(todate(today())) = 9,), date(year(today()), 9, 30), date(year(today()), 12, 31),))), local!getStaticDataSrc: rule!EAP_getStaticDataSrc(requestId: pv!requestId), 'type! {urn:com:appian:types:eap}EAP_MemoDocumentData'(fundName: "Fund Name", to: "Investor 31370", from: "BlackStone Global", cc: "BlackStone", subject: "Fund Notice", date: today(), quarterEndDate: local!quarterEndDate, wireTransferDate: local!quarterEndDate + 30))	is stored as	memoDocumentData