# EAP Manage Parsing Configuration

Used to manage parsing configuration

## 1 Process Model Properties

| | |
|---|---|
| **Process Display Name** | =rule!EAP_Utils_ProcessDisplayName(ProcessDisplayName: pm!name,CaseNumber: concat("Process Id: ",pv!processId)) |
| **Model Id** | 5275 |
| **UUID** | 0002e4c5-573f-8000-541f-1b4d981b4d98 |
| **Last updated** | by ameya.kabnurkar@wipro.com |

## 2 Process Model Diagram




## 3 Process Model Contents

**Process Start Form Type** SAIL Form

**Process Variables (24)**

| Name | Type | Multiple | Default Value | Parameter | Required | Hidden |
|---|---|---|---|---|---|---|
| editConfig | Boolean | No | False | No | No | No |
| editDynamicConfig | Boolean | No | False | No | No | No |
| dynamicConfigDetails | EAP_T_PR_DYNAMIC_CONF_DETAIL | Yes | | No | No | No |
| dynamicConfig | EAP_T_PR_DYNAMIC_CONF | Yes | | No | No | No |
| ButtonAction | Text | No | | No | No | No |

| Name | Type | Multiple | Default Value | Parameter | Required | Hidden |
|---|---|---|---|---|---|---|
| activeStep | Number (Integer) | No | 0 | No | No | No |
| entityActiveStep | Number (Integer) | No | 0 | No | No | No |
| fileEntityMapping | EAP_T_RefProcessInFileEntityMapping | Yes | | No | No | No |
| fileTypeConfig | EAP_T_RefProcessInFileType | Yes | | No | No | No |
| isFileAdded | Boolean | No | | No | No | No |
| navigationIndex | Number (Integer) | No | 0 | No | No | No |
| parserTypes | EAP_T_ParserType | Yes | =rule!EAP_QE_ParserType( isActive: true()) | No | No | No |
| processId | Number (Integer) | No | 0 | Yes | No | No |
| refProcessSheetTransposeConfig | EAP_T_RefProcessSheetTransposeConfig | Yes | | No | No | No |
| selectedCard | Text | No | | No | No | No |
| selectedEntityCard | Text | No | | No | No | No |
| selectedFileEntityMapping | EAP_T_RefProcessInFileEntityMapping | Yes | | No | No | No |
| selectedFileType | Text | No | | No | No | No |
| selectedRefProcessSheetTransposeConfig | EAP_T_RefProcessSheetTransposeConfig | Yes | | No | No | No |
| selectedSheetFieldMapping | EAP_T_RefProcessSheetFieldMapping | Yes | | No | No | No |
| selectedSheetFixedCellsConfig | EAP_T_RefProcessSheetFixedCellsConfig | Yes | | No | No | No |
| sheetFieldMapping | EAP_T_RefProcessSheetFieldMapping | Yes | | No | No | No |
| sheetFixedCellsConfig | EAP_T_RefProcessSheetFixedCellsConfig | Yes | | No | No | No |
| uniqueIdentifiers | EAP_Temp_ParsingUniqueIdentifiers | No | | No | No | No |

**Lanes**

| | Label | Size (px) | Lane Assignment | Attended | Assignees / Run As |
|---|---|---|---|---|---|
| 0 | Initiator | 250 | No | N/A | N/A |
| 1 | System | 362 | No | N/A | N/A |

**Nodes**

| Id | GUI Id | Name | Task Display Name | Lane | Attended | Assignees / Run As |
|---|---|---|---|---|---|---|
| 52852 | 7 | Button Action Condition? | Button Action Condition? | System | No | Process Initiator |
| 52857 | 17 | Button Action Condition? | Button Action Condition? | Initiator | No | Process Initiator |
| 52858 | 20 | Dummy | Dummy | System | No | Process Initiator |
| 52850 | 1 | End Node | End Node | Initiator | No | Process Initiator |
| 52851 | 11 | End Node | End Node | System | No | Process Initiator |
| 52869 | 19 | Fetch Dynamic Config | Fetch Dynamic Config | System | No | Process Initiator |
| 52860 | 10 | Fetch Entity Details | Fetch Entity Details | System | No | Process Initiator |
| 52862 | 8 | Fetch Entity Details | Fetch Entity Details | System | No | Process Initiator |
| 52854 | 9 | Fetch Sheet Details | Fetch Sheet Details | System | No | Process Initiator |
| 52861 | 18 | Fetch Sheet Details | Fetch Sheet Details | System | No | Process Initiator |
| 52868 | 2 | Manage Parsing Configuration | Manage Parsing Configuration | Initiator | Yes | pp!initiator |
| 52870 | 5 | Script Task | Script Task | System | No | Process Initiator |
| 52864 | 15 | Selected Card | Selected Card | System | No | Process Initiator |
| 52856 | 3 | Set Default Values | Set Default Values | System | No | Process Initiator |
| 52863 | 6 | Set Default Values | Set Default Values | System | No | Process Initiator |
| 52865 | 14 | Set Default Values | Set Default Values | System | No | Process Initiator |
| 52866 | 16 | Set Entity Mapping Id | Set Entity Mapping Id | System | No | Process Initiator |
| 52853 | 12 | Set Selected Sheet Field Mapping | Set Selected Sheet Field Mapping | System | No | Process Initiator |
| 52849 | 0 | Start Node | Start Node | Initiator | No | Process Initiator |
| 52855 | 13 | Update Sheet Field Mapping | Update Sheet Field Mapping | System | No | Process Initiator |
| 52867 | 23 | Write To Multiple Entites | Write To Multiple Entites | System | No | Process Initiator |
| 52859 | 4 | XOR | XOR | System | No | Process Initiator |

**Annotations**

| GUI Id | Text |
|---|---|
| 3 | Manage Parsing Configuration |
| 7 | Related action which is used to manage the parsing configuration of multiple file at the same time. |

**Connections**

| Start Node | End Node | Chained |
|---|---|---|
| Start Node | Set Default Values | Yes |
| Button Action Condition? | Set Default Values | Yes |
| Button Action Condition? | End Node | No |
| Set Selected Sheet Field Mapping | XOR | Yes |
| Fetch Sheet Details | Fetch Dynamic Config | Yes |
| Update Sheet Field Mapping | Manage Parsing Configuration | Yes |
| Set Default Values | Script Task | Yes |
| Button Action Condition? | End Node | No |
| Button Action Condition? | Manage Parsing Configuration | Yes |
| Button Action Condition? | Write To Multiple Entites | Yes |
| Dummy | Manage Parsing Configuration | Yes |
| XOR | Update Sheet Field Mapping | Yes |
| XOR | Dummy | Yes |
| Fetch Entity Details | Fetch Sheet Details | Yes |
| Fetch Sheet Details | Button Action Condition? | Yes |
| Fetch Entity Details | Fetch Sheet Details | Yes |
| Set Default Values | Fetch Entity Details | Yes |
| Selected Card | Set Entity Mapping Id | Yes |
| Set Default Values | Fetch Entity Details | Yes |
| Set Entity Mapping Id | Set Selected Sheet Field Mapping | Yes |
| Write To Multiple Entites | Set Default Values | Yes |
| Manage Parsing Configuration | Button Action Condition? | Yes |
| Fetch Dynamic Config | Manage Parsing Configuration | Yes |
| Script Task | Selected Card | Yes |

## 4 Process Model Nodes

### Button Action Condition?

**Node Type** XOR (core.4)
**UUID** 0002e4ca-3888-8000-56b0-1b4d981b4d98
**Description**
**Task Display Name** Button Action Condition?
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Conditions**

| Condition | Result | Path Label |
|---|---|---|
| If or(pv!ButtonAction=cons!EAP_BUTTON_ACTION[1]) | go to End Node | |
| If none of the above are TRUE | go to Set Default Values | |

---

### Button Action Condition?

**Node Type** XOR (core.4)
**UUID** 0004e4c5-5cf4-8000-5434-1b4d981b4d98
**Description**
**Task Display Name** Button Action Condition?
**Lane** Initiator
**Assignment** unattended, run as: Process Initiator
**Other**

**Conditions**

| Condition | Result | Path Label |
|---|---|---|
| If or(pv!ButtonAction=cons!EAP_BUTTON_ACTION[2]) | go to End Node | |

| Condition | Result | Path Label |
|---|---|---|
| Else if tostring(pv!ButtonAction)=cons!EAP_BUTTON_ACTION[7] | go to Manage Parsing Configuration | Back |
| If none of the above are TRUE | go to Write To Multiple Entites | |

---

### Dummy

**Node Type** Unattended Multiple Questions (internal.16)
**UUID** 0001e4e7-8141-8000-617e-1b4d981b4d98
**Description**
**Task Display Name** Dummy
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

---

### End Node

**Node Type** End Node (core.1)
**UUID** 0001e4c5-573f-8000-541f-1b4d981b4d98
**Description**
**Task Display Name** End Node
**Lane** Initiator
**Assignment** unattended, run as: Process Initiator
**Other**

---

### End Node

**Node Type** End Node (core.1)
**UUID** 0001e4ca-3888-8000-56b0-1b4d981b4d98
**Description**
**Task Display Name** End Node
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

---

### Fetch Dynamic Config

**Node Type** Unattended Multiple Questions (internal.16)
**UUID** 0001e55e-4b6f-8000-6d0a-1b4d981b4d98
**Description**
**Task Display Name** Fetch Dynamic Config
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Outputs**

| Expression | Operation | Variable |
|---|---|---|
| if( rule!EAP_Utils_CheckIsNull( pv!fileEntityMapping ), {}, rule!EAP_QE_PRDynamicConf( inFileEntityMappingId:index( pv!fileEntityMapping, "in_file_entity_mapping_id", {} ) ) ) | is stored as | dynamicConfig |

---

### Fetch Entity Details

**Node Type** Unattended Multiple Questions (internal.16)
**UUID** 0002e4d7-b5b9-8000-5db0-1b4d981b4d98
**Description**
**Task Display Name** Fetch Entity Details

**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Outputs**

| Expression | Operation | Variable |
|---|---|---|
| if( rule!EAP_Utils_CheckIsNullsss(pv!fileTypeConfig),{}, rule!EAP_QE_RefProcessInFileEntityMapping( processId:pv!processId )) | is stored as | fileEntityMapping |

---

### Fetch Entity Details

**Node Type** Unattended Multiple Questions (internal.16)
**UUID** 0003e4ca-3098-8000-56a4-1b4d981b4d98
**Description**
**Task Display Name** Fetch Entity Details
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Outputs**

| Expression | Operation | Variable |
|---|---|---|
| if( rule!EAP_Utils_CheckIsNullsss(pv!fileTypeConfig),{}, rule!EAP_QE_RefProcessInFileEntityMapping( processId:pv!processId, isActive: true() )) | is stored as | fileEntityMapping |

---

### Fetch Sheet Details

**Node Type** Unattended Multiple Questions (internal.16)
**UUID** 0005e4ca-3098-8000-56a4-1b4d981b4d98
**Description**
**Task Display Name** Fetch Sheet Details
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Outputs**

| Expression | Operation | Variable |
|---|---|---|
| if( rule!EAP_Utils_CheckIsNullsss(pv!fileEntityMapping),{}, rule!EAP_QE_RefProcessSheetTransposeConfig( inFileEntityMappingId: index( pv!fileEntityMapping, "in_file_entity_mapping_id", {} ) )) | is stored as | refProcessSheetTransposeConfig |
| if( rule!EAP_Utils_CheckIsNullsss(pv!fileEntityMapping),{},rule!EAP_QE_RefProcessSheetFieldMapping( inFileEntityMappingId: index(pv!fileEntityMapping,"in_file_entity_mapping_id",{}) )) | is stored as | sheetFieldMapping |
| if( rule!EAP_Utils_CheckIsNullsss(pv!fileEntityMapping),{}, rule!EAP_QE_RefProcessSheetFixedCellsConfig( inFileEntityMappingId: index( pv!fileEntityMapping, "in_file_entity_mapping_id", {} ) )) | is stored as | sheetFixedCellsConfig |

---

### Fetch Sheet Details

**Node Type** Unattended Multiple Questions (internal.16)
**UUID** 0003e4d7-b5b9-8000-5db0-1b4d981b4d98
**Description**
**Task Display Name** Fetch Sheet Details
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Outputs**

| Expression | Operation | Variable |
|---|---|---|
| if( rule!EAP_Utils_CheckIsNullsss(pv!fileEntityMapping),{}, rule!EAP_QE_RefProcessSheetTransposeConfig( inFileEntityMappingId: index( pv!fileEntityMapping, "in_file_entity_mapping_id", {} ) )) | is stored as | refProcessSheetTransposeConfig |
| if( rule!EAP_Utils_CheckIsNullsss(pv!fileEntityMapping),{},rule!EAP_QE_RefProcessSheetFieldMapping( inFileEntityMappingId: index(pv!fileEntityMapping,"in_file_entity_mapping_id",{}) )) | is stored as | sheetFieldMapping |
| if( rule!EAP_Utils_CheckIsNullsss(pv!fileEntityMapping),{}, rule!EAP_QE_RefProcessSheetFixedCellsConfig( inFileEntityMappingId: index( pv!fileEntityMapping, "in_file_entity_mapping_id", {} ) )) | is stored as | sheetFixedCellsConfig |

---

## Manage Parsing Configuration

**Node Type** User Input Task (internal.17)
**UUID** 0001e4c5-5cf4-8000-5434-1b4d981b4d98
**Description**
**Task Display Name** Manage Parsing Configuration
**Lane** Initiator
**Assignment** attended, assigned to: pp!initiator send email:true
**Other**
**Form Type** SAIL Form

**Inputs**

| Name | Type | Multiple | Value | Save Into | Required | Generated | Hidden from designer |
|---|---|---|---|---|---|---|---|
| ButtonAction | Text | No | | ButtonAction | No | No | No |
| activeStep | Number (Integer) | No | =pv!activeStep | activeStep | No | No | No |
| dynamicConfig | EAP_T_PR_DYNAMIC_CONF | Yes | =pv!dynamicConfig | dynamicConfig | No | No | No |
| dynamicConfigDetails | EAP_T_PR_DYNAMIC_CONF_DETAIL | Yes | =pv!dynamicConfigDetails | dynamicConfigDetails | No | No | No |
| editConfig | Boolean | No | =pv!editConfig | editConfig | No | No | No |
| editDynamicConfig | Boolean | No | =pv!editDynamicConfig | editDynamicConfig | No | No | No |
| entityActiveStep | Number (Integer) | No | =pv!entityActiveStep | entityActiveStep | No | No | No |
| fileEntityMapping | EAP_T_RefProcessInFileEntityMapping | Yes | =pv!fileEntityMapping | fileEntityMapping | No | No | No |
| fileTypeConfig | EAP_T_RefProcessInFileType | Yes | =pv!fileTypeConfig | fileTypeConfig | No | No | No |
| isFileAdded | Boolean | No | =pv!isFileAdded | isFileAdded | No | No | No |
| navigationIndex | Number (Integer) | No | =pv!navigationIndex | navigationIndex | No | No | No |
| refProcessSheetTransposeConfig | EAP_T_RefProcessSheetTransposeConfig | Yes | =pv!refProcessSheetTransposeConfig | refProcessSheetTransposeConfig | No | No | No |
| selectedCard | Text | No | =pv!selectedCard | selectedCard | No | No | No |
| selectedEntityCard | Text | No | =pv!selectedEntityCard | selectedEntityCard | No | No | No |
| selectedFileEntityMapping | EAP_T_RefProcessInFileEntityMapping | Yes | =pv!selectedFileEntityMapping | selectedFileEntityMapping | No | No | No |
| selectedFileType | Text | No | =pv!selectedFileType | selectedFileType | No | No | No |
| selectedRefProcessSheetTransposeConfig | EAP_T_RefProcessSheetTransposeConfig | Yes | =pv!selectedRefProcessSheetTransposeConfig | selectedRefProcessSheetTransposeConfig | No | No | No |
| selectedSheetFieldMapping | EAP_T_RefProcessSheetFieldMapping | Yes | =pv!selectedSheetFieldMapping | selectedSheetFieldMapping | No | No | No |
| selectedSheetFixedCellsConfig | EAP_T_RefProcessSheetFixedCellsConfig | Yes | =pv!selectedSheetFixedCellsConfig | selectedSheetFixedCellsConfig | No | No | No |
| sheetFieldMapping | EAP_T_RefProcessSheetFieldMapping | Yes | =pv!sheetFieldMapping | sheetFieldMapping | No | No | No |
| sheetFixedCellsConfig | EAP_T_RefProcessSheetFixedCellsConfig | Yes | =pv!sheetFixedCellsConfig | sheetFixedCellsConfig | No | No | No |
| uniqueIdentifiers | EAP_Temp_ParsingUniqueIdentifiers | No | =pv!uniqueIdentifiers | uniqueIdentifiers | No | No | No |

**Exception Flow Triggers**

| Type | Name | Listener Type | Conditions |
|---|---|---|---|
| Timer | Timer_1 | N/A | N/A |

---

## Script Task

**Node Type** Unattended Multiple Questions (internal.16)
**UUID** 0001e4c8-f191-8000-55e0-1b4d981b4d98
**Description**
**Task Display Name** Script Task
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Outputs**

| Expression | Operation | Variable |
|---|---|---|
| index( pv!fileEntityMapping, wherecontains( tointeger( pv!selectedFileType ), tointeger( index( pv!fileEntityMapping, "in_file_type_config_id", {} ) ) ), {} ) | is stored as | selectedFileEntityMapping |

---

## Selected Card

**Node Type** Unattended Multiple Questions (internal.16)
**UUID** 0001e4cb-c4d9-8000-570a-1b4d981b4d98
**Description**
**Task Display Name** Selected Card
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Outputs**

| Expression | Operation | Variable |
|---|---|---|
| rule!EAP_GetSelectedCardForParsing( selectedCard:pv!selectedCard, selectedFileEntityMapping:pv!selectedFileEntityMapping ) | is stored as | selectedCard |

---

## Set Default Values

**Node Type** Unattended Multiple Questions (internal.16)
**UUID** 0001e4c6-663b-8000-5489-1b4d981b4d98
**Description**
**Task Display Name** Set Default Values
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Outputs**

| Expression | Operation | Variable |
|---|---|---|
| if( rule!EAP_Utils_CheckIsNullsss(pv!selectedFileType), index(index(pv!fileTypeConfig,1,null),"in_file_type_config_id",null), pv!selectedFileType) | is stored as | selectedFileType |
| if( rule!EAP_Utils_CheckIsNullsss(pv!selectedFileType), tointeger(index(index(pv!fileTypeConfig,1,null),"in_file_type_config_id",null)), tointeger(pv!selectedFileType)) | is stored as | uniqueIdentifiers.in_file_type_config_id |

---

## Set Default Values

**Node Type** Unattended Multiple Questions (internal.16)
**UUID** 0001e4d7-b5b9-8000-5db0-1b4d981b4d98
**Description**
**Task Display Name** Set Default Values
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Outputs**

| Expression | Operation | Variable |
|---|---|---|
| rule!EAP_QE_RefProcessInFileType( processId: pv!processId, isActive: true() ) | is stored as | fileTypeConfig |
| true() | is stored as | isFileAdded |

---

## Set Default Values

**Node Type** Unattended Multiple Questions (internal.16)
**UUID** 0002e4c5-5cf4-8000-5434-1b4d981b4d98
**Description**
**Task Display Name** Set Default Values
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Outputs**

| Expression | Operation | Variable |
|---|---|---|
| 1 | is stored as | activeStep |
| 1 | is stored as | entityActiveStep |
| rule!EAP_QE_RefProcessInFileType( processId: pv!processId ) | is stored as | fileTypeConfig |
| false() | is stored as | isFileAdded |
| pv!processId | is stored as | uniqueIdentifiers.process_id |

---

### Set Entity Mapping Id

**Node Type** Unattended Multiple Questions (internal.16)
**UUID** 0001e4cb-c63d-8000-570b-1b4d981b4d98
**Description**
**Task Display Name** Set Entity Mapping Id
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Outputs**

| Expression | Operation | Variable |
|---|---|---|
| rule!EAP_GetSelectedEntityCardForParsing( selectedCard:pv!selectedCard, selectedFileEntityMapping: pv!selectedFileEntityMapping, selectedEntityCard: pv!selectedEntityCard ) | is stored as | selectedEntityCard |
| rule!EAP_GetSelectedEntityCardForParsing( selectedCard:pv!selectedCard, selectedFileEntityMapping: pv!selectedFileEntityMapping, selectedEntityCard: pv!selectedEntityCard ) | is stored as | uniqueIdentifiers.in_file_entity_mapping_id |

---

### Set Selected Sheet Field Mapping

**Node Type** Unattended Multiple Questions (internal.16)
**UUID** 0002e4ca-71ad-8000-56de-1b4d981b4d98
**Description**
**Task Display Name** Set Selected Sheet Field Mapping
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Outputs**

| Expression | Operation | Variable |
|---|---|---|
| remove( pv!fileEntityMapping, wherecontains( tointeger( pv!selectedFileType ), tointeger( index( pv!fileEntityMapping, "in_file_type_config_id", {} ) ) ) ) | is stored as | fileEntityMapping |
| index(pv!refProcessSheetTransposeConfig, wherecontains( tointeger( pv!selectedEntityCard ), tointeger( index( pv!refProcessSheetTransposeConfig, "in_file_entity_mapping_id", null ) ) ),{}) | is stored as | selectedRefProcessSheetTransposeConfig |
| index(pv!sheetFieldMapping, wherecontains( tointeger( pv!selectedEntityCard ), tointeger( index( pv!sheetFieldMapping, "in_file_entity_mapping_id", null ) ) ),{}) | is stored as | selectedSheetFieldMapping |
| index(pv!sheetFixedCellsConfig, wherecontains( tointeger( pv!selectedEntityCard ), tointeger( index( pv!sheetFixedCellsConfig, "in_file_entity_mapping_id", null ) ) ),{}) | is stored as | selectedSheetFixedCellsConfig |

---

### Start Node

**Node Type** Start Node (core.0)
**UUID** 0000e4c5-573f-8000-541f-1b4d981b4d98
**Description**
**Task Display Name** Start Node
**Lane** Initiator
**Assignment** unattended, run as: Process Initiator
**Other**

---

### Update Sheet Field Mapping

**Node Type** Unattended Multiple Questions (internal.16)

**UUID** 0001e4ca-71ad-8000-56de-1b4d981b4d98
**Description**
**Task Display Name** Update Sheet Field Mapping
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Outputs**

| Expression | Operation | Variable |
|---|---|---|
| remove(pv!refProcessSheetTransposeConfig, wherecontains( tointeger( pv!selectedEntityCard ), tointeger( index( pv!refProcessSheetTransposeConfig, "in_file_entity_mapping_id", null ) ) )) | is stored as | refProcessSheetTransposeConfig |
| remove(pv!sheetFieldMapping, wherecontains( tointeger( pv!selectedEntityCard ), tointeger( index( pv!sheetFieldMapping, "in_file_entity_mapping_id", null ) ) )) | is stored as | sheetFieldMapping |
| remove(pv!sheetFixedCellsConfig, wherecontains( tointeger( pv!selectedEntityCard ), tointeger( index( pv!sheetFixedCellsConfig, "in_file_entity_mapping_id", null ) ) )) | is stored as | sheetFixedCellsConfig |

---

## Write To Multiple Entites

**Node Type** SUB_PROC (internal.38)
**UUID** 0005e4c5-5cf4-8000-5434-1b4d981b4d98
**Description**
**Task Display Name** Write To Multiple Entites
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**
**Is Asynchronous** No
**Data from sub-process can be included in reports on the parent process model** Yes
**Sub-Process Model** EAP Write To Multiple Datastore Entities (Id: 5274, UUID: 0002e4c5-16b6-8000-53bb-1b4d981b4d98)

**Input Variables**

| Sub-Process Variable | Set From |
|---|---|
| dynamicConfig | =pv!dynamicConfig |
| dynamicConfigDetails | =pv!dynamicConfigDetails |
| refProcessInFileEntityMappingList | =index( pv!fileEntityMapping, wherecontains( tointeger( pv!selectedFileType), tointeger( pv!fileEntityMapping.in_file_type_config_id ) ), null ) |
| refProcessInFileTypeList | =if( or( pv!isFileAdded), index( pv!fileTypeConfig, wherecontains( tointeger( pv!selectedFileType), tointeger( pv!fileTypeConfig.in_file_type_config_id ) ), null ), pv!fileTypeConfig ) |
| refProcessSheetFieldMappingList | =index( pv!sheetFieldMapping, wherecontains( tointeger( pv!selectedEntityCard ), tointeger( pv!sheetFieldMapping.in_file_entity_mapping_id ) ), {} ) |
| refProcessSheetFixedCellsConfigList | =index( pv!sheetFixedCellsConfig, wherecontains( tointeger( pv!selectedEntityCard ), tointeger( pv!sheetFixedCellsConfig.in_file_entity_mapping_id ) ), {} ) |
| refProcessSheetTransposeConfigList | =index( pv!refProcessSheetTransposeConfig, wherecontains( tointeger( pv!selectedEntityCard ), tointeger( pv!refProcessSheetTransposeConfig.in_file_entity_mapping_id ) ), {} ) |

**Output Variables**

| Sub-Process Variable | Save Into |
|---|---|
| dynamicConfig | dynamicConfig |
| dynamicConfigDetails | dynamicConfigDetails |
| refProcessInFileEntityMappingList | fileEntityMapping |
| refProcessInFileTypeList | fileTypeConfig |
| refProcessSheetFieldMappingList | sheetFieldMapping |
| refProcessSheetFixedCellsConfigList | sheetFixedCellsConfig |
| refProcessSheetTransposeConfigList | refProcessSheetTransposeConfig |

---

## XOR

**Node Type** XOR (core.4)
**UUID** 0001e4d1-10ff-8000-5a06-1b4d981b4d98
**Description**
**Task Display Name** XOR
**Lane** System
**Assignment** unattended, run as: Process Initiator
**Other**

**Conditions**

| Condition | Result | Path Label |
|---|---|---|
| If rule!EAP_Utils_CheckIsNull(pv!sheetFieldMapping) | go to Dummy | |
| Else if rule!EAP_Utils_CheckIsNull(pv!sheetFixedCellsConfig) | go to Dummy | |
| Else if rule!EAP_Utils_CheckIsNull(pv!refProcessSheetTransposeConfig) | go to Dummy | |
| If none of the above are TRUE | go to Update Sheet Field Mapping | |