




EAP Historical Data Call Back Initiation

Call back process for the Historical data integration

1 Process Model Properties

| | |
|----------------------|---|
| Process Display Name | =concat(index(pv!requestDetails,"requestId",null), " Historical Transaction Id : ", index(pv!historicalTrans,"parsing_hist_trans_id",null)," - EAP Historical Data Call Back Initiation") |
| Model Id | 5363 |
| UUID | 0002e568-a2f5-8000-6d62-1b4d981b4d98 |
| Last updated | by ameya.kabnurkar@wipro.com |

2 Process Model Diagram



3 Process Model Contents

Process Start Form Type SAIL Form

Process Variables (9)

| Name | Type | Multiple | Default Value | Parameter | Required | Hidden |
|-------------------------|---------------------------------|----------|---------------|-----------|----------|--------|
| histStatus | Text | No | | No | No | No |
| historicalDetailsTrans | EAP_T_RefProcessHistDetailTrans | Yes | | No | No | No |
| historicalResponse | EAP_U_HistoricalDataCallBack | No | | Yes | No | No |
| historicalTrans | EAP_T_RefProcessHistTrans | No | | No | No | No |
| isHistoricalDataSuccess | Boolean | No | | No | No | No |
| isSuccess | Boolean | No | | No | No | No |
| processId | Number (Integer) | No | 0 | No | No | No |
| requestDetails | EAP_T_ProcessRequest | No | | No | No | No |
| requestId | Number (Integer) | No | 0 | No | No | No |

Lanes

| | Label | Size (px) | Lane Assignment | Attended | Assignees / Run As |
|---|--------|-----------|-----------------|----------|--------------------|
| 0 | System | 775 | No | N/A | N/A |

Nodes

| Id | GUI Id | Name | Task Display Name | Lane | Attended | Assignees / Run As |
|-------|--------|---|---|--------|----------|--|
| 53715 | 13 | All Transaction completed | All Transaction completed | System | No | Process Initiator |
| 53703 | 14 | Dummy | Dummy | System | No | Process Initiator |
| 53704 | 32 | End Event | End Event | System | No | Process Initiator |
| 53701 | 1 | End Node | End Node | System | No | Process Initiator |
| 53705 | 8 | Get all historicalDetailsTrans | Get all historicalDetailsTrans | System | No | Process Initiator |
| 53706 | 3 | Get requestDetails & historicalDetailsTrans | Get requestDetails & historicalDetailsTrans | System | No | Process Initiator |
| 53711 | 15 | Historical Data Failure Notification | Historical Data Failure Notification | System | Yes | =index(pv!historicalTrans,"requested_by",null) |
| 53708 | 10 | Is All Historical Data Updated? | Is All Historical Data Updated? | System | No | Process Initiator |
| 53712 | 34 | Is Request Present? | Is Request Present? | System | No | Process Initiator |
| 53718 | 12 | Is Success? | Is Success? | System | No | Process Initiator |

| Condition | Result | Path Label |
|--|---|------------|
| If rule!EAP_Utils_CheckIsNull(pv!historicalResponse.requestId) | go to Get requestDetails & historicalDetailsTrans | |
| If none of the above are TRUE | go to End Event | |

 Is Success?

Node Type XOR (core.4)
UUID 0001e61a-bb2f-8000-7607-1b4d981b4d98
Description
Task Display Name Is Success?
Lane [System](#)
Assignment unattended, run as: Process Initiator
Other

Conditions

| Condition | Result | Path Label |
|---|-----------------------------------|------------|
| If toString(pv!histStatus)=const!EAP_WORFLOW_INTEGRATION_STATUS_LIST[2] | go to Set Request | |
| If none of the above are TRUE | go to End Node | |

 Is historicalDetailsTrans needs update?

Node Type XOR (core.4)
UUID 0001e56a-09c4-8000-6de6-1b4d981b4d98
Description
Task Display Name Is historicalDetailsTrans needs update?
Lane [System](#)
Assignment unattended, run as: Process Initiator
Other

Conditions

| Condition | Result | Path Label |
|--|--|------------|
| If rule!EAP_Utils_CheckIsNull(pv!historicalDetailsTrans) | go to Update historicalDetailsTrans | |
| If none of the above are TRUE | go to Get all historicalDetailsTrans | |

 Set Request

Node Type Unattended Multiple Questions (internal.16)
UUID 0001e61a-c607-8000-7609-1b4d981b4d98
Description
Task Display Name Set Request
Lane [System](#)
Assignment unattended, run as: Process Initiator
Other

Outputs

| Expression | Operation | Variable |
|------------|--------------|----------------------------------|
| "POS_COMP" | is stored as | requestDetails.requestCurrStatus |
| now() | is stored as | requestDetails.updatedOn |

 Set Request

Node Type Unattended Multiple Questions (internal.16)
UUID 0002e61a-c607-8000-7609-1b4d981b4d98
Description
Task Display Name Set Request
Lane [System](#)
Assignment unattended, run as: Process Initiator
Other

Outputs

| Expression | Operation | Variable |
|------------|--------------|----------------------------------|
| "TSK_RJCT" | is stored as | requestDetails.requestCurrStatus |
| now() | is stored as | requestDetails.updatedOn |

 Start Node

Node Type Start Node (core.0)
UUID 0000e568-a2f5-8000-6d62-1b4d981b4d98
Description
Task Display Name Start Node
Lane [System](#)
Assignment unattended, run as: Process Initiator
Other

 Update Hist Trans

Node Type [Deprecated] Execute Stored Procedure (executestoredprocedure.ExecuteStoredProcedurev2)
UUID 0001e61a-b5be-8000-7603-1b4d981b4d98
Description
Task Display Name Update Hist Trans
Lane [System](#)

Assignment unattended, run as: Process Initiator

Other

Inputs

| Name | Type | Multiple | Value | Save Into | Required | Generated | Hidden from designer |
|------------------------|------------------|----------|---|------------|----------|-----------|----------------------|
| DataSourceName | Text | No | =cons!EAP_SHARED_DATA_SOURCE | | Yes | No | No |
| PIN_HIST_STATUS | Text | No | =cons!EAP_WORKFLOW_INTEGRATION_STATUS_LIST[2] | | No | No | No |
| PIN_REQUEST_ID | Number (Integer) | No | =pv!requestDetails.requestId | | No | No | No |
| POUT_STATUS_UPDATE_LOG | Text | No | | histStatus | No | No | No |
| PauseOnError | Boolean | No | False | | Yes | No | No |
| ProcedureName | Text | No | =cons!EAP_SP_HISTORICAL_TRANS_STATUS | | Yes | No | No |
| RunValidation | Boolean | No | False | | Yes | No | No |



Update Hist Trans

Node Type [Deprecated] Execute Stored Procedure (executestoredprocedure.ExecuteStoredProcedurev2)

UUID 0002e61a-bb2f-8000-7607-1b4d981b4d98

Description

Task Display Name Update Hist Trans

Lane System

Assignment unattended, run as: Process Initiator

Other

Inputs

| Name | Type | Multiple | Value | Save Into | Required | Generated | Hidden from designer |
|------------------------|------------------|----------|---|------------|----------|-----------|----------------------|
| DataSourceName | Text | No | =cons!EAP_SHARED_DATA_SOURCE | | Yes | No | No |
| PIN_HIST_STATUS | Text | No | =cons!EAP_WORKFLOW_INTEGRATION_STATUS_LIST[3] | | No | No | No |
| PIN_REQUEST_ID | Number (Integer) | No | =pv!requestDetails.requestId | | No | No | No |
| POUT_STATUS_UPDATE_LOG | Text | No | | histStatus | No | No | No |
| PauseOnError | Boolean | No | False | | Yes | No | No |
| ProcedureName | Text | No | =cons!EAP_SP_HISTORICAL_TRANS_STATUS | | Yes | No | No |
| RunValidation | Boolean | No | False | | Yes | No | No |



Update Request

Node Type Write to Data Store Entity (appian.system.smart-services.write-to-data-store)

UUID 0001e56b-55f1-8000-6e6b-1b4d981b4d98

Description

Task Display Name Update Request

Lane System

Assignment unattended, run as: Process Designer

Other

Inputs

| Name | Type | Multiple | Value | Save Into | Required | Generated | Hidden from designer |
|-----------------|----------------------|----------|----------------------------------|-----------|----------|-----------|----------------------|
| DataStoreEntity | Data Store Entity | No | =cons!EAP_DE_REF_PROCESS_REQUEST | | Yes | No | No |
| requestDetails | EAP_T_ProcessRequest | No | =pv!requestDetails | | No | No | No |

Outputs

| Expression | Operation | Variable |
|-----------------|--------------|----------------|
| AC!StoredValues | is stored as | requestDetails |



Update Request

Node Type Write to Data Store Entity (appian.system.smart-services.write-to-data-store)

UUID 0003e56b-55f1-8000-6e6b-1b4d981b4d98

Description

Task Display Name Update Request

Lane System

Assignment unattended, run as: Process Designer

Other

Inputs

| Name | Type | Multiple | Value | Save Into | Required | Generated | Hidden from designer |
|-----------------|----------------------|----------|----------------------------------|-----------|----------|-----------|----------------------|
| DataStoreEntity | Data Store Entity | No | =cons!EAP_DE_REF_PROCESS_REQUEST | | Yes | No | No |
| requestDetails | EAP_T_ProcessRequest | No | =pv!requestDetails | | No | No | No |

Outputs

| Expression | Operation | Variable |
|-----------------|--------------|----------------|
| AC!StoredValues | is stored as | requestDetails |



Update historicalDetailsTrans

Node Type Write to Data Store Entity (appian.system.smart-services.write-to-data-store)

UUID 0002e56a-09c4-8000-6de6-1b4d981b4d98

Description

Task Display Name Update historicalDetailsTrans

Lane System

Assignment unattended, run as: Process Initiator
Other

Inputs

| Name | Type | Multiple | Value | Save Into | Required | Generated | Hidden from designer |
|------------------------|---------------------------------|----------|-----------------------------------|-----------|----------|-----------|----------------------|
| DataStoreEntity | Data Store Entity | No | =constEAP_DE_PR_HIST_DETAIL_TRANS | | Yes | No | No |
| historicalDetailsTrans | EAP_T_RefProcessHistDetailTrans | Yes | =pv!historicalDetailsTrans | | No | No | No |

Outputs

| Expression | Operation | Variable |
|-----------------|--------------|------------------------|
| AC!StoredValues | is stored as | historicalDetailsTrans |
