# EAP Manage Entity Mapping Configuration

Contains process flow to manage entity mappings.

1 Process Model Properties

Process Display Name	=rule!EAP_Utils_ProcessDisplayName(ProcessDisplayName: pm!name,CaseNumber: concat("Process Id: ",pv!processId))
Model Id	5288
UUID	0002e4d2-7cde-8000-5af5-1b4d981b4d98
Last updated	by ameya.kabnurkar@wipro.com

2 Process Model Diagram

Manage Entity Mapping Configuration

Initiator

Start Node — Manage Entity Mapping

System

Set Process Id — Dummy — Button Action? — Write to Entity Mapping — End Node

3   Process Model Contents

Process Start Form Type SAIL Form

Process Variables (4)

Name	Type	Multiple	Default Value	Parameter	Required	Hidden
buttonAction	Text	No		No	No	No
entityMappingList	EAP_T_EntityMapping	Yes		No	No	No
isReadOnly	Boolean	No		No	No	No
processId	Number (Integer)	No	0	Yes	No	No

Lanes

	Label	Size (px)	Lane Assignment	Attended	Assignees / Run As
0	Initiator	306	No	N/A	N/A
1	System	224	No	N/A	N/A

Nodes

Id	GUI Id	Name	Task Display Name	Lane	Attended	Assignees / Run As
40423	2	Button Action?	Button Action?	System	No	Process Initiator
40429	5	Dummy	Dummy	System	No	Process Initiator
40422	1	End Node	End Node	System	No	Process Initiator
40430	18	Manage Entity Mapping	Manage Entity Mapping	Initiator	Yes	=pp!initiator
40428	4	Set Process Id	Set Process Id	System	No	Process Initiator
40421	0	Start Node	Start Node	Initiator	No	Process Initiator
40427	3	Write to Entity Mapping	Write to Entity Mapping	System	No	Process Initiator

Annotations

GUI Id	Text
2	Manage Entity Mapping Configuration

Connections

Start Node	End Node	Chained
Start Node	Set Process Id	Yes
Button Action?	Write to Entity Mapping	Yes
Button Action?	End Node	Yes
Write to Entity Mapping	End Node	Yes
Set Process Id	Manage Entity Mapping	Yes
Dummy	End Node	No
Manage Entity Mapping	Button Action?	Yes

4   Process Model Nodes

◆ Button Action?

        Node Type   XOR (core.4)

UUID	0001e4d2-7e0d-8000-5af7-1b4d981b4d98	
Description		
Task Display Name	Button Action?	
Lane	System	
Assignment	unattended, run as: Process Initiator	
Other		

Conditions

Condition	Result	Path Label
If pv!buttonAction = cons!EAP_BUTTON_ACTION[1]	go to Write to Entity Mapping	Submit
If none of the above are TRUE	go to End Node	

Dummy

Node Type	Unattended Multiple Questions (internal.16)
UUID	0001e4d4-a7aa-8000-5bee-1b4d981b4d98
Description	
Task Display Name	Dummy
Lane	System
Assignment	unattended, run as: Process Initiator
Other	

End Node

Node Type	End Node (core.1)
UUID	0001e4d2-7cde-8000-5af5-1b4d981b4d98
Description	
Task Display Name	End Node
Lane	System
Assignment	unattended, run as: Process Initiator
Other	

Manage Entity Mapping

Node Type	User Input Task (internal.17)
UUID	0001e4d2-8723-8000-5afb-1b4d981b4d98
Description	
Task Display Name	Manage Entity Mapping
Lane	Initiator
Assignment	attended, assigned to: =pp!initiator send email:true
Other	
Form Type	SAIL Form

Inputs

Name	Type	Multiple	Value	Save Into	Required	Generated	Hidden from designer
buttonAction	Text	No	=pv!buttonAction	buttonAction	No	No	No
entityMapping	EAP_T_EntityMapping	Yes	=pv!entityMappingList	entityMappingList	No	No	No
isReadOnly	Boolean	No			No	No	No

Exception Flow Triggers

Type	Name	Listener Type	Conditions
Timer	Timer_1	N/A	N/A

Set Process Id

Node Type	Unattended Multiple Questions (internal.16)
UUID	0001e4d3-ab58-8000-5b66-1b4d981b4d98
Description	
Task Display Name	Set Process Id
Lane	System
Assignment	unattended, run as: Process Initiator
Other	

Outputs

Expression	Operation	Variable
pv!processId	is stored as	entityMappingList.process_id

Start Node

Node Type	Start Node (core.0)
UUID	0000e4d2-7cde-8000-5af5-1b4d981b4d98
Description	
Task Display Name	Start Node
Lane	Initiator
Assignment	unattended, run as: Process Initiator
Other	

Write to Entity Mapping

Node Type	Write to Data Store Entity (appian.system.smart-services.write-to-data-store)
UUID	0002e4d2-7e0d-8000-5af7-1b4d981b4d98
Description	
Task Display Name	Write to Entity Mapping
Lane	System
Assignment	unattended, run as: Process Initiator

Other

Inputs

Name	Type	Multiple	Value	Save Into	Required	Generated	Hidden from designer
DataStoreEntity	Data Store Entity	No	=cons!EAP_DE_ENTITY_MAPPING		Yes	No	No
entityMappingList	EAP_T_EntityMapping	Yes	=pv!entityMappingList		No	No	No

Outputs

Expression	Operation	Variable
AC!StoredValues	is stored as	entityMappingList