SAFETY DATA SHEET

Issue Date 30-Aug-2018

Revision Date: 02-Mar-2022

_____________________________________________________________________________________________

Page 1 / 7

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION

Product identifier
Product Name Yushirontec™ WL511

Recommended use of the chemical and restrictions on use
Recommended Use Water soluble metalworking fluid.
Uses advised against No information available

Details of the supplier of the safety data sheet
Yushiro Manufacturing America, Inc.
783 West Mausoleum Road
Shelbyville, IN 46176
Telephone: 317-398-9862
Emergency telephone number
Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status
This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation Category 2A
Reproductive toxicity Category 2
Specific target organ toxicity (single exposure) Category 2
Specific target organ toxicity (repeated exposure) Category 1

Label elements

Emergency Overview
Danger

Hazard statements
Causes serious eye irritation
Suspected of damaging fertility or the unborn child
May cause damage to organs
Causes damage to organs through prolonged or repeated exposure

Appearance No information available

Physical state liquid Odor Amines

Precautionary Statements - Prevention

Yushirontec™ WL511

Revision Date: 02-Mar-2022

_____________________________________________________________________________________________

_____________________________________________________________________________________________

Page 2 / 7

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not breathe dust/fume/gas/mist/vapors/spray
Do not eat, drink or smoke when using this product

Precautionary Statements - Response
IF exposed or concerned: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage
Store locked up

Precautionary Statements - Disposal
Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)
Other Information
Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name CAS No weight-% Trade Secret
Diethylene glycol monomethyl ether 111-77-3 10 - 19 *

Some specific chemical identities and the exact percentages of composition have been withheld as trade secrets.

4. FIRST AID MEASURES

First aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.
Consult a physician.

Skin Contact Wash off immediately with soap and plenty of water. Wash contaminated clothing before
reuse. If symptoms persist, call a physician.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting
without medical advice.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Yushirontec™ WL511

Revision Date: 02-Mar-2022

_____________________________________________________________________________________________

_____________________________________________________________________________________________

Page 3 / 7

CO2, dry chemical, dry sand, alcohol-resistant foam.
Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical
No information available.

Hazardous combustion products Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may
be highly dangerous if inhaled in confined spaces or at high concentration.
Explosion data
Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
Personal precautions Use personal protective equipment as required. Ensure adequate ventilation, especially in
confined areas. Avoid contact with skin, eyes or clothing.
Environmental precautions
Environmental precautions Avoid release to the environment. Do not flush into surface water or sanitary sewer system.
Methods and material for containment and cleaning up
Methods for containment Prevent further leakage or spillage if safe to do so.
Methods for cleaning up Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Precautions for safe handling
Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.
Ensure adequate ventilation, especially in confined areas.
Conditions for safe storage, including any incompatibilities
Storage Conditions Keep from freezing. Keep container tightly closed in a dry and well-ventilated place. Protect
from elevated temperatures and direct sunlight.
Incompatible materials Acids. Strong oxidizing agents. Nitrites and nitrosating agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters
Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational
exposure limits established by the region specific regulatory bodies.
Appropriate engineering controls
Engineering Controls Showers

Yushirontec™ WL511

Revision Date: 02-Mar-2022

_____________________________________________________________________________________________

_____________________________________________________________________________________________

Page 4 / 7

Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Skin and body protection Wear protective gloves and protective clothing. Selection of protective clothing depends on
work conditions. Avoid contact with skin and clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved
respiratory protection should be worn. Positive-pressure supplied air respirators may be
required for high airborne contaminant concentrations. Respiratory protection must be
provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid
Appearance No information available

Odor Amines
Color light yellow

Odor threshold No information available

Property Values

Remarks • Method
pH 6.1
Melting point / freezing point No information available
Boiling point / boiling range No information available
Flash point No information available
Evaporation rate No information available
Flammability (solid, gas) No information available
Flammability Limit in Air
Upper flammability limit: No information available
Lower flammability limit No information available
Vapor pressure No information available
Vapor density No information available
Relative density 1.11

@ 15°C
Water solubility Miscible in water
Solubility in other solvents No information available
Partition coefficient No information available
Autoignition temperature No information available
Decomposition temperature No information available
Kinematic viscosity No information available
Dynamic viscosity No information available
Explosive properties No information available
Oxidizing properties No information available

Other Information

Softening point No information available
Molecular weight No information available
VOC Content (%) No information available
Density 9.2 lbs/gal
Bulk density No information available

10. STABILITY AND REACTIVITY

Reactivity

Yushirontec™ WL511

Revision Date: 02-Mar-2022

_____________________________________________________________________________________________

_____________________________________________________________________________________________

Page 5 / 7

No data available

Chemical stability
Stable under recommended storage conditions.

Possibility of Hazardous Reactions
None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid
Extremes of temperature and direct sunlight.

Incompatible materials
Acids. Strong oxidizing agents. Nitrites and nitrosating agents.

Hazardous Decomposition Products
No hazardous decomposition products if stored and handled under normal conditions.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation Inhalation of vapors at high concentration may cause mild irritation of respiratory system.

Eye contact Irritating to eyes.

Skin Contact Repeated or prolonged skin contact may result in dermatitis.

Ingestion May be harmful if swallowed.

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Prolonged skin contact with concentrate or water-diluted fluid may cause dermatitis.
Serious eye damage/eye irritation Irritating to eyes.
Sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity This product does not contain any components at concentrations at or above 0.1% that are
listed as carcinogens or potential carcinogens by OSHA, IARC or NTP. The mineral oils in
this product contain less than 3% extractables by the IP-346 test and are therefore not
considered carcinogens by the IARC.
Reproductive toxicity Product is or contains a chemical which is a known or suspected reproductive hazard.
STOT - single exposure May cause disorder and damage to the. kidney. Central nervous system.
STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. liver. kidney. Central
nervous system.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity
ATEmix (oral) LD50 >2000

Yushirontec™ WL511

Revision Date: 02-Mar-2022

_____________________________________________________________________________________________

_____________________________________________________________________________________________

Page 6 / 7

12. ECOLOGICAL INFORMATION

Ecotoxicity

May be harmful to aquatic life.

Persistence and degradability
No information available.

Bioaccumulation
No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws
andregulations. Used fluid should never be released into municipal sewers unless
properlypre-treated and approved by local authorities.

Contaminated packaging Empty containers may contain product residue, so follow label warning even after container
isconsidered empty. Containers should be considered free of hazards only when they
havebeen sufficiently cleaned of residue. Empty containers should be taken to an approved
wastehandling site for recycling or disposal.

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION International Inventories
TSCA Complies
DSL/NDSL Complies

Legend:
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313
This product contains the following chemicals which are subject to the reporting requirements of SARA Title III Section 313:

Chemical Name SARA 313 - Threshold Values % Diethylene glycol monomethyl ether - 111-77-3 1.0

Yushirontec™ WL511

Revision Date: 02-Mar-2022

_____________________________________________________________________________________________

_____________________________________________________________________________________________

Page 7 / 7

SARA 311/312 Hazard Categories
Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)
This product contains substances classified as oil under Section 311 of the Clean Water Act and the Oil Pollution Act of 1990. Discharge or spills which produce a visible sheen on surface water or waterways leading to surface water must be reported to the National Response Center at 800-424-8802.

CERCLA
Contains no substances that would reasonably be expected to attain reportable quantity (RQ) thresholds.

US State Regulations

California Proposition 65
This product contains the following Proposition 65 chemicals (Trace impurities, <<0.1%)

Chemical Name California Proposition 65
Diethanolamine - 111-42-2 Carcinogen

U.S. EPA Label information
EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION

Issue Date 30-Aug-2018
Revision Date: 02-Mar-2022
Revision Note
No information available
Disclaimer
The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

California Proposition 65 This product can expose you to chemicals including those listed below, which is [are]
known to the State of California to cause cancer, birth defects or other reproductive harm.
For more information go to www.P65Warnings.ca.gov
Graphic

Signal word WARNING!