Standard Operating Procedure

SOP – AZ 113 Client Product Recall Procedure

Author:	**Ruben Urias**	(SIGNATURE)	Date:
Revised By:	**Ruben**	(SIGNATURE)	Date: 5/7/2024

Review & Approval

Functional Manager	**Corbin Christian**	(SIGNATURE)	Date:

1.0 **Scope:** To establish the guidelines in the event Client issues a product recall of any stored goods at HubStarr Logistics.

2.0 **Purpose:** To ensure all team members are trained on the proper procedure in the event Client has a product recall.

3.0 **Responsibility:** It is the responsibility of all team members to follow the correct procedure for Client recalls. It is the responsibility of all Leads, Supervisors, and Managers to ensure all team members are trained on the proper procedure for Client recalled products.

4.0 **References:**

5.0 **Definitions and Abbreviations:**

6.0 **Process:**

6.1. A notification is sent to HubStarr Logistics that a product(s) is being recalled.

6.2. All affected product is pulled from storage, forward pick area, or kit line and stored in the Quarantine area for further disposition.

6.3. A copy of the communication from Client is attached to each pallet of product that contains affected product.

6.4. All lot numbers and quantity involved are recorded and reported to Client for further disposition.

6.5. Once disposition has been given, either:

6.5.1. Product is deemed safe for use and all products can be placed back into stock/storage.

6.5.2. Product is deemed unsafe for use and further instructions will be issued by Client for additional storage, handling, shipping, or disposal.

6.6. After a determination has been made and communicated by Client regarding the outcome of affected product, all signage must be removed from pallets if the product is deemed safe to handle prior to product being placed back into storage

7.0 Document History:

Revision	Change	Effective date
ORG	Original Issue	10/10/20
Rev A	**Update company change of name and Logo,** all references of Axle to HubStarr. Process Reviewed.	5/7/2024

This process is required to be reviewed, at a minimum, on a 3 year cycle. If there are no changes to the previous revision the signature below is evidence of the review and approval of this procedure.

Reviewed By: _____ Date _____

Reviewed By: _____ Date_____