

Safety Data Sheet of Product

17 MAR., 2011

To: SUMCO Phoenix Corporation

[K] Matsumi Abrasive Co., Ltd.

Diamond Division manufacturing & sales

115 Higashikoyanouchi-cho, Takeda,

Fushimi-ku, Kyoto-city, Japan 〒612-8448

Tel 075-621-4651 / Fax 075-622-6996

Product Name GREEN SILICON CARBIDE MK

Specifying of the Material

Chemical Name	:	Green Carbonization Silicon	Oxidized Iron	Carbon
Contents	:	97.0%	0.30%	0.30%
Chemical Formula or Structure-Type	:	SiC	Fe ₂ O ₃	FC
The United Nations Classification	:	none	none	none

The Classification of the Harm with the Danger

The Name of the
Classification : It's not applicable to the classified standard

An Emergency Measure

When it was within eyes	:	Wash your eyes immediately with fresh water, take doctor's medical treatment if necessary.
When it stuck to skin	:	Wash well with fresh water.
When it was inhaled	:	Move to the place with fresh air and take doctor's medical treatment if necessary.
When it was swallowed	:	Drink large volume of water to vomit it, and take doctor's medical treatment if necessary.

In Case of Fire

How to Extinguish Fire	:	They are incombustible and stable material except the package, and there is no special precaution.
Particular Material to Extinguish Fire	:	Nothing special

In case of being scattered

Clean it up with the vacuum cleaner.

Notice of Handling and Storage

Handling	:	As it's fine powder, take care of sanitation.
Storage	:	Store it up in the place where there is no damp.

Measures of Exposure Prevention

Allowable Concentration	: Japanese Industry Hygiene Meeting (1993)	: inhalation powdered dust, 0.5 mg /m ³ (the first kind powder) a total powder, 2 mg /m ³ (The first kind powder)
Measures of Equipment	: Local Chamber	
Protection	: Protection for Breathing	: Wear a dust mask for the breathing.
	Protection Gloves	: Wear protection gloves.
	Protection Cloths	: Wear protection cloths.

Physical and Scientific Characteristic

Appearance	: Green Microscopic Powder.		
Boiling Point	: 2,980 degrees.	Steam Pressure	: ——— KPa (20 degrees)
Volatility	: ———	Melting Point	: 2,050 degrees
Specific Gravity	: 3.9 (20 degrees)	Resolution Point	: ——— degrees
Degree of Dissolution	: ———		

Danger Information

Inflammability	: none	Flammability	: none
Explosiveness	: none	Combustibility	: none
Oxidization	: none	Autoreactive	: none
Powdered Dust	: none		
Accidental Discharge	: none		
Stability • Reaction	: Stable in the atmosphere. It doesn't melt in water and acid. It dissolves in the alkaline liquid, and form a hydroxide.		

Harm information

Skin Corrosion	: When you touch it directly for a long time, your skin get rough.
Stimulus	: There is a stimulus in the eye mucous membrane, the upper the respiratory tract.
Acute Toxicity	: There is no information.
Modification	: There is no information.
Danger Level of Cancer	: The occurrence of the tumor was reported when the carbonization silicon (fine grain-shaped or the fiber-shaped) is transplanted or poured into the breast stomach of the rat. Cancer wasn't reported in the verification based on NTP (the US national toxic program)
Deformity	: Nothing special

Information of Environment Influence

Resolution : Nothing special
Accumulation : Nothing special
Fish Toxicity : Nothing special

Notice in Scrapping

Disposing as sludge of the industry waste.

Notice in Transport

Ascertain that there is no leak in the container (paper bag body, frecon bag) on the occasion of the conveyance.
Put them on board so that there may not be a turnover, a drop, damage.
Check the prevention of the load shift securely.

An Applicable Statute

Powdered dust prevention rule

In contents of mention numerical value of content and physicochemical property is not guarantee value.
Evaluation of danger and harm is being made based on many reliable data that can be obtain at present.
But it is not fully covered. So, please be careful of handling.