


Assignment 2

Q1.







Q2.


MySQL 8.0 Command Line
1	ram	23	male
2	sam	22	female
3	priya	21	female
4	eren	22	male
4 rows in set (0.00 sec)
mysql> select * from department;
deptid	dept_name
1	it
2	mechanical
3	civil
3 rows in set (0.00 sec)
mysql> alter table employee add column salary int;
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> select * from employee;
eid	ename	age	gender	salary
1	ram	23	male	NULL
2	sam	22	female	NULL
3	priya	21	female	NULL
4	eren	22	male	NULL
4 rows in set (0.00 sec)
mysql>
26°C
Mostly clear
Search
ENG
IN
10:43 PM
10/11/2026


Q3.


MySQL 8.0 Command Line
mysql> insert into employee(eid,ename,age,gender,salary) values(5,'payal',25,'female',25000),(6,'sujal',23,'male',20000),(7,'riya',28,'female',50000),(8,'rohit',28,'male',45000),(9,'ojal',45,56000);
ERROR 1136 (21S01): Column count doesn't match value count at row 5
mysql> ^C
mysql> ^C
mysql> ^C
mysql> ^C
mysql> ^C
mysql> ^C
mysql> ^C
mysql> ^C
mysql> insert into employee(eid,ename,age,gender,salary) values(5,'payal',25,'female',25000),(6,'sujal',23,'male',20000),(7,'riya',28,'female',50000),(8,'rohit',28,'male',45000),(9,'ojal',45,'male',56000);
Query OK, 5 rows affected (0.00 sec)
Records: 5 Duplicates: 0 Warnings: 0
mysql> select * from employee;
eid	ename	age	gender	salary
1	ram	23	male	340
2	sam	22	female	4900
3	priya	21	female	230000
4	eren	22	male	51000
5	payal	25	female	25000
6	sujal	23	male	20000
7	riya	28	female	50000
8	rohit	28	male	45000
9	ojal	45	male	56000
9 rows in set (0.00 sec)
mysql>
Search
ENG
IN
10:53 PM
10/11/2026


Q4.


MySQL 8.0 Command Line
mysql> ^C
mysql> ^C
mysql> ^C
mysql> ^C
mysql> ^C
mysql> insert into employee(eid,ename,age,gender,salary) values(5,'payal',25,'female',25000),(6,'sujal',23,'male',20000),(7,'riya',28,'female',50000),(8,'rohit',28,'male',45000),(9,'ojal',45,'male',56000);
Query OK, 5 rows affected (0.00 sec)
Records: 5 Duplicates: 0 Warnings: 0
mysql> select * from employee;
+-----+-------+-----+--------+--------+
| eid | ename | age | gender | salary |
+-----+-------+-----+--------+--------+
1	ram	23	male	340
2	sam	22	female	4900
3	priya	21	female	230000
4	eren	22	male	51000
5	payal	25	female	25000
6	sujal	23	male	20000
7	riya	28	female	50000
8	rohit	28	male	45000
9	ojal	45	male	56000
+-----+-------+-----+--------+--------+
9 rows in set (0.00 sec)
mysql> delete from employee;
Query OK, 9 rows affected (0.00 sec)
mysql> select * from employee;
Empty set (0.00 sec)
mysql>
Search
ENG IN
10:55 PM 10/11/2026


Q5.


MySQL 8.0 Command Line
4	eren	22	male	67000
5	payal	25	female	25000
6	sujal	23	male	20000
7	riya	28	female	50000
8	rohit	28	male	45000
9	ojal	45	male	56000
9 rows in set (0.00 sec)
mysql> update from employee set salary=67200 where eid=5;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'from employee set salary=67200 where eid=5' at line 1
mysql> update employee set salary=67200 where eid=5;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> select * from employee;
1	ram	23	male	340
2	sam	22	female	23000
3	priya	21	female	45000
4	eren	22	male	67000
5	payal	25	female	67200
6	sujal	23	male	20000
7	riya	28	female	50000
8	rohit	28	male	45000
9	ojal	45	male	56000
9 rows in set (0.00 sec)
mysql>
Search
ENG IN
10:59 PM 10/11/2026


Q6.


MySQL 8.0 Command Line
3	priya	21	female	45000
4	eren	22	male	67000
5	payal	25	female	67200
6	sujal	23	male	20000
7	riya	28	female	50000
8	rohit	28	male	45000
9	ojal	45	male	56000
9 rows in set (0.00 sec)
mysql> create user 'readonly_user'@'localhost' identified by 'pass123';
Query OK, 0 rows affected (0.04 sec)
mysql> grant select on assignment2.emp to 'readonly_user'@'localhost';
ERROR 1146 (42S02): Table 'assignment2.emp' doesn't exist
mysql> grant select on assignment2.employee to 'readonly_user'@'localhost';
Query OK, 0 rows affected (0.00 sec)
mysql> grant select on emp to 'readonly_user'@'localhost';
ERROR 1146 (42S02): Table 'assignment2.emp' doesn't exist
mysql> grant select on employee to 'readonly_user'@'localhost';
Query OK, 0 rows affected (0.01 sec)
mysql> show grants for 'readonly_user'@'localhost';
Grants for readonly_user@localhost
GRANT USAGE ON *.* TO `readonly_user`@`localhost`
GRANT SELECT ON `assignment2`.`employee` TO `readonly_user`@`localhost`
2 rows in set (0.00 sec)
mysql>
Search
ENG IN
11:08 PM 10/11/2026


Q7.


MySQL 8.0 Command Line
| Grants for readonly_user@localhost |
| GRANT USAGE ON *.* TO `readonly_user`@`localhost` |
| GRANT SELECT ON `assignment2`.`employee` TO `readonly_user`@`localhost` |
2 rows in set (0.00 sec)
mysql> ^C
mysql> ^C
mysql> ^C
mysql> ^C
mysql> ^C
mysql> ^C
mysql> ^C
mysql> create user 'temp_user'@'localhost' identified by 'pass123';
Query OK, 0 rows affected (0.01 sec)
mysql> grant insert on assignment2.employee to 'temp_user'@'localhost';
Query OK, 0 rows affected (0.00 sec)
mysql> revoke insert on assignment2.employee from 'temp_user'@'localhost';
Query OK, 0 rows affected (0.00 sec)
mysql> show grants for 'temp_user'@'localhost';
| Grants for temp_user@localhost |
| GRANT USAGE ON *.* TO `temp_user`@`localhost` |
1 row in set (0.00 sec)
mysql>
Search
ENG IN
11:11 PM 10/11/2026


Q8.


MySQL 8.0 Command Line
7	riya	28	female	50000
8	rohit	28	male	45000
9	ojal	45	male	56000
9 rows in set (0.00 sec)
mysql> start transaction;
Query OK, 0 rows affected (0.00 sec)
mysql> insert into employee values(10, 'rahul', 24, 'male', 30000);
Query OK, 1 row affected (0.00 sec)
mysql> commit;
Query OK, 0 rows affected (0.00 sec)
mysql> select * from employee;
eid	ename	age	gender	salary
1	ram	23	male	340
2	sam	22	female	23000
3	priya	21	female	45000
4	eren	22	male	67000
5	payal	25	female	67200
6	sujal	23	male	20000
7	riya	28	female	50000
8	rohit	28	male	45000
9	ojal	45	male	56000
10	rahul	24	male	30000
10 rows in set (0.00 sec)
mysql>
Search
ENG IN
11:18 PM 10/11/2026


Q9.


MySQL 8.0 Command Line
| 9 | ojal | 45 | male | 56000 |
| 10 | rahul | 24 | male | 30000 |
10 rows in set (0.00 sec)
mysql> start transaction;
Query OK, 0 rows affected (0.00 sec)
mysql> update employee set salary=78000 where eid=1;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> commit;
Query OK, 0 rows affected (0.00 sec)
mysql> select * from employee;
eid	ename	age	gender	salary
1	ram	23	male	78000
2	sam	22	female	23000
3	priya	21	female	45000
4	eren	22	male	67000
5	payal	25	female	67200
6	sujal	23	male	20000
7	riya	28	female	50000
8	rohit	28	male	45000
9	ojal	45	male	56000
10	rahul	24	male	30000
10 rows in set (0.00 sec)
mysql>
Search
ENG IN
11:20 PM 10/11/2026


Q10.


MySQL 8.0 Command Line
2	sam	22	female	23000
3	priya	21	female	45000
4	eren	22	male	67000
5	payal	25	female	67200
6	sujal	23	male	20000
7	riya	28	female	50000
8	rohit	28	male	45000
9	ojal	45	male	56000
10	rahul	24	male	30000
10 rows in set (0.00 sec)
mysql> start transaction;
Query OK, 0 rows affected (0.00 sec)
mysql> savepoint s1;
Query OK, 0 rows affected (0.00 sec)
mysql> update department set deptid=5 where deptid=1;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> select * from department;
deptid	dept_name
2	mechanical
3	civil
5	it
3 rows in set (0.00 sec)
mysql>
Search
ENG
IN
11:23 PM
10/11/2026


Q11.


MySQL 8.0 Command Line
Query OK, 0 rows affected (0.00 sec)
mysql> savepoint s1;
Query OK, 0 rows affected (0.00 sec)
mysql> update department set deptid=5 where deptid=1;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> select * from department;
deptid	dept_name
2	mechanical
3	civil
5	it
3 rows in set (0.00 sec)
mysql> rollback to s1;
Query OK, 0 rows affected (0.00 sec)
mysql> select * from department;
deptid	dept_name
1	it
2	mechanical
3	civil
3 rows in set (0.00 sec)
mysql>
Search
ENG
IN
11:25 PM
10/11/2026


Q12.


MySQL 8.0 Command Line
mysql> select * from department;
+--------+------------+
| deptid | dept_name |
+--------+------------+
2	mechanical
3	civil
5	it
+--------+------------+
3 rows in set (0.00 sec)
mysql> rollback to s1;
Query OK, 0 rows affected (0.00 sec)
mysql> select * from department;
+--------+------------+
| deptid | dept_name |
+--------+------------+
1	it
2	mechanical
3	civil
+--------+------------+
3 rows in set (0.00 sec)
mysql> truncate employee;
Query OK, 0 rows affected (0.03 sec)
mysql> select * from employee;
Empty set (0.01 sec)
mysql> ^C
mysql> ^C
mysql> ^C
mysql>
Search
ENG
IN
11:27 PM
10/11/2026


Q13.


MySQL 8.0 Command Line
Empty set (0.01 sec)
mysql> ^C
mysql> ^C
mysql> ^C
mysql> insert into employee(eid,ename,age,gender,salary) values(1,'payal',25,'female',25000),(2,'sujal',23,'male',20000),(3,'riya',28,'female',50000),(4,'rohit',28,'male',45000),(5,'ojal',45,'male',56000);
Query OK, 5 rows affected (0.01 sec)
Records: 5 Duplicates: 0 Warnings: 0
mysql> select * from employee;
+-----+-------+-----+--------+--------+
| eid | ename | age | gender | salary |
+-----+-------+-----+--------+--------+
1	payal	25	female	25000
2	sujal	23	male	20000
3	riya	28	female	50000
4	rohit	28	male	45000
5	ojal	45	male	56000
+-----+-------+-----+--------+--------+
5 rows in set (0.00 sec)
mysql> select employee.name,employee.salary from employee where salary>50000;
ERROR 1054 (42S22): Unknown column 'employee.name' in 'field list'
mysql> select employee.ename,employee.salary from employee where salary>50000;
+-------+--------+
| ename | salary |
+-------+--------+
| ojal | 56000 |
+-------+--------+
1 row in set (0.00 sec)
mysql>
Search
ENG
IN
11:30 PM
10/11/2026


Q14.


MySQL 8.0 Command Line
mysql> update employee set deptid = 10 where eid = 2;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> select * from employee;
+-----+-------+-----+--------+--------+--------+
| eid | ename | age | gender | salary | deptid |
+-----+-------+-----+--------+--------+--------+
1	payal	25	female	25000	10
2	sujal	23	male	20000	10
3	riya	28	female	50000	NULL
4	rohit	28	male	45000	NULL
5	ojal	45	male	56000	NULL
+-----+-------+-----+--------+--------+--------+
5 rows in set (0.00 sec)
mysql> update employee set salary=salary*1.10 where deptid=10;
Query OK, 2 rows affected (0.00 sec)
Rows matched: 2 Changed: 2 Warnings: 0
mysql> select * from employee;
+-----+-------+-----+--------+--------+--------+
| eid | ename | age | gender | salary | deptid |
+-----+-------+-----+--------+--------+--------+
1	payal	25	female	27500	10
2	sujal	23	male	22000	10
3	riya	28	female	50000	NULL
4	rohit	28	male	45000	NULL
5	ojal	45	male	56000	NULL
+-----+-------+-----+--------+--------+--------+
5 rows in set (0.00 sec)
mysql>
Search
ENG
IN
11:52 PM
10/11/2026


Q15.


MySQL 8.0 Command Line
1	1
3	2
10	2
3 rows in set (0.00 sec)
mysql> select employee.dept_name,count(*)from employee,department where employee.deptid=department.deptid group by employee.deptid;
ERROR 1054 (42S22): Unknown column 'employee.dept_name' in 'field list'
ysql> select department.dept_name,count(*)from employee,department where employee.deptid=department.deptid group by employee.deptid;
dept_name	count(*)
it	1
civil	2
mechanical	2
3 rows in set (0.00 sec)
mysql> select department.dept_name,count(employee)from employee,department where employee.deptid=department.deptid group by employee.
deptid;
ERROR 1054 (42S22): Unknown column 'employee' in 'field list'
mysql> select department.dept_name,count(ename)from employee,department where employee.deptid=department.deptid group by employee.dep
tid;
dept_name	count(ename)
it	1
civil	2
mechanical	2
3 rows in set (0.00 sec)
mysql>
Search
ENG
IN
12:19 AM
10/12/2026


Q16.


MySQL 8.0 Command Line
mysql> ```
`> create view mumbai_salespeople as select * from employee where department = 'sales' and city = 'Mumbai';
`>
`> ^C
mysql> create view mumbai_salespeople as
-> select *
-> from employee
-> where department = 'sales' and city = 'Mumbai';
ERROR 1054 (42S22): Unknown column 'department' in 'where clause'
mysql> alter table employee add column department varchar(20);
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> create view mumbai_salespeople as
-> select * from employee
-> where department = 'sales' and city = 'Mumbai';
Query OK, 0 rows affected (0.01 sec)
mysql> update employee
-> set department = 'sales', city = 'Mumbai'
-> where eid = 1;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> select * from mumbai_salespeople;
| eid | ename | age | gender | salary | deptid | city | department |
| 1 | payal | 25 | female | 27500 | 10 | Mumbai | sales |
1 row in set (0.01 sec)
mysql>
Search
ENG
IN
12:36 AM
10/12/2026


Q17.


MySQL 8.0 Command Line
-> where eid = 1;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> select * from mumbai_salespeople;
| eid | ename | age | gender | salary | deptid | city | department |
| 1 | payal | 25 | female | 27500 | 10 | Mumbai | sales |
1 row in set (0.01 sec)
mysql> select * from employee;
eid	ename	age	gender	salary	deptid	city	department
1	payal	25	female	27500	10	Mumbai	sales
2	sujal	23	male	22000	10	goa	NULL
3	riya	28	female	50000	3	pune	NULL
4	rohit	28	male	45000	1	mumbai	NULL
5	ojal	45	male	56000	3	pune	NULL
5 rows in set (0.00 sec)
mysql> select max(salary)from employee;
max(salary)
56000
1 row in set (0.00 sec)
mysql>
Search
ENG
IN
12:37 AM
10/12/2026


Q18.


MySQL 8.0 Command Line
+-------------+
1 row in set (0.00 sec)
mysql> select max(salary)from employee offset 1;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the righ
t syntax to use near '1' at line 1
mysql> select salary from employee limit 2 offset 1;
+--------+
| salary |
+--------+
| 22000 |
| 50000 |
+--------+
2 rows in set (0.00 sec)
mysql> select salary from employee order by salary desc limit 2 offset 1;
+--------+
| salary |
+--------+
| 50000 |
| 45000 |
+--------+
2 rows in set (0.00 sec)
mysql> select salary from employee order by salary desc limit 1 offset 1;
+--------+
| salary |
+--------+
| 50000 |
+--------+
1 row in set (0.00 sec)
mysql>
Search
ENG
IN
12:39 AM
10/12/2026

Q19.


MySQL 8.0 Command Line
mysql> update employee set joining_date='2026-09-10' where eid=4;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> update employee set joining_date='2026-09-23' where eid=5;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> select* from employee;
+-----+-------+-----+--------+--------+--------+--------+------------+--------------+
| eid | ename | age | gender | salary | deptid | city | department | joining_date |
+-----+-------+-----+--------+--------+--------+--------+------------+--------------+
1	payal	25	female	27500	10	Mumbai	sales	2026-10-01
2	sujal	23	male	22000	10	goa	NULL	2026-10-05
3	riya	28	female	50000	3	pune	NULL	2026-10-10
4	rohit	28	male	45000	1	mumbai	NULL	2026-09-10
5	ojal	45	male	56000	3	pune	NULL	2026-09-23
+-----+-------+-----+--------+--------+--------+--------+------------+--------------+
5 rows in set (0.00 sec)
mysql> select joining_date from employee order by joining_date desc;
+--------------+
| joining_date |
+--------------+
| 2026-10-10 |
| 2026-10-05 |
| 2026-10-01 |
| 2026-09-23 |
| 2026-09-10 |
+--------------+
5 rows in set (0.00 sec)
mysql>
Search
ENG
IN
12:42 AM
10/12/2026

Q20.


MySQL 8.0 Command Line
mysql> update employee rename department DepartmentName;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the righ
t syntax to use near 'rename department DepartmentName' at line 1
mysql> update employee rename department to DepartmentName;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the righ
t syntax to use near 'rename department to DepartmentName' at line 1
mysql> alter table employee rename department to DepartmentName;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the righ
t syntax to use near 'to DepartmentName' at line 1
mysql> alter table employee rename department DepartmentName;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the righ
t syntax to use near 'DepartmentName' at line 1
mysql> alter table employee rename department to DepartmentName;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the righ
t syntax to use near 'to DepartmentName' at line 1
mysql> alter table employee rename column department to DepartmentName;
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> select* from employee;
+-----+-------+-----+--------+--------+--------+--------+----------------+--------------+
| eid | ename | age | gender | salary | deptid | city | DepartmentName | joining_date |
+-----+-------+-----+--------+--------+--------+--------+----------------+--------------+
1	payal	25	female	27500	10	Mumbai	sales	2026-10-01
2	sujal	23	male	22000	10	goa	NULL	2026-10-05
3	riya	28	female	50000	3	pune	NULL	2026-10-10
4	rohit	28	male	45000	1	mumbai	NULL	2026-09-10
5	ojal	45	male	56000	3	pune	NULL	2026-09-23
+-----+-------+-----+--------+--------+--------+--------+----------------+--------------+
5 rows in set (0.00 sec)
mysql>
Search
ENG
IN
12:46 AM
10/12/2026