

2. Set your ARC_API_KEY



Optionally set your `ARC_API_KEY` . If no key is provided, an anonymous key will be used.

However, registering for an API key will give you access to public games at release. [Get an ARC_API_KEY](#)

```
export ARC_API_KEY="your-api-key-here"
# or
echo 'ARC_API_KEY=your-api-key-here' > .env
```

3. Play your first game

Create a file called `my-play.py` :

```
import arc_agi
from arcengine import GameAction

arc = arc_agi.Arcade()
env = arc.make("ls20", render_mode="terminal")

# Take a few actions
for _ in range(10):
    env.step(GameAction.ACTION1)

print(arc.get_scorecard())
```

Run it:

```
python play.py
```

You should see the game render in your terminal and a scorecard with your results.



Congratulations! You just played your first ARC-AGI-3 environment programatically.

Do you feel the AGI yet?

Next Steps

After running your first environment:



1. **Make it fast** - Use `env = arc.make("ls20")` without `render_mode` to hit +2K FPS
2. **Try a different game** - Run `env = arc.make("ft09", render_mode="terminal")` to play a another game. See a list of games available at arcprize.org/tasks or via the [ARC-AGI Toolkit](#)
3. **Use an agent** - Explore [agent templates](#) or [create your own agent](#).
4. **Explore the ARC-AGI Toolkit** - [The ARC-AGI Toolkit](#) allows quick and easy integration with ARC-AGI Environments.

Was this page helpful?

Yes

No

[Suggest edits](#)

[API Keys](#) >

Powered by [mintlify](#)