



☰ Further Reading > Swarms

Further Reading

Swarms

📄 Copy page ▼

Orchestrate agents across multiple games.

Swarms are used to orchestrate your agent across multiple games simultaneously.

```
git clone https://github.com/arcprize/ARC-AGI-3-Agents.git
cd ARC-AGI-3-Agents
```

Each `swarm` :

- Creates one agent instance per game
- Runs all agents concurrently using threads
- Automatically manages scorecard opening and closing
- Handles cleanup when all agents complete
- Provides a link to view replay online

Running the Agent Swarm

The agent swarm is executed through `main.py` , which manages agent execution across multiple games with automatic scorecard tracking.

Swarm Command

```
uv run main.py --agent <agent_name> [--game <game_filter>] [--tags <tag_list>]
```



>

Available agents can be found in the `agents/` directory.

<code>--game</code>	<code>-g</code>	No	Filter games by ID prefix. Can be comma-separated for multiple filters (e.g., <code>ls20,ft09</code>). If not specified, the agent plays all available games.
<code>--tags</code>	<code>-t</code>	No	Comma-separated list of tags for the scorecard (e.g., <code>experiment,v1.0</code>). Tags help categorize and track different agent runs. Helpful when you want to compare different agents. Tags will be recorded on your scorecards .


Examples

```
# Run the random agent on all games
uv run main.py --agent=random

# Run an LLM agent on only the ls20 game
uv run main.py --agent=llm --game=ls20

# Run with custom tags for tracking
uv run main.py --agent=llm --tags="experiment,gpt-4,baseline"

# Run against an explicit list of games
uv run main.py --agent=random --game="ls20,ft09"
```



>

Powered by **mintlify**