

MIPS Tobacco Measure

Description: Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received tobacco cessation intervention if identified as a tobacco user

- A. All patients who were screened for tobacco use
- B. All patients identified as a tobacco user and who received tobacco cessation intervention
- C. All patients who were screened for tobacco use and, if identified as a tobacco user received tobacco cessation intervention, or identified as a tobacco non-user

Criteria 1

- A. Verify patients age is greater than or equal to 18 years old
- B. Check Encounter Performed
 - 1. If encounter as listed in Denominator is No, do not include in population
 - 2. If encounter as listed in denominator equals Yes, check telehealth modifier
- C. Check Telehealth modifier
 - 1. Telehealth modifier = Yes, do not include in population
 - 2. Telehealth modifier = No, include in population

Criteria 2

- A. Patient Age \geq 18 Years old
- B. Patient Screened for Tobacco Use AND identified as user
 - 1. Patient not a tobacco user, do not include in population
 - 2. Patient a tobacco user, include in population
- C. Telehealth Modifier
 - 1. Telehealth Modifier = Yes, do not include in population
 - 2. Telehealth Modifier = No, Include in population

Criteria 3

A. Patient Age \geq 18 Years Old

B. Encounter as Listed in Denominator

1. If encounter as listed in Denominator equals No, do not include in population
2. If encounter as listed in Denominator equals Yes, include in population

C. Telehealth Modifier

1. Telehealth Modifier = Yes, do not include in population
2. Telehealth Modifier = No, include in population