

1.2.1. Pass or Fail

Write a Python program that accepts the number of courses and the marks of a student in those courses.

The grade is determined based on the aggregate percentage:

- If the aggregate percentage is greater than 75, the grade is Distinction.
- If the aggregate percentage is greater than or equal to 60 but less than 75, the grade is First Division.
- If the aggregate percentage is greater than or equal to 50 but less than 60, the grade is Second Division.
- If the aggregate percentage is greater than or equal to 40 but less than 50, the grade is Third Division.

Input Format:

- The first input will be an integer n , the number of courses.
- The second input will be n integers representing the marks of the student in each of the n courses, separated by a space.

Output Format:

If the student passes all courses:

- Print the aggregate percentage (formatted to two decimal places).
- Print the grade based on the aggregate percentage.

If the student fails any course (marks < 40 in any course), print:

- "Fail".

Note:

- Aggregate Percentage: Average performance across all courses

```
passorFa...
1 # write your code here
2 n=int(input())
3 marks = list(map(int,input().split()))
4
5 if any(m<40 for m in marks):
6     print("Fail")
7 else:
8     total_marks = sum(marks)
9     aggregate = total_marks / n
10
11 if aggregate > 75:
12     grade = "Grade: Distinction"
13 elif aggregate >= 60:
14     grade = "Grade: First Division"
15 elif aggregate >= 50:
16     grade = "Grade: Second Division"
17 elif aggregate >= 40:
18     grade = "Grade: Third Division"
19 print(f"Aggregate Percentage: {aggregate:.2f}")
20 print(grade)
```

Terminal Test cases

1.2.2. Fibonacci Series

24:39

Write a Python program that uses recursion to print the first n terms of the Fibonacci series.

Input Format:

- A single integer n representing the number of terms to generate.

Output Format:

- A single line containing the first n terms of the Fibonacci sequence, separated by spaces.

Sample Test Cases

Explorer

fibonacci....

```
1  # def fibonacci(n):
2
3  # write the code..
4  # if n<=1:
5  #     return n
6  # else:
7  #     return fibonacci(n-1) + fibonacci(n-2)
8
9
10
11 # n = int(input())
12 # for i in range(1, n + 1):
13 #     print(fibonacci(i), end=" ")
14
15 # Recursive function to find nth Fibonacci number
16 def fibonacci(n):
17     if n <= 1:
18         return n
19     else:
20         return fibonacci(n - 1) + fibonacci(n - 2)
21
22 # Read input
23 n = int(input().strip())
24
25 # Print first n Fibonacci terms
```

Terminal

Test cases

< Prev

Reset

Submit

Next >

1.2.3. Pattern - 1

Write a Python program to print a pattern of asterisks in the form of a right-angled triangle.

Input Format:

- The input is an integer, representing the number of rows in the pattern.

Output Format

- The output should display the pattern of asterisks (*), with each row containing an increasing number of asterisks.

Note: Refer to the displayed test cases for the sample pattern.

Sample Test Cases

rightangl...

```
1 #Type Content here...
2 n=int(input())
3 for i in range(1,n+1):
4     print("* " * i)
```

Terminal

Test cases

1.2.4. Pattern - 2

03:19



Write a Python program to print a right-angled triangle pattern of numbers.

Input Format:

- The input is an integer, representing the number of rows in the pattern.

Output Format:

- The output should display the pattern of numbers separated by space, with each row containing increasing numbers starting from 1 up to the row number.

Note:

- Refer to the displayed test cases for the sample pattern.

Sample Test Cases

+

Explorer

numberP...

```
1 # Type Content here...
2 n=int(input())
3
4 for i in range(1,n+1):
5     for j in range(1,i+1):
6         print(j,end=" ")
7     print()
8
```

Submit

Terminal

Test cases

< Prev

Reset

Submit

Next >