MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```
1  USE food_waste_db;
2
3  -- ====================================
4  -- Q1: How many food providers are there in each city?
5  -- ====================================
6  SELECT city, COUNT(*) AS total_providers
7  FROM providers_data
8  GROUP BY city;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

city	total_providers
New Jessica	1
East Sheena	1
Lake Jesusview	1
Mendezmouth	1
Valentineside	1
Shannonside	1
Lake Christopherburgh	1
Washingtonville	1
Tinamouth	1
West Cherylfort	1
South Robert	1
East Williamburgh	1

Result 10

Result Grid Form Editor Field Types

Read Only

Activate Windows
Go to Settings to activate Windows.

Links ENG 12:35 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```
1  USE food_waste_db;
2
3  -- ====================================
4  -- Q1: How many food receivers are there in each city?
5  -- ====================================
6  SELECT city, COUNT(*) AS total_receivers
7  FROM receivers_data
8  GROUP BY city;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

city	total_receivers
Port Carlburgh	1
Lewisburgh	1
South Randalltown	1
South Shaneville	1
Bakerport	1
East Sharimouth	1
South Edwinborough	1
Benjaminburgh	1
West Robert	1
Wrightland	1
South Gregorymouth	1
Katherineside	1

Result 12

Read Only

Activate Windows
Go to Settings to activate Windows.

Links ENG 12:36 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```
1  USE food_waste_db;
2
3  -- ====================================
4  -- Q2: Which type of food provider contributes the most food?
5  -- ====================================
6  SELECT provider_type, SUM(quantity) AS total_food
7  FROM food_listings_data
8  GROUP BY provider_type
9  ORDER BY total_food DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

provider_type	total_food
Restaurant	6923
Supermarket	6696
Catering Service	6116
Grocery Store	6059

Activate Windows
Go to Settings to activate Windows.

Result 13

Read Only

Links ENG 12:37 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```
1  USE food_waste_db;
2
3  -- ====================================
4  -- Q3: Contact information of food providers in a specific city
5  -- ====================================
6  SELECT name, contact, city
7  FROM providers_data
8  WHERE city = 'New Carol';   -- change city if needed
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name	contact	city
Bradford-Martinez	199.451.0254	New Carol
Hammond LLC	001-324-482-4894	New Carol
Hill-Russell	075.630.9218	New Carol

Activate Windows
Go to Settings to activate Windows.

providers_data 16

Read Only

Links ENG 12:44 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```
1  USE food_waste_db;
2
3  -- ====================================
4  -- Q4: Which receivers have claimed the most food?
5  -- ====================================
6  SELECT r.name, COUNT(c.claim_id) AS total_claims
7  FROM claims_data c
8  JOIN receivers_data r ON c.receiver_id = r.receiver_id
9  GROUP BY r.name
10 ORDER BY total_claims DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name	total_claims
Scott Hunter	5
William Frederick	5
Matthew Webb	5
Anthony Garcia	5
Alvin West	4
Jennifer Nelson	4
Kristina Simpson	4
Kristine Martin	4
Betty Reid	4
Chelsea Powell	4
Alexandra Owens	4
Donald Caldwell	4

Activate Windows
Go to Settings to activate Windows.

Result 17

Read Only

Links ENG 12:46 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```
1  USE food_waste_db;
2
3  -- ====================================
4  -- Q5: Total quantity of food available
5  -- ====================================
6  SELECT SUM(quantity) AS total_food_available
7  FROM food_listings_data;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

total_food_available
25794

Result 18

Read Only

Activate Windows
Go to Settings to activate Windows.

Links ENG 12:46 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```
1  USE food_waste_db;
2
3  -- ====================================
4  -- Q6: Which city has highest number of food listings?
5  -- ====================================
6  SELECT location, COUNT(*) AS total_listings
7  FROM food_listings_data
8  GROUP BY location
9  ORDER BY total_listings DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

location	total_listings
New Carol	6
South Kathryn	6
Jimmyberg	5
Perezport	5
East Angela	5
South Christopherborough	4
North Keith	4
Port Patrick	4
Lake Travis	4
North Kevinhaven	4
North Ianbury	4
East Heatherport	4

Result 19

Read Only

Activate Windows
Go to Settings to activate Windows.

Links ENG 12:47 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```
1  USE food_waste_db;
2
3  -- ====================================
4  -- Q7: Most commonly available food types
5  -- ====================================
6  SELECT food_type, COUNT(*) AS total_count
7  FROM food_listings_data
8  GROUP BY food_type
9  ORDER BY total_count DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

food_type	total_count
Vegetarian	336
Vegan	334
Non-Vegetarian	330

Activate Windows
Go to Settings to activate Windows.

Result 20

Read Only

Links ENG 12:48 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```
1  USE food_waste_db;
2
3  -- ====================================
4  -- Q8: Number of claims per food item
5  -- ====================================
6  SELECT food_id, COUNT(*) AS total_claims
7  FROM claims_data
8  GROUP BY food_id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

food_id	total_claims
164	2
353	2
626	2
61	1
345	3
273	1
735	1
382	1

Result 21

Read Only

Activate Windows
Go to Settings to activate Windows.

Links ENG 12:48 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```sql
USE food_waste_db;

-- ====================================
-- Q9: Provider with highest successful claims
-- ====================================
SELECT p.name, COUNT(*) AS successful_claims
FROM claims_data c
JOIN food_listings_data f ON c.food_id = f.food_id
JOIN providers_data p ON f.provider_id = p.provider_id
WHERE c.status = 'Completed'
GROUP BY p.name
ORDER BY successful_claims DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name	successful_claims
Barry Group	5
Harper, Blake and Alexander	4
Barnes, Castro and Curtis	4
Butler-Richardson	4
Miller Inc	4
Campbell LLC	3
Bradford-Martinez	3
Nelson LLC	3
Rogers-Warren	3
Beck Inc	3
Moore-Flowers	3

Result 22

Read Only

Activate Windows
Go to Settings to activate Windows.

Links ENG 12:49 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```
1  USE food_waste_db;
2
3  -- ====================================
4  -- Q10: Percentage of claim status
5  -- ====================================
6  SELECT status,
7  COUNT(*) * 100.0 / (SELECT COUNT(*) FROM claims_data) AS percentage
8  FROM claims_data
9  GROUP BY status;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

status	percentage
Pending	32.50000
Cancelled	33.60000
Completed	33.90000

Activate Windows
Go to Settings to activate Windows.

Result 23

Read Only

Links ENG 12:51 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```
1  USE food_waste_db;
2
3  -- ====================================
4  -- Q11: Average quantity claimed per receiver
5  -- ====================================
6  SELECT r.name, AVG(f.quantity) AS avg_quantity
7  FROM claims_data c
8  JOIN food_listings_data f ON c.food_id = f.food_id
9  JOIN receivers_data r ON c.receiver_id = r.receiver_id
10 GROUP BY r.name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name	avg_quantity
Donald Gomez	35.5000
Laurie Ramos	47.0000
Ashley Mckee	26.0000
Erika Rose	30.5000
Mandy Sutton PhD	15.0000
Kenneth Baker	31.0000
Emily Turner	34.0000
Mary Salazar	26.5000
Jennifer Bishop	33.0000
Brian Fischer	28.0000
Donald Kelly	44.0000
Elizabeth Lewis	4.0000
Kimberly Lindsey	14.0000
Johnny Page	34.0000
Mary Franklin	29.0000

Activate Windows
Go to Settings to activate Windows.

Result 25

Read Only

Links

ENG 12:53 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```
1  USE food_waste_db;
2
3  -- ====================================
4  -- Q12: Most claimed meal type
5  -- ====================================
6  SELECT f.meal_type, COUNT(*) AS total_claims
7  FROM claims_data c
8  JOIN food_listings_data f ON c.food_id = f.food_id
9  GROUP BY f.meal_type
10 ORDER BY total_claims DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

meal_type	total_claims
Breakfast	278
Lunch	250
Snacks	240
Dinner	232

Activate Windows
Go to Settings to activate Windows.

Result 26

Read Only

Links ENG 12:54 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
  - Tables
    - claims_data
    - food_listings_data
    - providers_data
    - receivers_data
  - Views
  - Stored Procedures
  - Functions
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

Query 1

Limit to 1000 rows

```
1  USE food_waste_db;
2
3  -- ====================================
4  -- Q13: Total food donated by each provider
5  -- ====================================
6  SELECT p.name, SUM(f.quantity) AS total_donated
7  FROM food_listings_data f
8  JOIN providers_data p ON f.provider_id = p.provider_id
9  GROUP BY p.name
10 ORDER BY total_donated DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name	total_donated
Miller Inc	217
Barry Group	179
Evans, Wright and Mitchell	158
Smith Group	150
Campbell LLC	145
Nelson LLC	142
Ruiz-Oneal	140
Blankenship-Lewis	124
Kelly-Ware	123
Bradford-Martinez	121
Hampton-Lee	116
Shepherd and Sons	116
Jones, Ortega and Rubio	115
Ortiz-Lee	114
Johnson-Ray	113

Result 27

Read Only

Activate Windows
Go to Settings to activate Windows.

Links ENG 12:55 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

food_wastage_queries

Limit to 1000 rows

```
116    -- ======================================
117    -- ADD 5 MORE ADVANCED QUESTIONS
118    -- ======================================
119
120    -- 14. Which city has the highest food wastage (unclaimed food)?
121    SELECT Location, SUM(Quantity) AS Total_Waste
122    FROM food_listings_data
123    WHERE Food_ID NOT IN (SELECT Food_ID FROM claims_data WHERE Status='Completed')
124    GROUP BY Location
125    ORDER BY Total_Waste DESC;
126
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Location	Total_Waste
Jimmyberg	150
Lake Travis	140
North Keith	132
Jonathanstad	126
New Amanda	119
Pamelaberg	116
South Thomasville	111
Hollyhaven	110
Lake Regina	102
Gardnerfort	99
Michaelport	98
North Ianbury	97
West Sharonview	97
Lake Karenfurt	96
East Robert	96

Result 17

Read Only

Links

ENG 01:54 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

food_waste_db

sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

food_wastage_queries

Limit to 1000 rows

```
126
127     -- 15. Which providers have the most unclaimed food?
128 •   SELECT Provider_ID, SUM(Quantity) AS Unclaimed_Food
129     FROM food_listings_data
130     WHERE Food_ID NOT IN (SELECT Food_ID FROM claims_data WHERE Status='Completed')
131     GROUP BY Provider_ID
132     ORDER BY Unclaimed_Food DESC;
133
134
135
136
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Provider_ID	Unclaimed_Food
655	150
678	140
306	132
717	116
846	111
938	110
478	102
98	99
242	98
312	97
888	97
826	96
705	96
898	94
770	92

Result 18

Read Only

Links ENG 01:54 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

food_waste_db

sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

food_wastage_queries

Limit to 1000 rows

```
133
134    -- 16. Top 5 most active receivers
135    SELECT Receiver_ID, COUNT(*) AS Claims
136    FROM claims_data
137    GROUP BY Receiver_ID
138    ORDER BY Claims DESC
139    LIMIT 5;
140
141
142
143
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

Receiver_ID	Claims
800	5
371	5
742	5
276	5
493	4

Result 19

Read Only

Links

ENG 01:54 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

food_wastage_queries

Limit to 1000 rows

```
140
141
142
143     -- 17. Food availability by meal type
144     SELECT Meal_Type, SUM(Quantity)
145     FROM food_listings_data
146     GROUP BY Meal_Type;
147
148
149
150
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Meal_Type	SUM(Quantity)
Breakfast	6667
Dinner	6061
Lunch	6373
Snacks	6693

Result 20

Read Only

Links ENG 01:55 PM

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- food_waste_db
- sys

Administration Schemas

Information

Schema: food_waste_db

Object Info Session

food_wastage_queries

Limit to 1000 rows

```
146
147
148     -- 18. Expired vs claimed food
149 •   SELECT
150     COUNT(*) AS Total,
151     SUM(CASE WHEN Expiry_Date < CURDATE() THEN 1 ELSE 0 END) AS Expired
152     FROM food_listings_data;
153
154
155
156
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	Total	Expired
▶	1000	1000

Result 21

Read Only

Links ENG 01:56 PM