Q 1) Implement an online shopping website using Asp.Net MVC with Entity Framework. The appliaction must have 3 tables . Products. Orders and Customer .There is a 1-to-Many relation from Product table to Orders table Also there is a 1-to-Many relation from Customer table to Orders table. Create Model classes, data context class, do migration and implement all the CRUD operations.

Ans :-

Model :

```
public class Product
{
    public int ProductId { get; set; }
    public string Name { get; set; }
    public decimal Price { get; set; }
    public virtual ICollection<Order> Orders { get; set; }
}

public class Customer
{
    public int CustomerId { get; set; }
    public string Name { get; set; }
    public virtual ICollection<Order> Orders { get; set; }
}
```

```csharp
public class Order
{
    public int OrderId { get; set; }
    public int ProductId { get; set; }
    public int CustomerId { get; set; }
    public virtual Product Product { get; set; }
    public virtual Customer Customer { get; set; }
}
```

Create data context class :

```csharp
public class ShoppingDbContext : DbContext
{
    public DbSet<Product> Products { get; set; }
    public DbSet<Customer> Customers { get; set; }
    public DbSet<Order> Orders { get; set; }

    protected override void OnModelCreating(ModelBuilder modelBuilder)
    {
        modelBuilder.Entity<Order>()
            .HasOne(o => o.Product)
            .WithMany(p => p.Orders)
            .HasForeignKey(o => o.ProductId);
```

```
    modelBuilder.Entity<Order>()

        .HasOne(o => o.Customer)

        .WithMany(c => c.Orders)

        .HasForeignKey(o => o.CustomerId);

    }

}
```

CRUD :

```
public IActionResult CreateOrder(Order order)

{

    if (ModelState.IsValid)

    {

        _context.Orders.Add(order);

        _context.SaveChanges();

        return RedirectToAction("Index");

    }

    return View(order);

}
```

```csharp
public IActionResult EditOrder(int id)
{
    Order order = _context.Orders.Find(id);
    if (order == null)
    {
        return NotFound();
    }
    return View(order);
}


public IActionResult EditOrder(int id, Order order)
{
    if (id != order.OrderId)
    {
        return NotFound();
    }
    if (ModelState.IsValid)
    {
        _context.Orders.Update(order);
        _context.SaveChanges();
        return RedirectToAction("Index");
    }
```