

L'Atelier By — Webshop

Definitive Build Prompt for Bloom AI

Multi-shop Belgian artisan bakery e-commerce — from scratch

09/04/2026

1 Context & Architecture

- Belgian artisan bakery — L'Atelier By — multi-shop e-commerce platform (not multi-franchise — one brand, multiple shop locations)
- Each shop location is independent: own products, prices, office clients, delivery rounds, collection hours, settings
- Two storefronts per shop: Webshop (click & collect) and Office Shop (bureau delivery)
- API-first: bidirectional sync with Franchise Buddy ERP — webshop is a frontend consumer of the ERP
- Products, menus, bundles, composite products: created in the ERP — read-only in the webshop — shop admin toggles ON/OFF per location
- Mobile-first for all customer-facing storefronts — desktop only for admin and back office
- Belgium only — EUR (€) — 6% VAT on all food products by default — no multi-currency

2 Absolute Rules — Non-Negotiable

⚠ These rules override everything else. Never bypass them.

- ✓ **delivery_mode** comes exclusively from the active shop mode — never from a product, bundle, option, or basket item
- ✓ **Webshop active** → **delivery_mode** = 'collect'
- ✓ **Office Shop active** → **delivery_mode** = 'delivery'
- ✓ **One single cart** — no split carts by mode — cart always reflects the current active mode
- ✓ **cart.metadata.delivery_mode** must be written and refreshed at every significant event — never stale at checkout
- ✓ **Missing delivery_mode at checkout** = bug — not a normal state
- ✓ **Office Shop access** requires the full validated chain: **User** → **Office Client (active)** → **Tour Delivery (active)**
- ✓ **validateOfficeShopAccess()** is the single source of truth for Office Shop access — never bypass it
- ✓ If **validateOfficeShopAccess()** returns false → open 'Enregistrez votre entreprise' modal — never open Office Shop
- ✓ **All state reads** from one central store — no local copies — no stale cached values
- ✓ **Zero hardcoded CSS values** — all colors, fonts, spacing via CSS variables
- ✓ **Zero hardcoded strings** — all user-facing text via translation system

3 Design System — CSS Variables

Variable	Value / Rule
--color-primary	#8D1D2C Ruby Red — Collecte en magasin badge, Office Client icon (not linked), step indicators
--color-secondary	#F2C9A0 Abricot Pastel — Livraison au bureau badge (ON), Office Client icon (linked)
--color-bg	#EAE4DC Page background
--color-surface	#FFFFFF Cards, panels
--color-text	#222222 Body text
--color-text-muted	#666666 Secondary text, placeholders
--font-display	Cormorant Garamond, serif — headings, brand
--font-ui	Outfit, sans-serif — UI, labels, buttons

--grid-cols-desktop	6
--grid-cols-tablet	3
--grid-cols-mobile	2

- Brand admin (superadmin only): colors, typography, logo_url, logo_per_language — global across all shops
- Shop Theme (per shop type: webshop | office): background, badge styles, card styles, button appearance, shadow
- Frontend fetches theme from API on init — applies all values to :root — no manual publish required

4 Database Models — Build First

△ Define the full schema before writing any feature code.

- Shop — id, name, address, location, phone, email, logo_url, logo_per_language (JSON), settings (JSON)
- User — id, email, phone, name, surname, role (superadmin|admin|customer)
- Product — id (id_product), name, category_id, shop_prices ({shop_id: price}), allergens[], badge_label, badge_color, availability_type, cutoff_hour, stock, has_portions
- Portion — id, product_id, label (quart|demi|entier), price ({shop_id: price}), active, available_shops (default: all)
- Category — id, name, illustration_url, shadow_color, office_shop_enabled, office_cutoff_time, parent_id, sold_by_portion
- Collection — id, name, illustration_url, bg_color, border_color
- Collection_Products — collection_id, product_id
- OptionGroup — id, target_type (product|category), target_id, label, selection_type (single|multiple), required, sort_order
- OptionValue — id, option_group_id, name, price_modifier, active
- Bundle, Menu, CompositeProduct — ERP-owned, read-only, toggleable per shop
- OfficeClient — id, shop_id, company_name, address, postal_code, billing_enabled, access_code, active
- OfficeClient_Users — office_client_id, customer_id
- JoinRequest — id, office_client_id, customer_id, shop_id, status (pending|approved|rejected)
- TourDelivery — id, shop_id, name, order_from, order_until, delivery_from, delivery_until, max_stops, status (active|inactive)
- TourDeliveryStop — id, tour_delivery_id, office_client_id, position
- Order — id, shop_id, customer_id, group_id, type (webshop|office|multiday), status (pending|paid|failed|pending_pay_at_store|cancelled), pickup_date, pickup_slot, delivery_mode (collect|delivery), items (JSON), total, discount, vat_number, vies_result, invoice_requested, document_type (invoice|attestation), payment_method (digiteal|pay_at_store)
- OrderGroup — id, shop_id, customer_id, total, discount_pct, payment_status
- Campaign, Voucher, UpsellConfig, MultiDayTier, DirectLink, Translation, Language, ShopLanguage, DigitealConfig

5 Central State Store — One Source of Truth

△ All state must live in one central store. No local copies. No stale cached values anywhere.

```
store = {
  shop_id: string | null,
  shop_name: string | null,
  shop_logo: string | null,
  delivery_mode: 'collect' | 'delivery' | null,
  selected_date: string | null,
  date_locked: boolean,
  officeClientLinked: boolean,
  officeClientId: string | null,
  officeClientName: string | null,
  tourDeliveryLinked: boolean,
  tourDeliveryId: string | null,
```

```

tourDeliveryActive: boolean,
officeShopAccess: 'allowed' | 'blocked' | null,
officeShopBlockReason: string | null,
cart: { items: [], metadata: { delivery_mode, shop_id, date } },
isLoggedIn: boolean
}

```

- On every shop selection: refetch shop data, prices, office client link status, validateOfficeShopAccess()
- On every mode toggle: update delivery_mode + write metadata + empty cart + reset date
- On login: refetch office client link + tour delivery + validateOfficeShopAccess()

6 Office Shop Access — validateOfficeShopAccess()

⚠ This function is the single gateway to Office Shop. Never bypass it.

```

validateOfficeShopAccess(customer_id, shop_id) {
  // 1. User authenticated?
  // 2. Linked to OfficeClient for this shop?
  // 3. OfficeClient.active === true?
  // 4. OfficeClient linked to TourDelivery?
  // 5. TourDelivery.status === 'active'?
  // → { allowed: true } or { allowed: false, blockReason }
}

```

- blockReason values: USER_NOT_AUTHENTICATED / OFFICE_CLIENT_NOT_LINKED / OFFICE_CLIENT_INACTIVE / TOUR_DELIVERY_NOT_LINKED / TOUR_DELIVERY_INACTIVE

On Office Shop button click:

```

const result = await validateOfficeShopAccess(customer_id, shop_id)
if (result.allowed) { activateOfficeShopMode() }
else { openRegisterYourCompanyModal() }

```

- Icon Abricot (#F2C9A0): logged in + validateOfficeShopAccess() returns allowed
- Icon Ruby Red (#8D1D2C): logged in + access blocked
- Re-run validateOfficeShopAccess() on: every shop selection, every login, every entry point button click

7 Navbar — Layout & Behavior

Desktop — single row, full width, no logo, no stacking, no wrapping

- Left group (flush left): L'Atelier By [shop name] / date picker / mode buttons
- Right group (flush right): shop selector / login icon / cart icon (logged in only) / Office Client icon (always)
- justify-content: space-between — extreme left to extreme right

Mode buttons

- 'Collecte en magasin': background Ruby Red when active — delivery_mode = 'collect'
- 'Livraison au bureau': background Abricot when active — delivery_mode = 'delivery'

⚠ Every mode toggle: cart emptied + date reset instantly — every time — no warning — no exception

Date picker

- Same font, same size as navbar text — no underline, no border — native navbar feel
- Label: 'Date de retrait' (collect) / 'Date de livraison' (delivery) — auto-switches with mode
- Locks on first cart item add — unlocks only when cart is completely empty

- Must never be hidden behind the navbar on mobile when open

Office Client icon

- Abricot: logged in + validateOfficeShopAccess() = allowed
- Ruby Red: logged in + access blocked
- Default (no color): not logged in
- Updates instantly on: login, logout, shop selection, shop switch, link change

Mobile navbar — stacked layout (top to bottom, no wrapping)

- Row 1: shop selector + login icon + cart icon
- Row 2: L'Atelier By [shop name]
- Row 3: two pictograms side by side — no text (Collecte / Livraison au bureau)
- Row 4: date picker — directly below the two pictograms

Metadata refresh on all navbar actions

- On every important navbar action: refresh delivery_mode, officeClientLinked, tourDeliveryLinked, officeShopAccess — write to cart.metadata before any navigation

8 Landing Page — Progressive Selection

- All products visible immediately on arrival — no shop or date required to browse
- Shop selected → prices load immediately from API (GET /api/v1/products?shop_id={id}) — independent of date
- Date selected → product grid filters (D+1/D+2 + stock + cutoff) — date locks on first cart item add
- If logged in + validateOfficeShopAccess() = allowed: Livraison au bureau button is Abricot — delivery date picker available
- Logo: global brand logo — replaced by shop logo instantly on shop selection — fallback to global if none

Click (+) without shop or date — non-blocking message box (all strings translatable)

- No shop + no date: 'Please select your shop and your date'
- Shop + no date: 'Please select your date'
- Date + no shop: 'Please select your shop'

9 Product Grid & Cards

Grid

- CSS Grid — grid-template-columns via CSS variable — 6 desktop / 3 tablet / 2 mobile
- Categories + collections: horizontal swipeable row — max 5 visible on mobile — active badge always in view

Card layout — 3 lines below photo

- Line 1 (if portions configured): portion icons — 1/4 (quarter circle) / 1/2 (half circle) / Entier (full circle) — same size — clicking selects portion — selected highlighted
- Line 2: product name (full width, left, no truncation)
- Line 3: price (extreme left) / allergen pictograms + O icon (if options) + i icon + (+) button (extreme right)
- Optional badge: top-right corner of photo
- Clicking photo or product name: nothing — purely visual

⚠ **Never show 'Default variant' label anywhere in the UI**

O icon — Options

- Shown only if product has option groups — opens inline dropdown on card
- Each group: label + single or multiple choice — required groups must be completed before (+) works
- price_modifier captured at selection — stored in cart item — shown in cart as 'Option (+€X.XX)'

(+) button logic

- Standard product: adds to cart — cart badge increments — side cart does NOT auto-open
- Product with options: O dropdown must be completed first
- Bundle / Menu / Composite: opens respective modal
- Portion product: portion must be selected first
- Side cart opens only when user explicitly clicks cart icon

10 Cart — Single Cart, Correct Metadata

⚠ **One cart only. delivery_mode comes from the store — never from a product or item.**

Cart item data model

```
{ product_id, product_name, base_price, quantity,
  portion_label?, portion_price?,
  options: [{ group_label, option_name, price_modifier }],
  line_total, // = base_price + sum(modifiers) × qty
  shop_id, date, availability_validated }
```

Cart metadata — refreshed at every significant event

```
cart.metadata = {
  delivery_mode: store.delivery_mode, // 'collect' | 'delivery'
  shop_id: store.shop_id,
  date: store.selected_date
}
```

- Metadata written on: shop selection, mode switch, date selection, basket open, basket update, checkout click, login/signup, navbar actions
- Checkout must always read a metadata that is already correct — never navigate to checkout before metadata is confirmed

Cart display

- 'Back to shop' label next to cart heading — returns to product grid with context preserved
- Options per line: 'Mayonnaise (+€0.50) · Focaccia' — modifier if > 0 — name only if modifier = 0
- Same product + different options = two separate lines — never merged
- No VAT shown — total TTC only — no 'Default variant' label

Price rules

- line_total = base_price + sum(option modifiers) × qty — stored at item add — never recalculated at checkout
- Portion price overrides base_price when portion selected
- Campaign promotional price overrides base_price during campaign
- Backend validates line_total on order receipt — rejects if mismatch — validates shop-scoped price is current

Checkout button — explicit onClick

```
const handleCheckout = async () => {
  await validateCart()
  await updateCartMetadata(store.delivery_mode, store.shop_id, store.selected_date)
  await confirmMetadataWritten()
  navigate('/checkout')
```

```
}
```

11 Checkout — delivery_mode drives everything

△ **checkout variant = delivery_mode from cart.metadata — read this field first — never recalculate**

```
if (cart.metadata.delivery_mode === 'delivery') → Livraison checkout
if (cart.metadata.delivery_mode === 'collect') → Retrait checkout
if (cart.metadata.delivery_mode is missing) → BLOCK — show error — do not open checkout
```

Livraison checkout (delivery)

- Label: 'Livraison' — Abricot theme
- Shows read-only: company name, tour delivery info, delivery window (e.g. 09:00–11:00), delivery date, delivery address
- No time slot picker — no collection date — no shop info block
- Payment: Digiteal only — pay at store completely hidden — forced e-payment
- If no tour delivery assigned: 'No delivery round assigned — please contact your shop' — checkout blocked

Retrait checkout (collect)

- Label: 'Retrait' — Ruby Red theme
- Collection date: read-only from store — not re-asked
- Time slot picker: 15-minute increments — booked slots blocked
- Shop info block: name, address, Google Maps link, phone, email — from current shop_id — never stale
- Payment: Digiteal OR pay at store (if enabled by shop)

Common — both checkout types

- Logged-in: Addresses step skipped — single Delivery + Payment page
- Guest: compact block (first name, last name, email, phone) then single page
- Invoice checkbox: VAT field on check — validates on blur — no separate button — inline VIES (spinner → green/red)
- VIES valid: invoice_requested = true — VIES invalid: message shown — order proceeds — invoice_requested = false
- Voucher code: validates in real-time — discount applied
- No VAT line in order summary — total TTC only — no 'Default variant'
- All labels via translation system — correct shop language

12 Order State Machine & Payment

```
pending → paid (Digiteal webhook)
pending → failed (Digiteal webhook)
pending → pending_pay_at_store
pending_pay_at_store → paid (admin marks as paid)
any → cancelled
```

△ **Defined and enforced in one place only. Digiteal webhook handler is idempotent — same webhook twice does not change state.**

Digiteal

- GET /createpaybutton — pass order amount, reference, creditor details — redirect customer
- POST /payment/webhook — idempotent
- POST /createinvoicepaymentrequest — Office Shop company billing
- POST /refund — accessible per order in admin
- 6% Belgian VAT — shown on invoice/attestation PDF only — never shown to customer in cart or order summary

Post-payment

- Confirmation page: matches webshop CSS — order reference, products + options, delivery/collection info, payment status, email note
- 'Back to shop' button + × icon — all strings translatable
- Pay at store: order in pending_pay_at_store — 'Mark as paid' button in admin — clicking closes order → paid

13 User Profile — Office Access Status

- Profile must display:
- Office Client linked: yes / no — name / id if linked
- Tour Delivery linked: yes / no — name / id if linked
- Tour Delivery active: yes / no
- Office Shop access: Allowed / Blocked + blockReason
- Manual refresh/resync button in profile:
- 1. Reload Office Client link
- 2. Reload Tour Delivery link
- 3. Re-run validateOfficeShopAccess()
- 4. Update cart.metadata
- 5. Refresh UI

14 Portions — Sold by Slice

- Category toggle: 'Sold by portion' — if ON: all products in category inherit portion system
- Per product: portion config — 1/4 / 1/2 / Entier — each with shop-scoped price, active toggle, available_shops (default: all)
- Card: portion icons on Line 1 — click to select — name and price update on selection
- (+) blocked until portion selected if product requires portion
- Cart: 'Tarte aux pommes — Demi' — portion price — separate line per portion type
- API: GET /api/v1/products/{id}/portions?shop_id= / PATCH /api/v1/products/{id}/portions

15 Translations — Zero Hardcoded Strings

△ **Every user-facing string via translation system — including: navbar, date picker, portions, options, cart, checkout, confirmation, forms, errors, modals, empty states**

- Global translation table: Key | Default language | Language 2 | ... — inline editable — complete/partial/missing status
- CSV export and import with diff preview
- Language assignment per shop: default + active optional languages
- Applied on shop selection — re-applied on shop switch
- Fallback: default store language if translation missing — never a raw key or English string in a French shop

16 Admin & Back Office

→ Desktop/PC only — role system: superadmin / admin / customer

Shop management

- Create and edit: same form component — edit opens as inline dropdown below shop entry — pre-populated — same fields
- Digiteal config: company_id, api_key, iban, creditor_name, reference_prefix, peppol_id, mode (test|live), payment_enabled toggle, disabled_message, webhook URL (auto-generated), connection test button

Product availability table

- Name / Available Webshop / Qty Webshop / Available Office Shop / Qty Office Shop / Office Shop Hours — inline toggles — instant sync to storefront
- id_product: read-only, copyable on click on every product card

Category illustrations

- Two-state: unset (dashed placeholder 'No illustration set') / set (1:1 square preview) — upload or URL — 1:1 ratio enforced

Direct link generator

- Builder: shop + date + product (optional) + voucher (optional) → URL + QR code downloadable
- Saved links list: label (editable), URL, date created, active toggle, copy button (active links only)

Tour Delivery (Tournées)

- Create/edit/delete per shop — drag & drop builder for stops — shop badge on every tour tile
- Round badge on every tournée tile showing which shop it belongs to
- Approve join request → auto-redirect to Tour Delivery Manager — new office client highlighted

17 Code Quality, Cleanup & Performance

△ Full audit required. Remove all dead code, duplicate logic, stale state, old delivery_mode logic.

Cleanup — remove

- All unused components, routes, hooks, helpers, CSS classes
- All console.log and debug statements
- All duplicated delivery_mode logic — one source of truth only
- All conflicts between route logic and metadata logic
- All code where a product or item influences delivery_mode
- All hardcoded strings not connected to translation system
- All hardcoded CSS values not using CSS variables

Architecture

- No direct DB queries in route handlers — service layer only
- All API responses: { data, meta, error }
- No N+1 queries — all list endpoints use eager loads or joins
- Checkout button: explicit onClick — validate → write metadata → confirm → navigate — never Link + disabled Button

Performance

- Lazy load all components not needed on landing page
- Product grid memoized — does not re-render on every minor state change
- API calls debounced where applicable
- Theme and brand variables: fetched once on init — cached
- validateOfficeShopAccess() called on shop selection and entry points — not on every render
- Basket total recalculated only on cart change events

18 SEO — Multilanguage

- Page titles, meta descriptions, alt text per language — schema.org: Product, BreadcrumbList, LocalBusiness per shop
- Canonical URLs + sitemap with hreflang tags — clean keyword-rich slugs — no auto-generated IDs

— *Franchise Generation / L'Atelier By*