

Structural Designs for the BRRI Compact Rice Mill Part 2



AKM Saiful Islam



Bangladesh Rice Research Institute

Structural Designs for the BRRI Compact Rice Mill

Part 2



AKM Saiful Islam

First published : March 2024

Publication no. : 402

Number of copies : 300

Copyright : Bangladesh Rice Research Institute

Cover page design : Dr. AKM Saiful Islam

Communication : Publication and public relation division
Bangladesh Rice Research Institute, Gazipur
Bangladesh

Printed by : **Tithy Printing & Packaging**
28/C-1, Toyenbee Circular Road, Motijheel C/A
Dhaka-1000, Cell : 01819263481

Engineering drawing

Drawn by : **Shafier Jahan Khan**
Mechanical Engineer, B.Sc. (Hons.)
Research Assistant, SFMRA project
Bangladesh Rice Research Institute (BRRI)

Checked by : **Professor Dr. Md. Mosharraf Hossain**
Department of Farm Power and Machinery
Bangladesh Agricultural University

Approved by : **Dr. AKM Saiful Islam**
Chief Scientific Officer
Farm Machinery and Postharvest Technology Division
Bangladesh Rice Research Institute

Citation

Islam, AKM Saiful 2024: Structural Designs for the BRRI compact rice mill (Part 2). Bangladesh Rice Research Institute, Gazipur, Bangladesh

Acknowledgment:

Special thanks to Salam Engineering Workshop, Dinajpur and all those who directly and indirectly helped in the preparation of this book.

Preface

The BRRI compact rice mill is a modern rice milling machinery. Various components including rice, bran, and husk are efficiently discharged through distinct delivery lines in a single pass. This machine uses two rubber rollers, a blower, and a polisher, collectively contributing to the production of rice and closely resembles that of a large auto rice mill but at a significantly lower cost. The machine can be produced in a local workshop using indigenous raw materials, emphasizing accessibility and sustainability. The publication named "Structural Designs for the BRRI compact rice mill (Part 1 and 2)" comprises comprehensive engineering drawings for every component of the BRRI compact rice mill. This comprehensive guide aims to provide engineers, manufacturers, technicians, and all stakeholders involved in the rice milling process with detailed insights into the design and specifications of the BRRI compact rice mill. Each drawing is a visual representation of the careful considerations that have gone into the development of this model. This publication is a collaborative endeavor aimed at sharing knowledge, fostering innovation, and contributing to the advancement of rice milling technology. We extend our gratitude to all contributors involved in the preparation of this valuable resource. May this guide serve as a foundation for the successful implementation, operation, and continuous improvement of the BRRI compact rice mill.



Director General
Bangladesh Rice Research Institute

Foreword

The Farm Machinery and Postharvest Technology Division of the Bangladesh Rice Research Institute is currently executing the project named "Strengthening Farm Machinery Research Activity for Mechanized Rice Cultivation (SFMRA)". Under the supervision of Dr. AKM Saiful Islam, Agricultural Engineers of BRRI developed the compact rice mill using indigenous raw materials in a local workshop. It is with great pleasure that I introduce this exceptional publication, "Structural Designs for the BRRI compact rice mill (Part 1 and 2)" compiled by Dr. AKM Saiful Islam. This publication stands as a base in the realm of rice milling technology, offering an in-depth exploration of the design, construction, and functionality of the BRRI compact rice mill. Dr. Islam's dedication and expertise in the field of agricultural engineering have been pivotal in shaping the content of this book. His meticulous compilation of engineering drawings provides a comprehensive guide for engineers, manufacturers, researchers, and enthusiasts who seek to understand the intricacies of the BRRI compact rice mill. I extend my sincere appreciation to Dr. AKM Saiful Islam for his dedication to knowledge dissemination and his invaluable contribution to the field of agricultural engineering. May this publication inspire further research, development, and collaborative efforts in advancing rice processing technology.

A handwritten signature in blue ink, consisting of stylized initials and a surname.

(Dr. Md. Shahjahan Kabir)



Chief Scientific Officer
Farm Machinery and Postharvest Technology Division
BRRI, Gazipur

About Project Director

Dr. AKM Saiful Islam graduated from the Department of Farm Power and Machinery, Bangladesh Agricultural University, Mymensingh and received chancellor award for achieving first position in graduate course. Dr. Islam obtained MS degree from the same university in 1996. He completed postgraduate diploma course from Silsoe College, UK in 1997. Dr. Islam obtained PhD in Agricultural Engineering from the Department of Farm Power and Machinery, Bangladesh Agricultural University, Mymensingh in 2012. He started his career as a Scientific Officer in Farm Machinery and Postharvest Technology Division of Bangladesh Rice Research Institute in 1998. Dr. Islam developed training manual for seedling raising techniques, BRRI weeder, rice-wheat reaper, BRRI open orum thresher, BRRI rice-wheat thresher, BRRI panicle thresher, BRRI whole feed combine harvester. He is involved in the invention and development of mechanized seedling raising techniques, BRRI seed sower, BRRI auto seed sower, BRRI rice transplanter, BRRI semi automatic rice transplanter, BRRI solar light trap, BRRI urea super granular fertilizer, BRRI power weeder, BRRI rice-wheat reaper, BRRI rice-wheat thresher, BRRI panicle thresher, BRRI whole feed combine harvester, BRRI head feed combine harvester, BRRI straw rope maker, BRRI air blow rice mill, BRRI compact rice mill, BRRI mini rice huller and BRRI short and long rice processing technology. At present, he is working as a Chief Scientific Officer and project director of the project "Strengthening Farm Machinery Research Activity for Mechanized Rice Cultivation (SFMRA)".

About project

The project "Strengthening Machinery Research Activity for Mechanized Rice Cultivation" was approved for implementation from July 2019 to June 2025 at an estimated cost of Tk 4400 Lakhs. The project is being implemented by the Farm Machinery and Postharvest Technology Division of Bangladesh Rice Research Institute under the Ministry of Agriculture in 12 upazilas of 12 districts of seven divisions of the country. The main objective is to strengthen farm machinery research activities for sustainable rice cultivation. The specific objectives are (a) Developing nine agricultural machinery and technologies suitable to the socio-economic condition of the farmers: i.e. rice transplanter, mini combine harvester, power weeder, reaper binder, compact rice mills, rice transplanter-cum-fertilizer, straw rope maker, seed sower machines, post-harvest management and renewable energy (solar and briquette machines); (b) Further development of the machinery by collecting feedback from the stakeholder through 324 adaptive trials; (c) Providing hands-on training to 6480 machine operators, farmers, mechanics and service providers and 200 local agricultural machinery manufacturers and extension officers/workers to increase their skills on modern agricultural machinery; (d) Capacity building of 20 scientists and 20 workshop workers for the research on modern agricultural machinery through higher education and training; and (e) Modernization of existing farm machinery research lab-cum-workshop. The project activities are a) Developing nine agricultural machinery and post-harvest technologies suitable for sustainable rice production i.e. rice transplanter, combine harvester, power weeder, reaper binder, compact rice mill, rice transplanter-cum-fertilizer, straw rope maker, seed sower machine, post-harvest management and renewable energy (solar and briquette machines); b) To procure prototypes from abroad and preparing indigenously adapted machines through reverse engineering and applied research; c) To develop machine according to the feedback obtained through practical field tests; d) To conduct 324 two-day residential hands-on training on seedling raising techniques, operation, repair and maintenance of rice transplanters for mechanized rice transplanting; e) To sensitize 6480 farmers, machine operators, mechanics, farmer groups/farmers associations, service providers about utility of agricultural machinery, operating techniques, repair and maintenance through 324 practical field tests of BRRI developed modern machinery; f) To publish the training schedule and names of the trainees in the form of a database on the BRRI web site to maintain transparency and accountability in the training program and to avoid duplicity in the selection of trainees; g) Developing 10 skilled scientific manpower through three months of overseas training; h) To organize short term (7-10 days) training of 10 scientists in agricultural machinery manufacturing countries; j) Conducting 10 trainings of three days duration on transfer of machinery technology to the farm machinery manufacturers/extension officers/workers; j) To enhance quality research skills by establishing machine testing lab (375 square meters) with modern equipment for machinery quality control; k) Develop a commercial approach to agriculture through limited long-term use of farm machinery and rental machinery service providers in the project area; l) Building co-operation between researchers, extension workers, manufacturers and farmers; d) Development of 2,500 cubic meter research field/plot for head office research; d) Vertical extension (450 square meters) of farm machinery lab cum office building at head office; n) Construction of machinery display cum warehouse (150 sq m to 750 sq m in 5 Regional stations) for display room at BRRI Regional stations; (v) Skilling of 20 workshop workers through training in machine prototyping, repair and maintenance; d) To provide necessary technical assistance to the entrepreneurs and machinery manufacturing institutions/factories serving through the Department of Agriculture Extension for ensuring the use of sustainable agricultural machinery at the field level. Recruiting 11 persons (one office assistant cum computer programmer, two bench mechanics, two lathe-operators, two tin smiths, two hammer men and two drivers) through outsourcing to support the project director in project execution. Scientists of FMPHT division, research assistants, Accountant of Accounts division and staff of Planning and Evaluation Division are working on the project as additional responsibilities.

BRRI compact rice mill

Purpose of developing the machine

Increase milling recovery: One of the purposes is to increase milling recovery. This suggests a focus on optimizing the efficiency of the rice milling process, aiming to extract a higher quantity of rice from the paddy. Increased milling recovery is crucial for maximizing the yield and economic output from each batch of paddy processed.

Quality rice production: Another purpose is to produce quality rice by separating the bran and husk. Separating the bran and husk allows for the production of rice with improved nutritional content, contributing to better overall food quality.

Building business success machines for small entrepreneurs: The purpose of building business success machines for small entrepreneurs highlights the socio-economic aspect of the initiative. This mill is not only efficient but also economically viable with low investment requirements. The goal of developing the machine is to empower small entrepreneurs. This could lead to the establishment and growth of small businesses in the rice milling sector, contributing to local economic development.

Characterisitics

The characteristics of the BRRI compact rice mill highlight its key specifications and features, emphasizing its efficiency, ease of use, and economic viability.

Motor specification: The rice mill is equipped with a 3-phase 25 hp 1450 rpm motor. Single phase 3 hp 1450 rpm motor for the elevator. Single phas 1 hp 1450 rpm motor for the precleaner. This indicates a powerful motor suitable for processing rice efficiently.

Processing capacity: The machine can mill more than 650 kg of paddy per hour, demonstrating a high processing capacity. This feature is beneficial for handling substantial quantities of paddy within a relatively short timeframe.

Quality of rice: The rice mill produces good-quality brown and white rice. Additionally, the low rice breakage suggests that the milling process is designed to preserve the integrity of the rice grains, contributing to overall rice quality.

Ease of operation: The machine is described as easy to operate, indicating that users, including those with limited technical expertise, can effectively use the technology. This characteristic is crucial for widespread adoption.

Business viability: The statement emphasizes that the rice mill is a successful business machine with low investment. This suggests that the technology is economically viable and can be an attractive option for entrepreneurs or farmers looking to invest in rice milling with a relatively low financial commitment.

The BRRI compact rice mill combines technical capabilities, efficiency, user-friendliness, and economic viability, making it a promising solution for rice processing with the potential for positive impacts on both agricultural productivity and local entrepreneurship

Technical Specification

Name : BRRI Compact Rice Mill

Model: BRRI RM2023


Taking, l=length, w=width, h=height, t=thickness, Ø=diameter, r=radius.

1. Machine l=1850mm, h=530mm, w=800mm. Made of (75x40x5) mm C-Channel.
2. Motor casing l=668mm, w=620mm. Made of (50x50x4) mm angle bar.
3. Motor is 25 hp, 1450rpm, three phase.
4. Motor pulley Ø=180mm, t=72.5mm.
5. Husk out line size (l=585.2, W=301.5, h=380, t=1.5) mm.
6. Upper holding part size (l=805, W=620, t=17) mm.
7. Main body size (L=805, w=617, h=1309, t=2) mm.
8. Rubber roller outer casing size (L=617, w=317, t=1.5) mm.
9. Conveyer auger cover size (l=508, w=326, t=1.5, r=202) mm.
10. Main body shell flange (Ø=382, t=1.5) mm.
11. Airline box part l=508mm, w=391.5mm, h=159mm, t=1.5mm.
12. Pre-cleaner size (w=620, l=1100, h=880) mm. Angle bar (50x50x3) mm.
13. Pre-cleaner motor carrier size (l=490, h=291.5) mm. Square bar (8x8) mm.
14. Cam Ø=40mm, h=20mm.
15. Pre-cleaner motor 1hp 1450rpm, single phase 200V.
16. Precleaned body casing (l=927.7, w=490, h=210, t=1.5) mm.
17. Mesh net size l=861mm, w=486mm, t=1.5mm. Quantity 01 (SS).
18. Elevator flange l=606mm, w=286mm. Angle bar size (38x38x4) mm. Quantity 07.
19. Elevator body size l=180mm, l=210mm, h=620, t=1.5mm. Quantity 01.
20. Elevator body size l=180mm, l=210mm, h=1600, t=1.5mm. Quantity 02.
21. Elevator pulley h=62mm, Ø=73mm.
22. Elevator flat belt pulley h=165mm, Ø=236mm. Quantity 02.
23. Elevator: Pillow block bearing housing UCP-207. Quantity 02.
24. Elevator shaft Ø=37mm, l=495mm.
25. Elevator motor 3HP, 1450rpm, single phase 200V.
26. Elevator buckets: Quantity 53.
27. Elevator pulley h=20.5mm, Ø=600mm.
28. Elevator: Face type bearing housing UCF-207. Quantity 02.
29. Elevator bottom casing (l=615, w=401, h=616, t=1.5).
30. Elevator bottom pulley shaft l=325mm, Ø=36mm.
31. Hopper size (Ø=645, h=400, t=1.5) mm.
32. Hopper pulley (Ø=195, h=16.5) mm.


33. Hopper bearing: 20X35X9-2RS Rubber sealed ball bearing. Quantity 02.
34. Hopper shaft ($\varnothing=21$, l=420) mm.
35. Blower flange ($\varnothing=302$, h=65) mm.
36. Blower fan ($\varnothing=250$, h=78) mm.
37. Blower jam nut ($\varnothing=45$, t=6) mm.
38. Blower size (l=450, w=500, t=1.5) mm sheet needed in each size.
39. Blower hose (PVC) pipe with inner $\varnothing=95$ mm.
40. Cyclone size (l=350, w=400, h=871 t=1.5) mm sheet needed in each size.
41. Blower: Face type bearing housing UCF-207. Quantity 02.
42. Blower shaft ($\varnothing=37.5$, l=784) mm.
43. Blower pulley (CI) size $\varnothing=178$ mm, h=71mm.
44. Polisher housing size (l=305, w=184.8, r=92.5) mm.
45. Polisher shell net size l=301 mm, each hand distance=56 mm.
46. Polisher blower 0.5hp, 1450 rpm, single phase 200V.
47. Polisher Radial Ball Bearing_68_SKF. Quantity 01.
48. Polisher worm gear size $\varnothing=91$ mm, l=105mm, pitch=03.
49. Polisher bearing: NSK 6314. Quantity 01.
50. Polisher pulley $\varnothing=255$ mm, l=132mm. V-groove, Type-B, Slot number=05.
51. Size grader size (l=1010, w=455, h=271) mm.
52. Size grader pulley ($\varnothing=94$, t=40) mm.
53. Size grader bearing: 6208 Ball Bearing. Quantity 01.
54. Size grader: Bearing Housing UCP-204. Quantity 10.
55. Size grader casing size (l=640, w=360, h=110) mm.
56. Size grader: Mesh net (SS): 14 and 16 number net from the market.
57. Rubber roller setting body: Adjusting clamp (l=352, w=138, h=293) mm.
58. Rubber roller setting body: Pin lock ($\varnothing=80$, t=81) mm.
59. Rubber roller setting body: HTFJ33-1G5C3(NSK) – BEARING. Quantity 04.
60. Rubber roller setting body: Shaft ($\varnothing=34$, l=487) mm. Quantity 02.
61. Rubber roller setting body: Gap Controller Shaft ($\varnothing=23$, l=297) mm. Quantity 01.
62. Rubber roller setting body: Rubber Roller 4 inch. Quantity 02.
63. Rubber roller setting body: Pulley-1 size ($\varnothing=127$, l=92) mm. Pulley-2 size ($\varnothing=178$, l=91.5) mm.
64. Tension: Pulley size ($\varnothing=158$, l=41.9) mm.
65. Husk conveyer: UCF-207 bearing housing. Quantity 02.
66. Husk conveyer: Pulley size ($\varnothing=298$, l=52) mm.
67. Grader pulley: ($\varnothing=98$, l=40) mm.
68. V-Groove Type-A and Type-b belts. Model no: B-70, B-104, B-93, A-36, BB-124.
69. Safety guard: (l=1313, w=939, h=209.4, t=1.5) mm.


INDEX


SUB-ASSEMBLY NO.	DESCRIPTION	SHEET NO	PAGE NO
6.A	S-6.A_CYCLONE SEPARATOR SUB-ASSEMBLY	157 - 188	1
6.B	S-6.B_POLISHER SUB-ASSEMBLY	189 - 194	34
6.C	S-6.C_POLISHER BLOWER SUB-ASSEMBLY	195 - 199	40
6.D	S-6.D_POLISHER MECHANISM SUB-ASSEMBLY	200 - 214	45
6.E	S-6.E_RICE DELIVERY SECTION SUB-ASSEMBLY	215 - 222	60
6.F	6.F_SIZE GRADER SUB-ASSEMBLY	223 - 248	68
07	S-7_RUBBER ROLLER SETTING BODY SUB-ASSEMBLY	249 - 276	94
08	S-8_TENSION PULLEY SUB-ASSEMBLY	277 - 280	122
09	S-9_HUSK CONVEYER SUB-ASSEMBLY	281 - 286	126
10	V-BELT TYPE-B (MODEL: B-70)	287	132
11	V-BELT TYPE-B (MODEL: B-104)	288	133
12	V-BELT TYPE-BB (MODEL: BB-124)	289	134
13	V-BELT TYPE-B (MODEL: B-93)	290	135
14	V-BELT TYPE-A (MODEL: A-36)	291	136
15	MOTOR SAFETY CASING	292	137
16	PULLEY SAFETY CASING	293-294	138




ISOMETRIC VIEW











UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE		BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPT DIVISION		DO NOT SCALE DRAWING
DETAILS		SIGNATURE	DATE	FINISH: NONE
DRAWN	ENGR. SHAFER JAHAN KHAN	S. J. K.	02-SEP-2023	FIRST ISSUED: 02-AUG-2023
CHKD	DR. MD. MOSHARRAF HOSSAIN	M. M. H.	18-DEC-2023	
APPVD	DR. AKMA SAIFUL ISLAM	A. S. I.	30-DEC-2023	
THIRD ANGLE PROJECTION:		TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)		
		DRG. NAME: POLISHER SHAFT JAM NUT-1		
		DWG NO: RM2023_S-6.A-113		
		MANUFACTURING METHOD: MACHINING, BENDING & WELDING		
		MATERIAL: Plain Carbon Steel	WEIGHT: 44.84 g	A4
		SCALE: 2:1	SHEET 161	REVISION: A


NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED



*ONLY RIGHT VIEW DIMENSIONS HAS SHOWN HERE.
 *SHEET THICKNESS 1.5mm.




DRAWING NO: RM2023_S-6_A-114
 SHEET NO: 163




UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		27-OCT-2023	
CHKD		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPVD		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION: 							
TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)							
DRG. NAME: M10 BOLT							
DWG NO: SH_1515206468_S-6.A-114.1							
MANUFACTURING METHOD: MACHINING							
MATERIAL: Plain Carbon Steel						WEIGHT: 87.93 g	
SCALE: 1:1						SHEET 164	
						REVISION: A	

NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED








*HOSE PIPE
INNER DIA: 95mm

UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		02-SEP-2023	
CHKD		DR. MD. MOSHAMMAD HOSSAIN		M M H		18-DEC-2023	
APPVD		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION:							
				TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)			
DRG. NAME: HOSE PIPE - 1							
DWG NO: RM2023_S-6.A-116							
METHOD: SHOP							
MATERIAL: Natural Rubber				WEIGHT: 1354.25 g			
SCALE: 1:10				SHEET 166		REVISION: A	


NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED









DRAWING NO: SH_1515206468_S-6-A-118
SHEET NO: 169









DRAWING NO: RM2023_S-6-A-119
SHEET NO: 172



HOSE PIPE
INNER DIA: 96mm


UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		02-SEP-2023	
CHKD		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPVD		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION:							
							
TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)							
DRG. NAME: HOSE PIPE - 2							
DWG NO: RM2023_S-6.A-120							
METHOD: SHOP							
MATERIAL: Natural Rubber				WEIGHT: 643.07 g		A4	
SCALE: 1:10				SHEET 173		REVISION: A	

NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED






SQUARE BRACKET BEARING 35MM UCF207
SHAFT DIA: 35mm

*SQUARE BRACKET WITH SHAFT BEARING UCF207 BEARING
CAN ALSO BE USED.
#GET 2 BEARING OF THIS TYPE FOR THE SETUP.



UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		FIRST ISSUED: 02-AUG-2023	
CHK'D		DR. MD. MOSHARRAF HOSSAIN		M M H		TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)	
APPY'D		DR. AKM SAIFUL ISLAM		A S I		DRG. NAME: SQUARE BRACKET BEARING 35MM UCF207	
THIRD ANGLE PROJECTION:				18-OCT-2023		DWG NO: RM2023_S-6.A-121	
				30-OCT-2023		MANUFACTURING METHOD: MACHINING	
						MATERIAL: ASTM A36 Steel	
						WEIGHT: 1371.85 g	
						SCALE: 1:2	
						SHEET 174	
						REVISION: A	

NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED






UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1, ANGULAR: ± 0.05° * DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		NAME		SIGNATURE		DATE	
DRAWING		ENGR. SHAHAR JAHAN KHAN		S. J. K.		02-SEP-2023	
CHECKED		DR. MD. MOSHARRAF HOSSAIN		M. M. H.		18-DEC-2023	
APPROVED		DR. AKM SAIFUL ISLAM		A. S. I.		30-DEC-2023	
THIRD ANGLE PROJECTION:							
TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)							
DRG. NAME: HUSK SEPARATING BLOWER - 2							
DWG NO: RM2023_S-6-A-123							
MANUFACTURING METHOD: MACHINING, BENDING & WELDING							
MATERIAL: Plain Carbon Steel				WEIGHT: 9316.98 g			
SCALE: 1:10				SHEET 176		REVISION: A	




*MODEL IS SYMMETRY.
 *ONLY **RIGHT** VIEW HAS SHOWN HERE.
 *SHEET THICKNESS: **1.5mm**.

DRAWING NO: RM2023_S-6.A-123
 SHEET NO: 177


N.B: NOT A COMPLETE DRAWING.
 *SHEET THICKNESS: **1.5mm**.
 *MODEL IS SYMMETRY. ONLY ONE
 SIDE DIMENSIONS HAS SHOWN.
 ***TOP VIEW** ONLY IN THIS PAGE.




DETAIL A
 SCALE 2 : 5




DRAWING NO: RM2023_S-6.A-123
 SHEET NO: 178




			BANGLADESH RICE RESEARCH INSTITUTE			DO NOT SCALE DRAWING	
UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ±0.1, ANGULAR: ±0.05° * DOES NOT APPLY TO HOLE SIZE			SFMRA PROJECT, FMPT DIVISION				FINISH: NONE
DETAILS			TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)				FIRST ISSUED: 02-AUG-2023
DRAWN ENGR. SHAHER JAHAN KHAN			S J K 02-SEP-2023				
CHKD	DR. MD. MOSHARRAF HOSSAIN		M M H 18-DEC-2023		DRG. NAME: CONVEYER BLOWER SHAFT		
APPVD	DR. AKM SAIFUL ISLAM		A S I 30-DEC-2023		DWG NO: RM2023_S-6.A-124		
THIRD ANGLE PROJECTION:							
							
MANUFACTURING METHOD: MACHINING							
MATERIAL: ASTM A36 Steel						WEIGHT: 6392.53 g	
SCALE: 1:8						SHEET 179	
						REVISION: A	








UCF207 BEARING
SHAFT DIA 35mm



UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE			BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPT DIVISION		DO NOT SCALE DRAWING
	DETAILS	NAME	SIGNATURE	DATE	FINISH: NONE
	DRAWN	ENGR. SHAFER JAHAN KHAN	S J K	02-SEP-2023	FIRST ISSUED: 02-AUG-2023
	CHKD	DR. MD. MOSHARRAF HOSSAIN	M M H	18-DEC-2023	
APPRVD	DR. AKM SAIFUL ISLAM	A S I		30-DEC-2023	
THIRD ANGLE PROJECTION: 					
TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)					
DRG. NAME: SQUARE BRACKET BEARING SHAFT DIA 35mm - UCF 207					
DWG NO: RM2023_S-6.A-127					
MANUFACTURING METHOD: MACHINING, BENDING & WELDING					
MATERIAL: ASTM A36 Steel				WEIGHT: 1371.85 g	A4
SCALE: 2:2		SHEET 182		REVISION: A	

NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED













*SAME DIA AND SIZE FOR THIS HOLE
CUTOUT. SYMMETRY FOR HOLES.
*ONLY **TOP** VIEW HAS SHOWN HERE.
*SHEET THICKNESS **1.5mm**.

DRAWING NO: RM2023_S-6.A-130
SHEET NO: 186





NOTE: DEBURR AND BREAK SHARP EDGES ALL BENDS MIN. RADIUS UNLESS SPECIFIED





*SHEET THICKNESS: 1.5mm.
*MODEL IS SYMMETRY FOR HOLES.





NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED

UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1, ANGULAR: ± 0.05° *DOES NOT APPLY TO HOLE SIZE			BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPT DIVISION		DO NOT SCALE DRAWING
	DETAILS	NAME	SIGNATURE	DATE	FINISH: NONE
DRAWN	ENGR. SHAFER JAHAN KHAN	S J K		02-SEP-2023	FIRST ISSUED: 02-AUG-2023
CHKD	DR. MD. MOSHARRAF HOSSAIN	M M H		18-DEC-2023	
APPVD	DR. AKM SAIFUL ISLAM	A S I		30-DEC-2023	
THIRD ANGLE PROJECTION: 					
TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)					
DRG. NAME: HUSK SEPARATING BLOWER - 1 - FLANGE - 1					
DWG NO: RM2023_S-6.A-132					
MANUFACTURING METHOD: MACHINING, BENDING & WELDING					
MATERIAL: Plain Carbon Steel				WEIGHT: 1055.89 g	A4
SCALE: 1:5		SHEET 188		REVISION: A	












EACH CUTOUT TO CUTOUT DISTANCE IS 3.9mm.




UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1, ANGULAR: ± 0.05° * DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		NAME		SIGNATURE		DATE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		06-SEP-2023	
CHECKED		DR. MD. MOSHARRAF HOSSAIN		M M H		18-OCT-2023	
APPROVED		DR. AKM SAFIUL ISLAM		A S I		30-OCT-2023	
THIRD ANGLE PROJECTION:							
				DWG NO: RM2023_S-6.B-137			
TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)							
DRG. NAME: POLISHER-SIEVE							
MANUFACTURING METHOD: MACHINING							
MATERIAL: Stainless Steel (ferritic)				WEIGHT: 678.52 g			
SCALE: 1:4				SHEET 193		REVISION: A	

NOTE: DEBURR AND BREAK SHARP EDGES ALL BENDS MIN. RADIUS UNLESS SPECIFIED








UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1, ANGULAR: ± 0.05° *DOES NOT APPLY TO HOLE SIZE		BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		FINISH: NONE	
DRAWN	ENGR. SHAFER JAHAN KHAN	S J K	06-SEP-2023	FIRST ISSUED: 02-AUG-2023	
CHKD	DR. MD. MOSHARRAF HOSSAIN	M M H	18-DEC-2023	TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)	
APPVD	DR. AKM SAIFUL ISLAM	A S I	30-DEC-2023	DRG. NAME: POLISHER BLOWER CASE PART	
THIRD ANGLE PROJECTION:		DWG NO: RM2023_S-6-C-140		MANUFACTURING METHOD: MACHINING, BENDING & WELDING	
NOTE: DEBURR AND BREAK SHARP EDGES ALL BENDS MIN. RADIUS UNLESS SPECIFIED		MATERIAL: ASTM A36 Steel		WEIGHT: 537.92 g	
SCALE: 1:2		SHEET 196		REVISION: A	




NOTE: DEBURR AND BREAK SHARP EDGES ALL BENDS MIN. RADIUS UNLESS SPECIFIED








POLISHER BLOWER 0.5HP

UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		NAME	SIGNATURE	DATE	TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)		
DRAWN		ENGR. SHAFER JAHAN KHAN	S J K	06-SEP-2023	FINISH: NONE		
CHK'D		DR. MD. MOSHARRAF HOSSAIN	M M H	18-DEC-2023	FIRST ISSUED: 02-AUG-2023		
APP'D		DR. AKM SAIFUL ISLAM	A S I	30-DEC-2023			
THIRD ANGLE PROJECTION:							
				DRG. NAME: POLISHER BLOWER			
DWG NO: RM2023_S-6-C-143							
MANUFACTURING METHOD: MACHINING, BENDING & WELDING							
MATERIAL: Cast Alloy Steel				WEIGHT: 7261.25 g		A4	
SCALE: 1:3				SHEET 199		REVISION: A	

NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED













RADIAL BALL BEARING_68 SKF
INNER DIA 35mm
OUTER DIA 80mm


UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		FIRST ISSUED: 02-AUG-2023	
CHK'D		DR. MD. MOSHARRAF HOSSAIN		M M H			
APPY'D		DR. AKM SAIFUL ISLAM		A S I			
THIRD ANGLE PROJECTION:				TITLE: BRRI COMPACT RICE MILL (BRRI RM2023) DRG. NAME: RADIAL BALL BEARING_68_SKF DWG NO: RM2023_S-6.D-147			
		MANUFACTURING METHOD: MACHINING					
		MATERIAL: Stainless Steel (ferritic)				WEIGHT: 472.58 g	
		SCALE: 1:1		SHEET 203		REVISION: A	

NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED












UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE			BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING
	DETAILS	NAME	SIGNATURE	DATE	FINISH: NONE
	DRAWN	ENGR. SHAFER JAHAN KHAN	S. J. K.	26-SEP-2023	FIRST ISSUED: 02-AUG-2023
	CHKD	DR. MD. MOSHARRAF HOSSAIN	M. M. H.	18-DEC-2023	
	APPVD	DR. AKM SAIFUL ISLAM	A. S. I.	30-DEC-2023	
TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)					
DRG. NAME: POLISHER BLOWER AIR INLET PART - FLANGE					
DWG NO: RM2023_S-6.D-153					
MANUFACTURING METHOD: MACHINING					
MATERIAL: Plain Carbon Steel				WEIGHT: 779.09 g	A4
SCALE: 1:3		SHEET 209		REVISION: A	







BEARING: NDK RADIAL BALL BEARING
 NUMBER: **NSK 6314**
 QUANTITY: 01
 PLACEMENT: POLISHER PULLEY SIDE
 SHAFT DIA: **70mm**
 OUTER DIA: **150mm**


UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN ENGR. SHAFER JAHAN KHAN		S J K		26-SEP-2023		FIRST ISSUED: 02-AUG-2023	
CHK'D DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023		TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)	
APPY'D DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023		DRG. NAME: NSK RADIAL BALL BEARING 6314	
THIRD ANGLE PROJECTION:							
				DWG NO: RM2023_S-6.D-156			
MANUFACTURING METHOD: MACHINING							
MATERIAL: Stainless Steel (ferritic)				WEIGHT: 2535.95 g		A4	
SCALE: 1:2				SHEET 212		REVISION: A	

NOTE: DEBURR AND BREAK
 SHARP EDGES ALL BENDS MIN.
 RADIUS UNLESS SPECIFIED





		BANGLADESH RICE RESEARCH INSTITUTE		DO NOT SCALE DRAWING	
UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ±0.1, ANGULAR: ±0.05° * DOES NOT APPLY TO HOLE SIZE		SFMRA PROJECT, FMPT DIVISION			
DETAILS		NAME			
DRAWN		ENGR. SHAHER JAHAN KHAN		SIGNATURE	
CHK'D		DR. MD. MOSHARRAF HOSSAIN		DATE	
APP'D		DR. AKMA SAIFUL ISLAM		S J K	
THIRD ANGLE PROJECTION:				26-SEP-2023	
				18-DEC-2023	
				30-DEC-2023	
				TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)	
				DRG. NAME: POLISHER V-PULLEY	
				DWG NO: RM2023_S-6.D-157	
				MANUFACTURING METHOD: MACHINING	
				MATERIAL: ASTM A36 Steel	
				WEIGHT: 29527.64 g	
				A4	
				SCALE: 1:5	
				SHEET 213	
				REVISION: A	
				A	







UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1, ANGULAR: ± 0.05° *DOES NOT APPLY TO HOLE SIZE		BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPT DIVISION		DO NOT SCALE DRAWING
DETAILS		SIGNATURE	DATE	FINISH: NONE
DRAWN	ENGR. SHAFER JAHAN KHAN	S. J. K.	03-OCT-2023	FIRST ISSUED: 02-AUG-2023
CHKD	DR. MD. MOSHARRAF HOSSAIN	M. M. H.	18-DEC-2023	
APPVD	DR. AKM SAIFUL ISLAM	A. S. I.	30-DEC-2023	
THIRD ANGLE PROJECTION:		TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)		
		DRG. NAME: RICE DELIVERY PART-CONTROL GATE PART-2		
		DWG NO: RM2023_S-6.E-159		
		MANUFACTURING METHOD: MACHINING		
		MATERIAL: Plain Carbon Steel		
SCALE: 1:2		SHEET 215	REVISION:	A







UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ±0.1, ANGULAR: ±0.05° * DOES NOT APPLY TO HOLE SIZE			BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPT DIVISION		DO NOT SCALE DRAWING								
DETAILS			NAME		SIGNATURE		DATE		TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)				
DRAWN			ENGR. SHAHER JAHAN KHAN		S J K		03-OCT-2023						
CHKD			DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023		DRG. NAME: RICE DELIVERY PART-CONTROL GATE PART-3				
APPVD			DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023		DWG NO: RM2023_S-6-E-159				
THIRD ANGLE PROJECTION:													
										MANUFACTURING METHOD: MACHINING			
MATERIAL: Plain Carbon Steel										WEIGHT: 123.34 g		A4	
SCALE: 1:2										SHEET 217		REVISION: A	











6.5

METAL BALL

SECTION A-A


UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1, ANGULAR: ± 0.05° *DOES NOT APPLY TO HOLE SIZE		BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE	DATE	FINISH:	NONE
DRAWN	ENGR. SHAFER JAHAN KHAN	S. J. K.	03-OCT-2023	FIRST ISSUED: 02-AUG-2023	
CHKD	DR. MD. MOSHARRAF HOSSAIN	M. M. H.	18-DEC-2023	TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)	
APPVD	DR. AKM SAIFUL ISLAM	A. S. I.	30-DEC-2023	DRG. NAME: RICE DELIVERY PART-WEIGHT BALL	
THIRD ANGLE PROJECTION:		DWG NO: RM2023_S-6-E-163			
NOTE: DEBURR AND BREAK SHARP EDGES ALL BENDS MIN. RADIUS UNLESS SPECIFIED		MANUFACTURING METHOD: MACHINING			
		MATERIAL: Plain Carbon Steel		WEIGHT: 1.12 g	A4
		SCALE: 5:1	SHEET 221	REVISION: A	








N.B: FULL DETAIL VIEW FOR FRONT, RIGHT, TOP
HAS SHOWN IN NEXT 3 PAGES.


		BANGLADESH RICE RESEARCH INSTITUTE		DO NOT SCALE DRAWING			
		SFMRA PROJECT, FMPT DIVISION				FINISH: NONE	
						FIRST ISSUED: 02-AUG-2023	
UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ±0.1, ANGULAR: ±0.05° * DOES NOT APPLY TO HOLE SIZE		DETAILS NAME		SIGNATURE		DATE	
		DRAWN		ENGR. SHAHER JAHAN KHAN		S J K 13-OCT-2023	
CHKD		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPVD		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION:							
							
DWG NO: RM2023_56.F-165							
MANUFACTURING METHOD: MACHINING, BENDING & WELDING							
MATERIAL: Plain Carbon Steel				WEIGHT: 8764.69 g		A4	
SCALE: 1:10		SHEET 223		REVISION: A			
















FND BEARING 6208
TYPE: BALL BEARING
INNER DIAMETER: 40mm
OUTER DIAMETER: 80mm




UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		13-OCT-2023	
CHKD		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPVD		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION:							
				TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)			
				DRG. NAME: FND 6208 BEARING			
				DWG NO: RM2023_56.F-170			
				METHOD: SHOP			
MATERIAL: Stainless Steel (ferritic)				WEIGHT: 45.33 g		A4	
SCALE: 1:1				SHEET 230		REVISION: A	

NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED




N.B: ALL SOLID SHAFTS.

MANUFACTURING: MACHINING & WELDING




SECTION A-A
SCALE 1 : 3

UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE FMRA PROJECT, FMPT DIVISION		DO NOT SCALE DRAWING	
DETAILS		NAME	SIGNATURE	DATE	FINISH: NONE		
DRAWN		ENGR. SHAFER JAHAN KHAN	S J K	13-OCT-2023	FIRST ISSUED: 02-AUG-2023		
CHKD		DR. MD. MOSHARRAF HOSSAIN	M M H	18-DEC-2023	TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)		
APPVD		DR. AKM SAIFUL ISLAM	A S I	30-DEC-2023	DRG. NAME: GRADER MAIN SHAFT PART - 2		
THIRD ANGLE PROJECTION:				DWG NO: RM2023_56.F-174			
MANUFACTURING METHOD: MACHINING & WELDING							
MATERIAL: Plain Carbon Steel				WEIGHT: 2669.33 g		A4	
SCALE: 1:5				SHEET 234		REVISION: A	


NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED





BEARING HOUSING: **UCP-204**
 SHAFT DIAMETER: **20mm**
 QUANTITY: 10 PIECES FOR SIZE GRADER SUB-ASSEMBLY


UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		13-OCT-2023	
CHK'D		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPY'D		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION:							
				TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)			
				DRG. NAME: UCP 204			
				DWG NO: RM2023_S6.F-175			
				METHOD: SHOP			
				MATERIAL: ASTM A36 Steel			
				WEIGHT: 659.88916 g			
				SCALE: 1:2			
				SHEET 235			
				REVISION: A			

NOTE: DEBURR AND BREAK
 SHARP EDGES ALL BENDS MIN.
 RADIUS UNLESS SPECIFIED












*MESH NET SIZE 16
*SQUARE HOLE: 2mm
*CUTTING SIZE: (637x354)mm


UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1, ANGULAR: ± 0.05° *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		13-OCT-2023	
CHKD		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPVD		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION: 							
TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)							
DRG. NAME: GRADER BOTTOM CASING NET - 1 (SIZE - 16)							
DWG NO: RM2023_56.F-179							
METHOD: SHOP							
MATERIAL: Plain Carbon Steel				WEIGHT: 1760.18 g		A4	
SCALE: 1:10				SHEET 240		REVISION: A	

NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED







87





*MESH NET SIZE 14
*SQUARE HOLE: 1.5mm
*CUTTING SIZE: (637x354)mm


UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		13-OCT-2023	
CHKD		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPVD		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION:							
				TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)			
				DRG. NAME: GRADER BOTTOM CASING NET - 2 (SIZE - 14)			
				DWG NO: RM2023_S6.F-183			
				METHOD: SHOP			
				MATERIAL: Plain Carbon Steel		WEIGHT: 1760.18 g	
				SCALE: 1:10		SHEET 244	
						REVISION: A	

NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED












UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE	BANGLADESH RICE RESEARCH INSTITUTE		DO NOT SCALE DRAWING	
	SFMRA PROJECT, FMPHT DIVISION		FINISH:	NONE
			FIRST ISSUED: 02-AUG-2023	
DETAILS	NAME	SIGNATURE	TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)	
DRAWN	ENGR. SHAFER JAHAN KHAN	S. J. K.		
CHKD	DR. MD. MOSHARRAF HOSSAIN	M. M. H.		
APPYD	DR. AKMA SAIFUL ISLAM	A. S. I.	DRG. NAME: WELDMENTS FRAME-BASE	
THIRD ANGLE PROJECTION:			DWG NO: RM2023_56.F-187	
			MANUFACTURING METHOD: MACHINING, BENDING & WELDING	
			MATERIAL: Plain Carbon Steel	WEIGHT: 413.41 g
			SCALE: 1:2	REVISION: A


NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED









UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE	BANGLADESH RICE RESEARCH INSTITUTE		DO NOT SCALE DRAWING	
	SFMRA PROJECT, FMPPT DIVISION		FINISH:	NONE
TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)		FIRST ISSUED: 02-AUG-2023		
DETAILS	NAME	SIGNATURE	DATE	
DRAWN	ENGR. SHAFER JAHAN KHAN	S J K	27-OCT-2023	
CHKD	DR. MD. MOSHARRAF HOSSAIN	M M H	18-DEC-2023	
APPVD	DR. AKM SAIFUL ISLAM	A S I	30-DEC-2023	
THIRD ANGLE PROJECTION:				
DWG NO: RM2023_S-7-190				
DRG. NAME: RRSB CLAMP-PIN LOCK_PART1				
MANUFACTURING METHOD: MACHINING				
MATERIAL: ASTM A36 Steel			WEIGHT: 988.75 g	A4
SCALE: 1:2			SHEET 251	REVISION: A












HTFJ33-1G5C3(NSK) - BEARING
BRAND: NSK
OUTER DIA: 60mm
INNER DIA: 33mm
 GET 4 BEARINGS FOR TWO SHAFTS.
 SAME SIZE MANDATORY.


UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		27-OCT-2023	
CHKD		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPVD		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION:							
				TITLE: BRRI COMPACT RICE MILL (BRRI RM2023) DRG. NAME: HTFJ33-1G5C3(NSK) - BEARING DWG NO: RM2023_S-7-194			
MANUFACTURING METHOD: MACHINING							
MATERIAL: Stainless Steel (ferritic)				WEIGHT: 225.75 g		A4	
SCALE: 1:1				SHEET 255		REVISION: A	

NOTE: DEBURR AND BREAK
 SHARP EDGES ALL BENDS MIN.
 RADIUS UNLESS SPECIFIED










		BANGLADESH RICE RESEARCH INSTITUTE		DO NOT SCALE DRAWING			
		SFMRA PROJECT, FMPHT DIVISION				FINISH: NONE	
						FIRST ISSUED: 02-AUG-2023	
UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ±0.1, ANGULAR: ± 0.05° * DOES NOT APPLY TO HOLE SIZE		DETAILS NAME		TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)			
		SIGNATURE DATE					
DRAWN ENGR. SHAFER JAHAN KHAN		S J K 27-OCT-2023					
CHKD DR. MD. MOSHARRAF HOSSAIN		M M H 18-DEC-2023		DRG. NAME: SHAFT JAM NUT			
APPVD DR. AKM SAIFUL ISLAM		A S I 30-DEC-2023		DWG NO: RM2023_s-7-198			
THIRD ANGLE PROJECTION:							
							
MANUFACTURING METHOD: MACHINING							
MATERIAL: ASTM A36 Steel				WEIGHT: 89.87 g			
SCALE: 1:1				SHEET 259			
				REVISION: A			
				A			





UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ±0.1, ANGULAR: ±0.05° * DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPT DIVISION		DO NOT SCALE DRAWING	
DETAILS		NAME		SIGNATURE		DATE	
DRAWN		ENGR. SHAHER JAHAN KHAN		S J K		27-OCT-2023	
CHKD		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPVD		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION:							
TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)							
DRG. NAME: RRSB-1-FLANGE							
DWG NO: RM2023_s-7-199							
MANUFACTURING METHOD: MACHINING							
MATERIAL: ASTM A36 Steel				WEIGHT: 203.32 g		A4	
SCALE: 1:2				SHEET 260		REVISION: A	





NOTE: DEBURR AND BREAK SHARP EDGES ALL BENDS MIN. RADIUS UNLESS SPECIFIED


















UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ±0.1, ANGULAR: ± 0.05° * DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		NAME		SIGNATURE		DATE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		27-OCT-2023	
CHK'D		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPY'D		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION:							
TITLE: BRRI COMPACT RICE MILL (BRRI RM2023) DRG. NAME: JAM NUT SHAFT DIA 45mm DWG NO: RM2023_S-7-206 MANUFACTURING METHOD: MACHINING				MATERIAL: ASTM A36 Steel		WEIGHT: 163.57 g	
				SCALE: 1:1		SHEET 267	
				REVISION: A		A4	
				REVISION:		A	

NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED




MATRIX THREAD
M48X2.0




UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING
DETAILS		NAME	SIGNATURE	DATE	FINISH: NONE	
DRAWN	ENGR. SHAFER JAHAN KHAN	S. J. K.		27-OCT-2023	FIRST ISSUED: 02-AUG-2023	
CHECKED	DR. MD. MOSHARRAF HOSSAIN	M. M. H.		18-DEC-2023	TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)	
APPROVED	DR. AKMA SAIFUL ISLAM	A. S. I.		30-DEC-2023	DRG. NAME: RRSB-GAP CONTROLLER DEVICE (MANUAL)	
THIRD ANGLE PROJECTION:				DWG NO: RM2023_S-7-207		
MANUFACTURING METHOD: MACHINING						
MATERIAL: ASTM A36 Steel		WEIGHT: 1906.61 g		A4		
SCALE: 1:3		SHEET 268		REVISION: A		


NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED




UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$		BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING
*DOES NOT APPLY TO HOLE SIZE		TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)		FINISH: NONE
DETAILS	NAME	SIGNATURE	DATE	FIRST ISSUED: 02-AUG-2023
DRAWN	ENGR. SHAFER JAHAN KHAN	S. J. K.	20-SEP-2023	
CHKD	DR. MD. MOSHARRAF HOSSAIN	M. M. H.	18-OCT-2023	
APPVD	DR. AKMA SAIFUL ISLAM	A. S. I.	30-OCT-2023	
THIRD ANGLE PROJECTION:		DRG. NAME: RRSB-THREAD SHAFT SPRING		
		DWG NO: RM2023_s-7-208		
MANUFACTURING METHOD: MACHINING				
MATERIAL: ASTM A36 Steel		WEIGHT: 459.49 g		A4
SCALE: 1:1		SHEET 269		REVISION: A





RUBBER ROLLER: 4 INCH
QUANTITY: 02


UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE			BANGLADESH RICE RESEARCH INSTITUTE		DO NOT SCALE DRAWING	
			SFMRA PROJECT, FMPHT DIVISION			FINISH: NONE
						FIRST ISSUED: 02-AUG-2023
DETAILS	NAME	SIGNATURE	DATE	TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)		
DRAWN	ENGR. SHAFER JAHAN KHAN	S J K	27-OCT-2023			
CHK'D	DR. MD. MOSHARRAF HOSSAIN	M M H	18-DEC-2023	DRG. NAME: RRSB-RUBBER ROLLER 6in		
APP'VD	DR. AKM SAIFUL ISLAM	A S I	30-DEC-2023	DWG NO: RM2023_S-7-209		
THIRD ANGLE PROJECTION:						
						
METHOD: SHOP						
MATERIAL: Plain Carbon Steel & RUBBER				WEIGHT: 3848.58 g		
SCALE: 1:4				SHEET 270		
				REVISION: A		


NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED




















UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ±0.1, ANGULAR: ±0.05° * DOES NOT APPLY TO HOLE SIZE			 BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION			DO NOT SCALE DRAWING		
DETAILS			SIGNATURE			DATE		
DRAWN			ENGR. SHAFER JAHAN KHAN			S J K 27-OCT-2023		
CHKD			DR. MD. MOSHARRAF HOSSAIN			M M H 18-DEC-2023		
APPVD			DR. AKM SAIFUL ISLAM			A S I 30-DEC-2023		
THIRD ANGLE PROJECTION:								
DWG NO: RM2023_S-8-216						TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)		
MANUFACTURING METHOD: MACHINING						DRG. NAME: TENSION SHAFT		
MATERIAL: ASTM A36 Steel						WEIGHT: 2259.03 g		
SCALE: 1:3						SHEET 277		REVISION: A


NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED




		BANGLADESH RICE RESEARCH INSTITUTE		DO NOT SCALE DRAWING		
		SFMRA PROJECT, FMPHT DIVISION				FINISH: NONE
						FIRST ISSUED: 02-AUG-2023
UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ±0.1, ANGULAR: ± 0.05° * DOES NOT APPLY TO HOLE SIZE		DETAILS NAME		TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)		
		SIGNATURE		DATE		
		S J K		27-OCT-2023		
CHKD DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023		
APPVD DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023		
THIRD ANGLE PROJECTION:						
		DWG NO: RM2023_S-8-217				
		MANUFACTURING METHOD: MACHINING				
		MATERIAL: Gray Cast Iron		WEIGHT: 4735.49 g		
		SCALE: 1:3		SHEET 278		
				REVISION: A		
				A4		
				A		










UCF-207 BEARING
NEED 2X BEARING
INNER DIA: 35mm

UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		27-OCT-2023	
CHKD		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPVD		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION:							
				TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)			
DRG. NAME: SQUARE BRACKET BEARING SHAFT DIA 35mm - UCF 207 DWG NO: RM2023_S-9-220							
MANUFACTURING METHOD: MACHINING							
MATERIAL: ASTM A36 Steel				WEIGHT: 1371.85 g		A4	
SCALE: 1:2				SHEET 281		REVISION: A	

NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED












V-BELT
TYPE-B
MODEL: B-70
QUANTITY: 01

UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		27-OCT-2023	
CHKD		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPVD		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION:				TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)		FIRST ISSUED: 02-AUG-2023	
				DRG. NAME: V-BELT TYPE-B MODEL B-70			
				DWG NO: RM2023_226			
				METHOD: SHOP			
				MATERIAL: Rubber		WEIGHT: 258.16 g	
				SCALE: 1:10		SHEET 287	
						REVISION: A	


NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED



V-BELT
TYPE: B
MODEL: B-104
QUANTITY: 03

UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		27-OCT-2023	
CHKD		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPVD		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION: 							
TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)							
DRG. NAME: V-BELT TYPE-B (MODEL 104)							
DWG NO: RM2023_227							
METHOD: SHOP							
MATERIAL: Rubber				WEIGHT: 333.64 g		A4	
SCALE: 1:10				SHEET 288		REVISION: A	


NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED




V-BELT
TYPE: B
MODEL: BB-124
QUANTITY: 02

UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE		BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPT DIVISION		DO NOT SCALE DRAWING
DETAILS		SIGNATURE	DATE	FINISH: NONE
DRAWN	ENGR. SHAFER JAHAN KHAN	S J K	27-OCT-2023	FIRST ISSUED: 02-AUG-2023
CHK'D	DR. MD. MOSHARRAF HOSSAIN	M M H	18-DEC-2023	
APPY'D	DR. AKM SAIFUL ISLAM	A S I	30-DEC-2023	
THIRD ANGLE PROJECTION:		TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)		
		DRG. NAME: V-BELT TYPE-B (MODEL NO: 124)		
		DWG NO: RM2023_228		
		METHOD: SHOP		
		MATERIAL: Rubber		WEIGHT: 754.78 g
		SCALE: 1:10	SHEET 289	REVISION: A


NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED




V-BELT
TYPE: B
MODEL: B-93
QUANTITY: 01

UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		NAME	SIGNATURE	DATE	FINISH: NONE		
DRAWN		ENGR. SHAFER JAHAN KHAN	S J K	27-OCT-2023	FIRST ISSUED: 02-AUG-2023		
CHK'D		DR. MD. MOSHARRAF HOSSAIN	M M H	18-DEC-2023	TITLE: BRRI COMPACT RICE MILL (BRRI RM2023)		
APPY'D		DR. AKM SAIFUL ISLAM	A S I	30-DEC-2023	DRG. NAME: V-BELT TYPE-B (MODEL: B-93)		
THIRD ANGLE PROJECTION:							
				DWG NO: RM2023_229			
METHOD: SHOP							
MATERIAL: Rubber				WEIGHT: 148.85 g		A4	
SCALE: 1:10				SHEET 290		REVISION: A	

NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED



V-BELT
TYPE-A
MODEL: A-36
QUANTITY: 01

UNLESS OTHERWISE SPECIFIED: STD. TOLERANCE DIMENSIONS ARE IN MILLIMETER MILLIMETER: ± 0.1 , ANGULAR: $\pm 0.05^\circ$ *DOES NOT APPLY TO HOLE SIZE				BANGLADESH RICE RESEARCH INSTITUTE SFMRA PROJECT, FMPHT DIVISION		DO NOT SCALE DRAWING	
DETAILS		SIGNATURE		DATE		FINISH: NONE	
DRAWN		ENGR. SHAFER JAHAN KHAN		S J K		27-OCT-2023	
CHKD		DR. MD. MOSHARRAF HOSSAIN		M M H		18-DEC-2023	
APPVD		DR. AKM SAIFUL ISLAM		A S I		30-DEC-2023	
THIRD ANGLE PROJECTION:							
				TITLE: BRRI COMPACT RICE MILL (BRRI RM2023) DRG. NAME: V-BELT TYPE-A (MODEL: A-36) DWG NO: RM2023_230			
METHOD: SHOP							
MATERIAL: Rubber				WEIGHT: 68.35 g		A4	
SCALE: 1:5				SHEET 291		REVISION: A	

NOTE: DEBURR AND BREAK
SHARP EDGES ALL BENDS MIN.
RADIUS UNLESS SPECIFIED

