Quarterly Operations Report

Prepared for the Board of Directors - March 2026

1. Summary

During the quarter the platform processed 4,182,905 documents at a median latency of 318 milliseconds. Throughput improved by 12.4% quarter over quarter, driven primarily by the new batching scheduler and a 3x increase in the GPU worker pool. No customer-facing incidents were recorded.

2. Throughput by Region

Region	Documents	Median ms	Error rate
us-east-1	1,905,442	291	0.012%
us-west-2	1,204,338	322	0.009%
eu-central-1	712,905	355	0.014%
ap-southeast-1	360,220	401	0.021%

3. Notes

- Storage costs fell 8.1% after the compaction pass scheduled on 2026-02-14.
- Two upstream dependencies were upgraded without a rollback window.
- Remaining work: shard the audit log table and retire the legacy queue.

Appendix A: Methodology Notes

Page images were rasterised at the configured DPI and resized so that the vision tower received no more than the configured pixel budget. Text was then transcribed with PaddleOCR-VL-1.5 in MLX 4-bit on Apple Silicon.

Latency was measured end to end, including PDF rendering, image preprocessing, prefill and token-by-token decoding. No cloud services were involved at any stage; all inference ran locally on the GPU.

Accuracy notes:

1. Small print below roughly 10 px in the source image is the most common source of recognition errors.
2. Rotated or heavily skewed scans benefit from a higher render DPI.
3. Tables are emitted as aligned plain text or Markdown depending on the resolution the model receives.

The service keeps the model resident between requests, so the second and later calls avoid both disk I/O and weight materialisation. Throughput is therefore dominated by prefill cost, which scales with image area.

A.1 Measured Latency

Stage	ms
PDF render @200dpi	58
Image preprocess	12
Prefill	640
Decode	480
Total	1190

3. Acknowledgements

No external inference services were used.