

ATTORNEY SHIELD

ASI 2.0 - Native Android & iOS

Registration - what is blocking us

Colour system: Attorney-Shield Color Scheme Review

Repository: samson-phillip/asi-claude

DRAFT FOR APPROVAL

Contents

Already working - no action needed	3
The blockers	3
1. Phone verification - no operations exist	3
2. Pronouns - no field exists	4
3. Situation preferences - no operations exist	4
4. Emergency contacts have no "notify them by" preference	4
5. The Glovebox has endpoints but no data	5
6. Incident types are still empty	6
What we ship as each lands	6

From: mobile (Android + iOS) **Date:** 2026-08-13 **Scope:** only the registration and profile-completion journey. Nothing else.

Built and writing to dev since the last version: the profile checklist (screen 13), "Set a password" (13A), and the emergency-contact form (16) minus its notify-by control.

Everything below was checked against <https://gateway-dev.attorneyshield.io/query> by introspecting the schema and calling the operations as the test member - not inferred from the web client.

Already working - no action needed

So you know what not to look at:

Step	Operation
Sign in, password	login
Sign in, one-time code	requestLoginOtp / verifyLoginOtp
Date of birth, gender	updateMyProfile
Home address	updateMyProfile
Separate mailing address	createUserAddress
Security PIN	setMemberPin / memberPinStatus
Set a password	setPassword
Emergency contact - name, phone, email, relationship	createEmergencyContact
Whether a password exists, for the checklist	User.hasPassword
States/provinces	subdivisionsByCountry - all 50 US states resolve

Those steps are **built and verified writing to dev**.

The blockers

1. Phone verification - no operations exist

Blocks design screens 08 and 09 ("Enter your phone number", "Verify your phone").

- `updateMyContactInfo(input: { phoneE164 })` **stores** a number. That works.
- **Nothing sends or checks a phone code.** We searched all 297 mutations: no `requestPhoneOtp`, no `verifyPhone`, nothing equivalent.

- `requestLogin0tp(channel: SMS)` is a **sign-in** code sent to an *already-verified* phone. It cannot verify a new number - it is circular.
- `phoneVerifiedAt` is writable only through `CreateUserInput` / `UpdateUserInput`, which are admin operations, not member self-service.

What we need: two operations a signed-in member can call -

- 1 send a verification code to a supplied number, and
- 2 verify that code, setting `phoneVerifiedAt` on success.

Also please confirm the code length. Sign-in codes are 4 digits; the design specifies 6 for phone verification. We would rather match you than guess.

We have deliberately not shipped screen 08 on its own. Its sub-line promises "We'll text a code to verify it", and rewording that to hide the missing half would leave a feature that looks finished and never gets revisited.

2. Pronouns - no field exists

Blocks the last field of design screen 10 ("A few personal details": date of birth, gender, **pronouns**).

Date of birth and gender are both on `UpdateMyProfileInput`. Pronouns are not - and there is no field named `pronoun*` on **any** input type in the schema, and no type with `pronoun` in its name.

What we need: one nullable string on `UpdateMyProfileInput` (and, if you want it readable, on `UserProfile`).

We left the input out rather than collect it and silently drop it.

3. Situation preferences - no operations exist

Blocks design screens 13B, 13C (and 27B later): the member's saved "three most common situations", chosen from the incident types.

Nothing matching situation, preference or favourite in 238 queries or 297 mutations.

What we need: a read and a write, capped at three incident-type IDs per member. Roughly:

```
myCommonSituations: [ID!]!
setMyCommonSituations(incidentTypeIds: [ID!]!): Boolean
```

Home currently shows the full incident list because there is nowhere to store a choice of three.

4. Emergency contacts have no "notify them by" preference

Blocks two controls on design screen 16, not the whole screen - the rest of that form is built and writing to dev.

The design collects *how* each contact should be alerted: "Notify them by - Text message / Email / Choose one or both".

CreateEmergencyContactInput has `userId`, `name`, `relationship`, `phoneE164`, `email`, `isPrimary`, `notes`. **There is no notify-by field**, and nothing matching `notify` exists on any input type in the schema.

We could have stuffed it into `notes`, but that is a free-text field being used as a settings column - it would work until something reads `notes` expecting notes.

What we need: either two booleans (`notifyBySms`, `notifyByEmail`) or a small enum on the contact.

Worth knowing regardless of the field: who actually sends these alerts? The design says contacts are "alerted with your location the moment you connect to an attorney". We only ever call `member-call`, so that alert must be sent server-side. If the app is expected to trigger it, we need an operation for it.

5. The Glovebox has endpoints but no data

Blocks design screens 14, 14A, 14B, 14C, 14D (Upload documents, and the Driver's / Health / Gun / Citizenship sections).

This one is **seeding, not missing operations**. The operations are all there:

- `adminDocumentTypeList` - the sections
- `adminDocumentFieldList` - the fields inside each section
- `requestUserDocumentUpload(userId, adminDocumentFieldsId, fileName, contentType, sizeBytes)`
- `createUserDocument, userDocumentList, userDocumentDownloadUrl`
- `saveUserDocumentValue(userId, adminDocumentFieldsId, value)` for the plain text fields

But:

```
adminDocumentTypeList -> []
```

Every upload and every saved value is keyed by `adminDocumentFieldsId`. With no document types and therefore no fields, there is nothing to attach a document or a value to. We cannot build any of the four sections until they exist.

What we need on dev: the four sections seeded with their fields, matching the design -

Section	Fields the design shows
Driver's Information	licence document upload
Health Information	three plain text fields + document upload
Gun Information	two yes/no questions, permit number, issue state
Citizenship Info	plain fields + document upload

If the field types are configurable per organisation, we mainly need to know **what fieldType values exist**, so we can render the right control for each.

6. Incident types are still empty

Not strictly registration, but it is the screen registration **lands on**, so finishing onboarding currently ends at a home screen that says "No incident types are configured yet."

```
adminIncidentTypeList(activeOnly: false) -> []  
adminIncidentTypeList(activeOnly: true, countryISO2: "US") -> []  
adminLanguageList -> 1 entry, ar-SA, isDefault: false
```

Retested while authenticated, with and without a country filter, so this is not a country-filter side-effect.

What we need: incident types seeded with translations (the design uses Traffic Stop, Auto Accident, Pedestrian Stop, Domestic, Test Call, Other), plus an English language entry marked `isDefault: true` - otherwise our label resolution falls through to Arabic.

Separately: `countries` returns `[]`, while `country(id:)` resolves United States and `subdivisionsByCountry` returns all 50 states on the same records. The list query looks broken or scoped unintentionally. We read the country from the member's profile instead, so it is not blocking us - but you should know.

What we ship as each lands

You give us	We ship
Phone send + verify operations (§1)	Screens 08 and 09
A pronouns field (§2)	The last field of screen 10
Situation preference read/write (§3)	Screens 13B, 13C, and the saved-three row on Home
A notify-by field on emergency contacts (§4)	The last two controls of screen 16
Document types + fields seeded (§5)	Screens 14, 14A-14D - the whole Glovebox
Incident types + an English language (§6)	A home screen with real tiles, and a call with a real incident type

Nothing here is worked around with a placeholder. Where a backend piece is missing, the screen is **left unbuilt and listed above**, so it cannot be forgotten.