```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
dataset = pd.read_csv(r'D:\Samsom - All Data\Naresh IT Institute\New
folder\emp_sal.csv')
x = dataset.iloc[:, 1:2].values
y = dataset.iloc[:, 2].values
from sklearn.linear_model import LinearRegression
lin_reg = LinearRegression()
lin_reg.fit(x, y)
plt.scatter(x, y, color = 'red')
plt.plot(x, lin_reg.predict(x), color = 'blue')
plt.title('linear regression model (Linear Regression)')
plt.xlabel('Position level')
plt.ylabel('Salary')
plt.show()
lin_model_pred = lin_reg.predict([[6.5]])
lin_model_pred
# non linear model
```

```
from sklearn.preprocessing import PolynomialFeatures
poly_reg = PolynomialFeatures(degree = 6)
x_poly = poly_reg.fit_transform(x)
poly_reg.fit(x_poly, y)
lin_reg_2 = LinearRegression()
lin_reg_2.fit(x_poly, y)
#1st model lin_reg_2 (linear model)
#2nd model poly_reg (polynomali model)
plt.scatter(x, y, color = 'red')
plt.plot(x, lin_reg_2.predict(poly_reg.fit_transform(x)))
plt.title('polymodel (Polynomial Regression)')
plt.xlabel('Position level')
plt.ylabel('Salary')
plt.show()
poly_model_pred = lin_reg_2.predict(poly_reg.fit_transform([[6.5]]))
poly_model_pred
# SVR model
from sklearn.svm import SVR
svr_model = SVR(kernel="poly", degree=5)
svr_model.fit(x, y)
svr_model_pred = svr_model.predict([[6.5]])
```

```
svr_model_pred
#-----
# KNN model
from sklearn.neighbors import KNeighborsRegressor
knn_model = KNeighborsRegressor(n_neighbors=3)
knn_model.fit(x,y)
knn_model_pred = knn_model.predict([[6.5]])
print(knn_model_pred)
#-----
=====
# decission tree ml regression model
from sklearn.tree import DecisionTreeRegressor
dt_model = DecisionTreeRegressor()
dt_model.fit(x,y)
dt_model_pred = dt_model.predict([[6.5]])
print(dt_model_pred)
#-----
====
```

```
from sklearn.ensemble import RandomForestRegressor
rf_model = RandomForestRegressor(random_state=0)
rf_model.fit(x,y)

rf_model_pred = rf_model.predict([[6.5]])
print(rf_model_pred)
```