

## Emp registration for mysql

```
mysql> show databases;
```

```
+-----+
| Database      |
+-----+
| information_schema |
| internshipdb    |
| legion         |
| mysql          |
| nit            |
| nit2           |
| performance_schema |
| pythondb       |
| sys            |
+-----+
9 rows in set (0.00 sec)
```

```
mysql> show databases;
```

```
+-----+
| Database      |
+-----+
| information_schema |
| internshipdb    |
| legion         |
| mysql          |
| nit            |
| nit2           |
```

```
| performance_schema |
```

```
| pythondb          |
```

```
| sys                |
```

```
+-----+
```

9 rows in set (0.00 sec)

```
mysql> show databases;
```

```
+-----+
```

```
| Database          |
```

```
+-----+
```

```
| information_schema |
```

```
| internshipdb       |
```

```
| legion             |
```

```
| mysql              |
```

```
| nit                |
```

```
| nit2               |
```

```
| performance_schema |
```

```
| pythondb          |
```

```
| sys                |
```

```
| webgui             |
```

```
+-----+
```

10 rows in set (0.00 sec)

```
mysql> use webgui;
```

Database changed

```
mysql> create table registration (
```

```
-> id INT AUTO_INCREMENT PRIMARY KEY,
```

```
-> name VARCHAR(100) NOT NULL,
```

-> course VARCHAR(100) NOT NULL,

-> fee DECIMAL(10, 2) NOT NULL

-> );

Query OK, 0 rows affected (0.05 sec)

mysql> desc registration;

Field	Type	Null	Key	Default	Extra
id	int	NO	PRI	NULL	auto_increment
name	varchar(100)	NO		NULL	
course	varchar(100)	NO		NULL	
fee	decimal(10,2)	NO		NULL	

4 rows in set (0.01 sec)

mysql> show tables;

Tables_in_webgui
registration

1 row in set (0.00 sec)

mysql> select \* from registration;

Empty set (0.00 sec)

mysql> select \* from registration;

```

+---+-----+-----+-----+
| id | name  | course | fee   |
+---+-----+-----+-----+
| 1 | john  | nlp    | 10000.00 |
| 2 | michael | ai     | 20000.00 |
| 3 | hello | ml     | 33000.00 |
+---+-----+-----+-----+

```

3 rows in set (0.00 sec)

mysql> select \* from registration;

```

+---+-----+-----+-----+
| id | name    | course | fee   |
+---+-----+-----+-----+
| 1 | johnabram | nlp    | 10000.00 |
| 2 | michael  | ai     | 20000.00 |
| 3 | hello    | ml     | 33000.00 |
+---+-----+-----+-----+

```

3 rows in set (0.00 sec)

mysql> select \* from registration;

```

+---+-----+-----+-----+
| id | name  | course | fee   |
+---+-----+-----+-----+
| 2 | michael | ai     | 20000.00 |
| 3 | hello  | ml     | 33000.00 |
+---+-----+-----+-----+

```

2 rows in set (0.00 sec)

mysql>