Python to Mysql

mysql> show databases;
++
Database
++
information_schema
internshipdb
legion
mysql
nit
nit2
performance_schema
sys
++
8 rows in set (0.01 sec)
8 rows in set (0.01 sec) mysql> show databases;
mysql> show databases;
mysql> show databases;
mysql> show databases; ++ Database
mysql> show databases; ++ Database
mysql> show databases; ++ Database
mysql> show databases; ++ Database
mysql> show databases; ++ Database
mysql> show databases; ++ Database

```
| pythondb |
sys
+----+
9 rows in set (0.00 sec)
mysql> use pythondb;
Database changed
mysql> show tables;
Empty set (0.01 sec)
mysql> show tables;
+----+
| Tables_in_pythondb |
student
+----+
1 row in set (0.00 sec)
mysql> desc student;
+-----+
| Field | Type | Null | Key | Default | Extra |
+----+
| name | varchar(50) | YES | | NULL | |
| branch | varchar(10) | YES | NULL |
+-----+
3 rows in set (0.01 sec)
```

```
mysql> show tables;
+----+
| Tables_in_pythondb |
student
+----+
1 row in set (0.00 sec)
mysql> select * from student;
+----+
| name | branch | id |
+----+
| john | cse | 56 |
| mike | IT | 78 |
| tyson | me | 80 |
+----+
3 rows in set (0.00 sec)
mysql> show tables;
+----+
| Tables_in_pythondb |
+----+
class
student |
+----+
2 rows in set (0.00 sec)
mysql> select * from class;
```

```
+----+
| name | branch | id |
+----+
| john | cse | 56 |
| mike | IT | 78 |
| tyson | me | 80 |
+----+
3 rows in set (0.00 sec)
```

mysql>