

```

<?xml version="1.0" encoding="UTF-8" ?>
- <Guideline xmlns="GLIFSchema010300.xsd">
  <author>Aziz Boxwala</author>
  <title>XML_Test_Guideline</title>
  - <didactics>
    - <WWW_Material id="A3">
      <name>DSG</name>
      <MIME_type>text/html</MIME_type>
      <url>http://dsg.harvard.edu</url>
    </WWW_Material>
    - <Local_Material id="A2">
      <name>Inline didactic</name>
      <MIME_type>text/plain</MIME_type>
      <material>This is an example of a local didactic that is in
        ascii text</material>
    </Local_Material>
    <WWW_Material_Ref ref="A8" />
  </didactics>
  - <WWW_Material id="A8">
    <name>SMI</name>
    <MIME_type>text/html</MIME_type>
    <url>http://smi.stanford.edu</url>
  </WWW_Material>
  - <Local_Material id="A7">
    <name>Text didactic</name>
    <MIME_type>text/plain</MIME_type>
    <material>This is a didactic in a test guideline</material>
  </Local_Material>
  - <Action_Step id="A1">
    <name>Test</name>
    - <didactics>
      <WWW_Material_Ref ref="A8" />
    </didactics>
    - <next_step>
      <!-- referenced object example -->
      <!-- Valid XML, invalid GLIF; A3 is not a step -->
      <!-- <Action_Step_Ref ref="A3"/> -->
      <!-- Inline object -->
      - <Action_Step id="A9">
        <name>Test2</name>
      </Action_Step>
    </next_step>
  </Action_Step>

```

```
</Guideline>
<!-- Not yet implemented in schema -->
- <!--
  <Case_Step id="A4">
    <case_expression>
      <Criterion_Ref ref="A11"/>
    </case_expression>
    <destinations>
      <Case_Destination>
        <case_value><Criterion_Ref ref="A12"/></case_value>
        <destination><Action_Step_Ref ref="A14"/></destination>
      </Case_Destination>
    </destinations>
  </Case_Step>
-->
```