

Create a new branch feature-login from main, add a couple of commits to it

```
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git log --oneline
9dbe926 (HEAD -> feature-login) Adding healthcheck script
a3ffa5c Added Login Page html file
484c603 Added code for login feature
539809b (master) Update hello-world.sh
3ce969d Added index.html file
c3d31f2 Added script greet.sh
c4ba176 My First Shell Script
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git status
On branch feature-login
nothing to commit, working tree clean
ubuntu@ip-172-31-30-155:~/devops-git-practice$ |
```

Switch back to main and merge feature-login into main

```
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git branch
  feature-1
  feature-login
* master
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git log
commit 539809bf10f62ecd07745f9ad70656d1ea2fe661 (HEAD -> master)
Author: Sam Soundara Raj <93091922+samsrajyt@users.noreply.github.com>
Date:   Fri Mar 13 16:30:10 2026 +0530

    Update hello-world.sh

commit 3ce969d6ad2ff69a84ce2ad6088458a9b05e6803
Author: Sam Sraj <samsrajyt@gmail.com>
Date:   Thu Mar 12 15:24:13 2026 +0000

    Added index.html file

commit c3d31f2dc0304949be1ff176312b8aeed84b9dc8
Author: Sam Sraj <samsrajyt@gmail.com>
Date:   Thu Mar 12 15:22:24 2026 +0000

    Added script greet.sh

commit c4ba176f49cb2a669499bf55438b97a01b9834c8
Author: Sam Sraj <samsrajyt@gmail.com>
Date:   Thu Mar 12 15:17:56 2026 +0000

    My First Shell Script
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git merge feature-login
Updating 539809b..9dbe926
Fast-forward
 healthcheck.sh | 1 +
 login_page.html | 3 +++
 portfolio      | 1 +
 3 files changed, 5 insertions(+)
 create mode 100644 healthcheck.sh
 create mode 100644 login_page.html
 create mode 160000 portfolio
ubuntu@ip-172-31-30-155:~/devops-git-practice$
```

Q.Observe the merge — did Git do a fast-forward merge or a merge commit?

A.It did a fast forward merge

Now create another branch feature-signup, add commits to it — but also add a commit to main before merging.

```
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git log --oneline
da4bdb5 (HEAD -> master) Added file6.html
9dbe926 (feature-login) Adding healthcheck script
a3ffa5c Added Login Page html file
484c603 Added code for login feature
539809b Update hello-world.sh
3ce969d Added index.html file
c3d31f2 Added script greet.sh
c4ba176 My First Shell Script
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git switch feature-signup
Switched to branch 'feature-signup'
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git log --oneline
5c4d7a0 (HEAD -> feature-signup) Added file2.html
5d764c8 Added file.html
8388cc5 Added python script ai_integration.py
9dbe926 (feature-login) Adding healthcheck script
a3ffa5c Added Login Page html file
484c603 Added code for login feature
539809b Update hello-world.sh
3ce969d Added index.html file
c3d31f2 Added script greet.sh
c4ba176 My First Shell Script
ubuntu@ip-172-31-30-155:~/devops-git-practice$ |
```

```
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git switch master
Switched to branch 'master'
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git merge feature-signup
Merge made by the 'ort' strategy.
 ai_integration.py | 1 +
  file.html       | 1 +
  file2.html      | 1 +
 3 files changed, 3 insertions(+)
 create mode 100644 ai_integration.py
 create mode 100644 file.html
 create mode 100644 file2.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ |
```

Merge made by the 'ort' strategy.

A Merge Commit was created: Since the branches had diverged, Git couldn't just "fast-forward" (slide the pointer along a straight line). It had to create a new "merge commit" to join the two histories.

No Conflicts: The 'ort' strategy looked at the changes from both sides, figured out how they fit together, and applied them automatically.

Repository Updated: Your current branch now includes all the work from the branch you merged in.

Task 2: Git Rebase — Hands-On

1. Create a branch `feature-dashboard` from `main`, add 2-3 commits.
2. While on `main`, add a new commit (so `main` moves ahead)

```
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git log --oneline
beeadc6 (HEAD -> feature-dashboard) Added file3.py
e16cf6d Added file2.py
5bd3688 Added File1.py
28844d7 (master) Merge branch 'feature-signup'
da4bdb5 Added file6.html
5c4d7a0 (feature-signup) Added file2.html
5d764c8 Added file.html
8388cc5 Added python script ai_integration.py
9dbe926 (feature-login) Adding healthcheck script
a3ffa5c Added Login Page html file
484c603 Added code for login feature
539809b Update hello-world.sh
3ce969d Added index.html file
c3d31f2 Added script greet.sh
c4ba176 My First Shell Script
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git switch master
Switched to branch 'master'
ubuntu@ip-172-31-30-155:~/devops-git-practice$ ls -ltr
total 40
-rwxrwxr-x 1 ubuntu ubuntu 67 Mar 12 15:21 greet.sh
-rw-rw-r-- 1 ubuntu ubuntu 52 Mar 12 15:23 index.html
-rwxrwxr-x 1 ubuntu ubuntu 60 Mar 13 11:03 hello-world.sh
drwxrwxr-x 5 ubuntu ubuntu 4096 Mar 13 11:34 portfolio
-rw-rw-r-- 1 ubuntu ubuntu 37 Mar 14 10:19 login_page.html
-rw-rw-r-- 1 ubuntu ubuntu 35 Mar 14 10:19 healthcheck.sh
-rw-rw-r-- 1 ubuntu ubuntu 13 Mar 14 10:48 file6.html
-rw-rw-r-- 1 ubuntu ubuntu 31 Mar 14 10:49 file2.html
-rw-rw-r-- 1 ubuntu ubuntu 32 Mar 14 10:49 file.html
-rw-rw-r-- 1 ubuntu ubuntu 28 Mar 14 10:49 ai_integration.py
ubuntu@ip-172-31-30-155:~/devops-git-practice$ vi file4.py
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git add file4.py
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git commit -m "Added file4.py"
[master 0d02246] Added file4.py
 1 file changed, 1 insertion(+)
 create mode 100644 file4.py
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git log
```

```
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git log --oneline
0d02246 (HEAD -> master) Added file4.py
28844d7 Merge branch 'feature-signup'
da4bdb5 Added file6.html
5c4d7a0 (feature-signup) Added file2.html
5d764c8 Added file.html
8388cc5 Added python script ai_integration.py
9dbe926 (feature-login) Adding healthcheck script
a3ffa5c Added Login Page html file
484c603 Added code for login feature
539809b Update hello-world.sh
3ce969d Added index.html file
c3d31f2 Added script greet.sh
c4ba176 My First Shell Script
ubuntu@ip-172-31-30-155:~/devops-git-practice$ |
```

3. Switch to `feature-dashboard` and rebase it onto `main`

```
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git rebase master
Successfully rebased and updated refs/heads/feature-dashboard.
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git log --oneline
0550089 (HEAD -> feature-dashboard) Added file3.py
e474739 Added file2.py
b393588 Added File1.py
0d02246 (master) Added file4.py
28844d7 Merge branch 'feature-signup'
da4bdb5 Added file6.html
5c4d7a0 (feature-signup) Added file2.html
5d764c8 Added file.html
8388cc5 Added python script ai_integration.py
9dbe926 (feature-login) Adding healthcheck script
a3ffa5c Added Login Page html file
484c603 Added code for login feature
539809b Update hello-world.sh
3ce969d Added index.html file
c3d31f2 Added script greet.sh
c4ba176 My First Shell Script
ubuntu@ip-172-31-30-155:~/devops-git-practice$
```

4. Observe your `git log --oneline --graph --all` — how does the history look compared to a merge?

```
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git log --oneline --graph --all
* 0550089 (HEAD -> feature-dashboard) Added file3.py
* e474739 Added file2.py
* b393588 Added File1.py
* 0d02246 (master) Added file4.py
* 28844d7 Merge branch 'feature-signup'
|
| * 5c4d7a0 (feature-signup) Added file2.html
| * 5d764c8 Added file.html
| * 8388cc5 Added python script ai_integration.py
| * | da4bdb5 Added file6.html
|/
* 9dbe926 (feature-login) Adding healthcheck script
* a3ffa5c Added Login Page html file
* 484c603 Added code for login feature
| * d0224e1 (origin/master) Update hello-world.sh
|/
* 539809b Update hello-world.sh
| * 23c83be (origin/feature-1, feature-1) Added add.sh to feature-1 branch
|/
* 3ce969d Added index.html file
* c3d31f2 Added script greet.sh
* c4ba176 My First Shell Script
ubuntu@ip-172-31-30-155:~/devops-git-practice$
```

On feature-profile

```
ubuntu@ip-172-31-30-155:~/devops-git-practices$ git log --oneline
9d14754 (HEAD -> feature-profile) Modified ai_integration.py
8acb249 Modified healthcheck.sh
613f367 modified file.html
658906e Modified index.html
0d02246 (master) Added file4.py
28844d7 Merge branch 'feature-signup'
da4bdb5 Added file6.html
5c4d7a0 (feature-signup) Added file2.html
5d764c8 Added file.html
8388cc5 Added python script ai_integration.py
9dbe926 (feature-login) Adding healthcheck script
a3ffa5c Added Login Page html file
484c603 Added code for login feature
539809b Update hello-world.sh
3ce969d Added index.html file
c3d31f2 Added script greet.sh
c4ba176 My First Shell script
```

```
ubuntu@ip-172-31-30-155:~/devops-git-practices$ git switch master
Switched to branch 'master'
```

```
ubuntu@ip-172-31-30-155:~/devops-git-practices$ git log --oneline
0d02246 (HEAD -> master) Added file4.py
28844d7 Merge branch 'feature-signup'
da4bdb5 Added file6.html
5c4d7a0 (feature-signup) Added file2.html
5d764c8 Added file.html
8388cc5 Added python script ai_integration.py
9dbe926 (feature-login) Adding healthcheck script
a3ffa5c Added Login Page html file
484c603 Added code for login feature
539809b Update hello-world.sh
3ce969d Added index.html file
c3d31f2 Added script greet.sh
c4ba176 My First Shell script
ubuntu@ip-172-31-30-155:~/devops-git-practices$ git merge --squash feature-profile
Updating 0d02246..9d14754
Fast-forward
Squash commit -- not updating HEAD
ai_integration.py | 1 +
file.html         | 1 +
healthcheck.sh    | 1 +
index.html        | 1 +
4 files changed, 4 insertions(+)
```

```
ubuntu@ip-172-31-30-155:~/devops-git-practices$ git commit
[master d1e4082] Squashed commit of the following:
 4 files changed, 4 insertions(+)
ubuntu@ip-172-31-30-155:~/devops-git-practices$ git log --oneline
d1e4082 (HEAD -> master) Squashed commit of the following:
0d02246 Added file4.py
28844d7 Merge branch 'feature-signup'
da4bdb5 Added file6.html
5c4d7a0 (feature-signup) Added file2.html
5d764c8 Added file.html
8388cc5 Added python script ai_integration.py
9dbe926 (feature-login) Adding healthcheck script
a3ffa5c Added Login Page html file
484c603 Added code for login feature
539809b Update hello-world.sh
3ce969d Added index.html file
c3d31f2 Added script greet.sh
c4ba176 My First Shell script
ubuntu@ip-172-31-30-155:~/devops-git-practices$
```

Unlike a regular merge, **--squash** does **not** automatically create a commit. It stages all the changes from the feature branch in your working directory. You must manually commit them:

```
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git add file8.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git commit -m "Added file8.html"
[feature-settings 3a85323] Added file8.html
 1 file changed, 1 insertion(+)
 create mode 100644 file8.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git log --oneline
3a85323 (HEAD -> feature-settings) Added file8.html
5a14da8 Added file7.html
d1e4082 (master) Squashed commit of the following:
0d02246 Added file4.py
28844d7 Merge branch 'feature-signup'
da4bdb5 Added file6.html
5c4d7a0 (feature-signup) Added file2.html
5d764c8 Added file.html
8388cc5 Added python script ai_integration.py
9dbe926 (feature-login) Adding healthcheck script
a3ffa5c Added Login Page html file
484c603 Added code for login feature
539809b Update hello-world.sh
3ce969d Added index.html file
c3d31f2 Added script greet.sh
c4ba176 My First Shell Script
ubuntu@ip-172-31-30-155:~/devops-git-practice$
```

```
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git switch master
Switched to branch 'master'
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git log --oneline
d1e4082 (HEAD -> master) Squashed commit of the following:
0d02246 Added file4.py
28844d7 Merge branch 'feature-signup'
da4bdb5 Added file6.html
5c4d7a0 (feature-signup) Added file2.html
5d764c8 Added file.html
8388cc5 Added python script ai_integration.py
9dbe926 (feature-login) Adding healthcheck script
a3ffa5c Added Login Page html file
484c603 Added code for login feature
539809b update hello-world.sh
3ce969d Added index.html file
c3d31f2 Added script greet.sh
c4ba176 My First Shell Script
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git merge feature-settings
Updating d1e4082..3a85323
Fast-forward
 file7.html | 2 ++
 file8.html | 1 +
 2 files changed, 3 insertions(+)
 create mode 100644 file7.html
 create mode 100644 file8.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$
```

```

ubuntu@ip-172-31-30-155:~/devops-git-practice$ git log --oneline
3a85323 (HEAD -> master, feature-settings) Added file8.html
5a14da8 Added file7.html
d1e4082 Squashed commit of the following:
0d02246 Added file4.py
28844d7 Merge branch 'feature-signup'
da4bdb5 Added file6.html
5c4d7a0 (feature-signup) Added file2.html
5d764c8 Added file.html
8388cc5 Added python script ai_integration.py
9dbe926 (feature-login) Adding healthcheck script
a3ffa5c Added Login Page html file
484c603 Added code for login feature
539809b Update hello-world.sh
3ce969d Added index.html file
c3d31f2 Added script greet.sh
c4ba176 My First Shell script
ubuntu@ip-172-31-30-155:~/devops-git-practice$ |

```

Task 4: Git Stash — Hands-On

Start making changes to a file but do not commit &

Now imagine you need to urgently switch to another branch — try switching. What happens?

Whenever we switch branches , the file remains untracked in each branch

```

ubuntu@ip-172-31-30-155:~/devops-git-practice$ git branch
feature-1
feature-dashboard
feature-login
feature-profile
feature-settings
feature-signup
* master
ubuntu@ip-172-31-30-155:~/devops-git-practice$ vi stash_file.sh
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    stash_file.sh

nothing added to commit but untracked files present (use "git add" to track)
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git switch feature-settings
Switched to branch 'feature-settings'
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git status
On branch feature-settings
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    stash_file.sh

nothing added to commit but untracked files present (use "git add" to track)
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git switch feature-login
Switched to branch 'feature-login'
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git status
On branch feature-login
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    stash_file.sh

nothing added to commit but untracked files present (use "git add" to track)
ubuntu@ip-172-31-30-155:~/devops-git-practice$

```

Use git stash to save your work-in-progress

`git stash` only saves files that Git **already knows about** (files that are "tracked"). If you created a brand-new file but haven't run `git add` on it yet, Git considers it "untracked" and won't stash it.

```
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    login.html

nothing added to commit but untracked files present (use "git add" to track)
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash push -m "login.html"
No local changes to save
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash
No local changes to save
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash push .
No local changes to save
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash list
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash list^C
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash -u
Saved working directory and index state WIP on master: 3a85323 Added file8.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash list
stash@{0}: WIP on master: 3a85323 Added file8.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$
```

```
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git switch feature-settings
Switched to branch 'feature-settings'
ubuntu@ip-172-31-30-155:~/devops-git-practice$ echo "fixed feature-setting page" > setting-page.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git status
On branch feature-settings
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    setting-page.html

nothing added to commit but untracked files present (use "git add" to track)
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git add setting-page.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash save "work in progress setting-page.html"
Saved working directory and index state On feature-settings: work in progress setting-page.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$
```

Switch to another branch, do some work, switch back

Apply your stashed changes using `git stash pop`

Try stashing multiple times and list all stashes

Try applying a specific stash from the list

```
Switched to branch 'feature-settings'
ubuntu@ip-172-31-30-155:~/devops-git-practice$ echo "fixed feature-setting page" > setting-page.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git status
On branch feature-settings
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    setting-page.html

nothing added to commit but untracked files present (use "git add" to track)
```

```

Switched to branch 'master'
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash pop
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   setting-page.html

Dropped refs/stash@{0} (4f4cb46a10e76bc4ae9e0c527a510f905df17a96)
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash list
stash@{0}: WIP on master: 3a85323 Added file8.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash save -m "stashing setting-page.html"
Saved working directory and index state On master: stashing setting-page.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash list
stash@{0}: On master: stashing setting-page.html
stash@{1}: WIP on master: 3a85323 Added file8.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash pop stash@{1}
Already up to date.
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    login.html

nothing added to commit but untracked files present (use "git add" to track)
Dropped stash@{1} (42c5dd62ced3849cf80cecfea83ed8a9c1d3cc31)

ubuntu@ip-172-31-30-155:~/devops-git-practice$ git add login.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git commit -m "added login.html"
[master 633b5cf] added login.html
 1 file changed, 1 insertion(+)
 create mode 100644 login.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git switch feature-settings
Switched to branch 'feature-settings'
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash list
stash@{0}: On master: stashing setting-page.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git stash pop
On branch feature-settings
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   setting-page.html

Dropped refs/stash@{0} (a56b933f3e5daeb555b823c8959605cc38c65c05)
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git add setting-page.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git commit -m "Added setting-page.html"
[feature-settings 08fa22c] Added setting-page.html
 1 file changed, 1 insertion(+)
 create mode 100644 setting-page.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$

```

Task 5: Cherry Picking

```

ubuntu@ip-172-31-30-155:~/devops-git-practice$ git branch
  feature-1
  feature-dashboard
* feature-hotfix
  feature-login
  feature-profile
  feature-settings
  feature-signup
  master
ubuntu@ip-172-31-30-155:~/devops-git-practice$ echo "hotfix production bug - solution 1" > hotfix1.txt
ubuntu@ip-172-31-30-155:~/devops-git-practice$ echo "hotfix production bug - solution 1" > hotfix1.txt
ubuntu@ip-172-31-30-155:~/devops-git-practice$ ls
ai_integration.py  file2.html  file6.html  file8.html  healthcheck.sh  hotfix1.txt  login.html  portfolio
file.html         file4.py   file7.html  greet.sh    hello-world.sh  index.html  login_page.html
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git add hotfix1.txt
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git commit -m "hotfix1"
[feature-hotfix 91b85da] hotfix1
 1 file changed, 1 insertion(+)
 create mode 100644 hotfix1.txt
ubuntu@ip-172-31-30-155:~/devops-git-practice$ echo "hotfix production bug - solution 2" > hotfix2.txt
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git add hotfix2.txt
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git commit -m "hotfix2"
[feature-hotfix 9b262c7] hotfix2
 1 file changed, 1 insertion(+)
 create mode 100644 hotfix2.txt
ubuntu@ip-172-31-30-155:~/devops-git-practice$ echo "hotfix production bug - solution 3" > hotfix3.txt
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git add hotfix3.txt
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git commit -m "hotfix3"
[feature-hotfix 0c2af0e] hotfix3
 1 file changed, 1 insertion(+)
 create mode 100644 hotfix3.txt

```

```

ubuntu@ip-172-31-30-155:~/devops-git-practice$ git log --oneline
0c2af0e (HEAD -> feature-hotfix) hotfix3
9b262c7 hotfix2
91b85da hotfix1
633b5cf (master) added login.html
3a85323 Added file8.html
5a14da8 Added file7.html
d1e4082 Squashed commit of the following:
0d02246 Added file4.py
28844d7 Merge branch 'feature-signup'
da4bdb5 Added file6.html
5c4d7a0 (feature-signup) Added file2.html
5d764c8 Added file.html
8388cc5 Added python script ai_integration.py
9dbe926 (feature-login) Adding healthcheck script
a3ffa5c Added Login Page html file
484c603 Added code for login feature
539809b Update hello-world.sh
3ce969d Added index.html file
c3d31f2 Added script greet.sh
c4ba176 My First Shell script
ubuntu@ip-172-31-30-155:~/devops-git-practice$ |

```

Cherry-pick only the second commit from feature-hotfix onto main

```

ubuntu@ip-172-31-30-155:~/devops-git-practice$ git switch master
Switched to branch 'master'
ubuntu@ip-172-31-30-155:~/devops-git-practice$ git cherry-pick 9b262c7 master
[master 0d38823] hotfix2
Date: Sat Mar 14 19:04:03 2026 +0000
1 file changed, 1 insertion(+)
create mode 100644 hotfix2.txt
on branch master
You are currently cherry-picking commit 633b5cf.
(all conflicts fixed: run "git cherry-pick --continue")
(use "git cherry-pick --skip" to skip this patch)
(use "git cherry-pick --abort" to cancel the cherry-pick operation)

nothing to commit, working tree clean
The previous cherry-pick is now empty, possibly due to conflict resolution.
If you wish to commit it anyway, use:

    git commit --allow-empty

```

```
ubuntu@ip-172-31-30-155:~/devops-git-practices$ ls -ltr
total 60
-rwxrwxr-x 1 ubuntu ubuntu 67 Mar 12 15:21 greet.sh
-rwxrwxr-x 1 ubuntu ubuntu 60 Mar 13 11:03 hello-world.sh
drwxrwxr-x 5 ubuntu ubuntu 4096 Mar 13 11:34 portfolio
-rw-rw-r-- 1 ubuntu ubuntu 37 Mar 14 10:19 login_page.html
-rw-rw-r-- 1 ubuntu ubuntu 46 Mar 14 18:30 ai_integration.py
-rw-rw-r-- 1 ubuntu ubuntu 86 Mar 14 18:30 index.html
-rw-rw-r-- 1 ubuntu ubuntu 85 Mar 14 18:30 healthcheck.sh
-rw-rw-r-- 1 ubuntu ubuntu 6 Mar 14 18:30 file8.html
-rw-rw-r-- 1 ubuntu ubuntu 8 Mar 14 18:30 file7.html
-rw-rw-r-- 1 ubuntu ubuntu 13 Mar 14 18:30 file6.html
-rw-rw-r-- 1 ubuntu ubuntu 9 Mar 14 18:30 file4.py
-rw-rw-r-- 1 ubuntu ubuntu 31 Mar 14 18:30 file2.html
-rw-rw-r-- 1 ubuntu ubuntu 59 Mar 14 18:30 file.html
-rw-rw-r-- 1 ubuntu ubuntu 21 Mar 14 19:00 login.html
-rw-rw-r-- 1 ubuntu ubuntu 35 Mar 14 19:08 hotfix2.txt
ubuntu@ip-172-31-30-155:~/devops-git-practices$ git log --oneline
0d38823 (HEAD -> master) hotfix2
633b5cf added login.html
3a85323 Added file8.html
5a14da8 Added file7.html
d1e4082 Squashed commit of the following:
0d02246 Added file4.py
28844d7 Merge branch 'feature-signup'
```