

Full Session Log — July 17, 2026 (Day 12)

Protocol Summary

Phase	Time	Duration	Details
Treadmill Session 1	3:00–4:39 PM	99 min	485 cal, 4.02 mi, 3.0% incline, 2.6 mph
Treadmill Session 2	~4:45–6:24 PM	99 min	516 cal, 4.29 mi, 3.3% incline, 2.5 mph, 132 bpm avg, 764 ft vertical
Treadmill Session 3	~6:30–8:09 PM	99 min	500 cal, 4.30 mi, 2.9% incline, 2.5 mph, 136 bpm avg, 678 ft vertical
Pool Sensory Deprivation	8:10–9:45 PM	95 min	Enhanced protocol: earbuds + 3ft floating noodle
Walk Home	9:45–10:00 PM	15 min	Earbuds still in

Total Training Time: 407 minutes (6 hours 47 minutes)

Total Calories (Treadmill): 1,501

Total Distance (Treadmill): 12.61 miles

Pharmacological Context

- Wellbutrin XL 150mg — taken ~10:00 AM (Day 1 of medication)
- Adderall — standard dose

Pool Session Calibration Data

Equipment Assessment

Factor	Rating	Notes
Noodle (balance/gravity)	Excellent	Eliminated neck strain completely. Full horizontal position achieved.
Earbuds (auditory deprivation)	Very Good	Right earbud sealed completely mid-session (water filled gaps). Left earbud allowed minimal sound through but easily ignored.
Sunglasses (visual deprivation)	Good	Eyes submerged much of the time. Water covering eyelids intermittently.
Pool environment	70%	Water filters created currents every ~15 min. Other swimmers arrived in final 30 min creating turbulence. Car headlights pierced eyelids at end.

State Assessment

Metric	Observation
Time distortion	HIGH — estimated 60 min when 95 had passed (37% compression)
Body dissolution	Very consistent, very strong. Felt togetherness with water. Did not feel currents pushing body around. Never opened eyes to check position.
Theta onset	Rapid — state achieved early and maintained throughout
Heartbeat access	NOT achieved — wave sensation and residual sound prevented heartbeat dominance
Breathing quality	INVOLUNTARY — observed automatic breath without controlling it. Zero volitional activity. Pure witnessing of autonomous process.
Primary anchors	Involuntary breathing (observed, NOT controlled), wave sensation on body, thoughts
Emotional reactivity	ZERO — church girl thought arose with no charge. Sexual temptation content observed and released multiple times.
Desire to continue	STRONG — wanted 2 hours. Would have continued another hour if environment permitted.
Exit trigger	External — car headlights piercing eyelids through sunglasses

Meta-Cognitive Layering (Key Achievement)

Achieved FOUR simultaneous layers of recursive self-awareness:

1. **Position 1:** Normal embodied awareness — in body, having thoughts
2. **Position 2:** Observer consciousness — 12 feet away, 4 feet above body, watching self have thoughts. Held for extended period.
3. **Position 3:** Meta-observer — watching the empty space that was watching the body. Held for a period of time.
4. **Position 4:** Fourth-order awareness — briefly watching the observer watching the observer watching the body.

This maps to advanced contemplative states (Tibetan rigpa / Teresa of Avila's Sixth Mansion territory). Achieved on Day 12 of daily practice.

Mental Content

- **Church girl:** Arose, zero emotional/mental power, came and left
- **Doctor/daughter sexual content:** Recurring thought from previous day's appointment. Sexually arousing but observed without compulsion. Noted and released multiple times.
- **Disappointment thought:** "I'm not having a mystical experience / not going deeper into theta or delta." Recognized as thought, not collapsed into.
- **Overall quality:** Immersive, peaceful, observant, tranquil, observer identity

Environmental Interruption

- Mother arrived at pool during session, called him to get out
 - Defended boundary clearly: "I walked five hours. I need this."
 - Mother left without conflict
 - State was NOT broken by the interruption — returned to float immediately
 - No guilt, shame, or emotional response to the interaction
-

Post-Session State (Walk Home)

- More confident
 - More accomplished
 - More committed
 - More optimistic
 - More empowered
 - More quiet internally
 - No desire to remove earplugs
 - Non-reactive
 - Felt not ready to leave the pool
-

Limiting Factors Identified

1. **Pool turbulence** — water filters + other swimmers prevent full sensory dropout

2. **Heartbeat inaccessible** — too much residual wave/sound input for heartbeat to become dominant
3. **Achievement orientation** — “I wish I went deeper” thought pattern pulling attention toward evaluation rather than presence

Recommendations for Next Session

1. Set intention: “I am not trying to go anywhere” — let depth find you
 2. If “going deeper” thought arises, observe it from Position 2 — make the striving itself the object of awareness
 3. Consider timing pool session when fewer swimmers likely (earlier or later)
 4. The right earbud seal was a breakthrough — may be worth experimenting with waterproof earplug inserts over the earbuds to replicate the seal intentionally
-

Final Calibration Answers

Transition (Treadmill to Pool)

- Highly stimulated, energized, physically exhausted
- Greatly looking forward to the float
- Grateful no one else was in the pool initially
- Ate apple + rice + beans 20 minutes before entering pool
- May have relaxed faster than yesterday due to flat position allowing exhaustion to do its work

Noodle Position

- Between legs, under lower half of back
- Required slight repositioning once due to weight leaning slightly to one side
- Attempted to align directly against spine
- Eliminated neck strain completely vs. previous sessions

Visual Field (Eyes Submerged Behind Sunglasses)

- Just nothing. Complete absence. No phosphenes, no patterns, no light.

Observer State Transition

- Effortless and sudden click — not gradual
- Could hold Position 2 and Position 3 easily for extended periods
- Deliberately pushed to Position 3 and briefly Position 4 out of curiosity
- No effort required to maintain once achieved

Post-Session State

- Stillness. No desire for stimulation.
 - Considering skipping usual Chinese news podcast (Lei's Real Talk) before sleep
 - Body wants quiet
-

Prayer/Mantra Data

- Full mantra: "Jesus Christ, send me your Holy Spirit as I float on your healing waters"
 - Deployed near end of session, approximately 50-100 repetitions
 - Became automatic and rhythmic (70-90% unconscious)
 - Migrated from linguistic to musical processing
 - Self-edited: "healing waters" spontaneously changed to "holy waters" without conscious intent
 - Less fully automated than yesterday's session (yesterday = 100% unconscious, pure sound)
 - Likely environmental factors (turbulence, interruption) prevented full migration
-

Sleep Protocol (10:35 PM)

- Trazodone x2 (increases slow-wave sleep)
 - Klonopin 2mg (suppresses early REM, creates REM rebound hours 5-7)
 - Vitamin C 4mg at 10:30 PM
 - Massive physical exhaustion (1,501 cal burned, 6.5 hrs training)
 - Prediction: REM rebound window 4-5 AM = highest probability for lucid dreaming
 - Meta-cognitive layering training (observer positions) primes lucidity recognition during REM
-

Equipment Wishlist for Next Session

1. Noise-blocking over-ear headset (worn over earbuds) — increase auditory deprivation
 2. Blindfold — eliminate ambient light variability and headlight intrusions
 3. Timing optimization — enter pool when empty to avoid wave turbulence
-

Day 12 of daily protocol. Session rated $\frac{8}{10}$ by calibration standards (upgraded from 7.5 — involuntary breath observation + effortless meta-cognitive layering confirms deeper state than initially assessed). Four-layer recursive meta-awareness achieved. Prayer entered infused/automatic territory. Practice is now appetitive (wants to continue, not endure).