

HERRAMIENTAS

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#).

base: master ← compare: update-readme-2 ✓ Able to merge. These branches can be automatically merged.

Before you submit a pull request, you should merge the changes from your base branch into your head branch.

Choose a head branch

- update
- revert-4-updates-to-release-v1.2
- update-readme-1
- update-readme-2
- update-readme
- updates-to-release-v1.2
- update

Add octocat as a reviewer

Write Preview

Leave a comment

Open jeffer8a wants to merge 2 commits into master from index-page

Conversation 0 Commits 2 Files changed 1

jeffer8a commented 15 seconds ago

Se ha creado la página index para el proyecto

jeffer8a added some commits 11 minutes ago

- página de inicio de la aplicación
- Merge branch 'master' of https://github.com/jeffer8a/StyleNet-pull-re...

Add more commits by pushing to the index-page branch on jeffer8a/StyleNet-pull-request

This branch is up-to-date with the base branch

Merge pull request You can also open this in GitHub for Windows or view command line instructions.

Write Preview

Leave a comment

Attach images by dragging & dropping, selecting them, or pasting from the clipboard.

Close pull request Comment





Showing 2 changed files with 3 additions and 3 deletions.

2 files changed: Disqus/Disqus.php

```
@@ -4,7 +4,7 @@
4 4 Plugin URI: http://disqus.com/
5 5 Description: The Disqus comment system replaces your WordPress comment system with your comments hosted and powered b
6 6 Author: Disqus <team@disqus.com>
7 -Version: 2.77
7 +Version: 2.79
8 8 Author URI: http://disqus.com/
9 9 */
10 10
```

HERRAMIENTAS



HERRAMIENTAS

bugfix/123-bug → master **OPEN**

js / core.js

```
12 - // Takes an input date string and related date format
12 + // by parsing the date and converting to a string using
13 + function reconstructDateMatches(date, DateFormat) {
```

Stacy Jones
Shouldn't this be `dateFormat` ?
Reply · Create task · Like · 53 minutes ago

Kevin Campbell
Great catch! I'll create a task to remember to do this later.
Reply · Create task · Like · 34 minutes ago

- Rename "DateFormat" to "dateFormat"

Edit · Delete

Kevin Campbell
Actually, we should change it to `date_Format`. Happy to discuss further
Reply · Create task · Like · 12 minutes ago

14 + var parsed_D
15 + return form
16 + }
13 17 // We loop a ma
14 18 leading zeroes

- Overview
- Source
- Commits
- Branches
- Pull requests**
- Pipelines
- Issues
- Wiki
- Downloads
- Settings

SHARE YOUR THOUGHTS

- Give feedback
- Turn off new nav

Daniel Stevens / dans.git.bitbucket.org

Pull requests

Create a pull request

Source
dstevenstest / dans.git.bitbucket.org
Created 20 hours ago, updated 20 hours ago
test-1

Destination
tutorials/tutorials.git.bitbucket.org
master

Title
added a new quote

Description
[Rich text editor with bold, italic, link, and other formatting options]

Reviewers
Start typing to search for a user

Close branch
☐ Close test-1 after the pull request is merged

Create pull request

bugfix/123-bug → master **OPEN**

Approve **Merge**

Stacy Jones
I made a few changes to tidy up the code.
Please let me know if all looks good!

js / core.js

```
12 - // Takes an input date string and related date format
12 + // by parsing the date and converting to a string using
13 + function reconstructDateMatches(date, DateFormat) {
```





GRACIAS!

Preguntas?

Escríbeme a través del portal de OpenWebinars