```
-- phpMyAdmin SQL Dump
-- version 5.0.4
-- https://www.phpmyadmin.net/
-- Host: 127.0.0.1
-- Tempo de geração: 19-Out-2021 às 02:50
-- Versão do servidor: 10.4.17-MariaDB
-- versão do PHP: 7.4.15
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
-- Banco de dados: `jogodavelha`
CREATE DATABASE IF NOT EXISTS 'jogodavelha' DEFAULT CHARACTER SET utf8mb4 COLLATE
utf8mb4_general_ci;
USE `jogodavelha`;
-- Estrutura da tabela `jogadores`
CREATE TABLE `jogadores` (
  `JogadorID` int(11) NOT NULL,
  `NomeJogador` varchar(50) NOT NULL,
`NumVitoria` int(11) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Índices para tabelas despejadas
-- Índices para tabela `jogadores`
ALTER TABLE `jogadores`
  ADD PRIMARY KEY (`JogadorID`);
-- AUTO_INCREMENT de tabelas despejadas
-- AUTO_INCREMENT de tabela `jogadores`
ALTER TABLE `jogadores`
  MODIFY `JogadorID` int(11) NOT NULL AUTO_INCREMENT;
COMMIT;
```

```
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```