

LoginPage Test Report

We are using Jest to test our code.

Test 1: Submitting the form with correct inputs triggers the login request

Objective: Verify that the login form is filled correctly and triggers the login request by calling `useForm.post` with the expected data.

Steps:

- Render the LoginPage with `loggedIn` set to `false`, `errors` as an empty object and `success` as an empty string.
- Fill out the inputs
 - o Email: `test@example.com`
 - o Password: `password`
- Click the login button.
- Verify that `useForm.post` is called with the correct payload.

```
test('Submitting the form triggers the login request', async () => {
  const mockPost = jest.fn();
  useForm.mockReturnValue({
    data: { email: 'test@example.com', password: 'password', rememberMe: false },
    setData: jest.fn(),
    post: mockPost,
  });

  render(<LoginPage loggedIn={false} errors={{}} success='' />);

  //Get inputs
  const emailInput = screen.getByTestId('email-input');
  const passInput = screen.getByLabelText(/password/i);
  const loginButton = screen.getByRole('button', {name: /login/i});

  //Fill inputs
  await userEvent.type(emailInput, 'test@example.com');
  await userEvent.type(passInput, 'password');


  //Simulate clicking login button
  await userEvent.click(loginButton);

  //Wait for the post function to be called with the correct data
  await waitFor(() =>
    expect(mockPost).toHaveBeenCalledWith('/loginUser', {
      email: 'test@example.com',
      password: 'password',
      rememberMe: false,
    })
  );
});
```

OUTPUT DEBUG CONSOLE TEST RESULTS TERMINAL PORTS

Findings:

- The form was correctly filled.
- useForm.post was successfully triggered with the expected data and the login request was posted to /loginUser.



Test 2: Form can not be submitted with empty fields

Objective: Ensure that the form can not be submitted when required fields are left empty and display the correct validation errors.

Steps:

- Render the LoginPage.
- Get the inputs:
 - o Email
 - o Password
- Click the login button with empty fields.
- Verify that the email and password fields are marked as invalid.
- Ensure that useForm.post is not called.

```
Run | Debug
test('Form cannot be submitted with empty fields', async () => {
  const mockPost = jest.fn();
  useForm.mockReturnValue({
    data: { email: '', password: '', rememberMe: false },
    setData: jest.fn(),
    post: mockPost,
  });

  render(<LoginPage loggedIn={false} errors={{}} success='' />);

  //Get Inputs
  const emailInput = screen.getByTestId('email-input');
  const passwordInput = screen.getByLabelText(/password/i);
  const loginButton = screen.getByRole('button', { name: /login/i });

  //Simulate clicking login button
  await userEvent.click(loginButton);

  //Wait for validation (HTML5 default browser validations)
  await waitFor(() => {
    expect(emailInput).toBeInvalid();
    expect(passwordInput).toBeInvalid();
  });

  //Ensure the post function was not called since the form was not submitted
  await waitFor(() => expect(mockPost).not.toHaveBeenCalled());
});
```

Findings:

- Both the email and password fields were marked as invalid because they are empty.
- The form did not submit and useForm.post was not triggered.

```
PASS tests/LoginPage.test.js
LoginPage - Login Form
LoginPage - Login Form
  ✓ Submitting the form triggers the login request (642 ms)
  ✓ Form cannot be submitted with empty fields (121 ms)

Test Suites: 1 passed, 1 total
Tests:       2 passed, 2 total
Snapshots:   0 total
Time:        2.655 s, estimated 5 s
Ran all test suites matching /LoginPage.test.js/i.
PS C:\Users\milos\OneDrive\Documents\COMP6000 Project\comp6000-2024-pg13\RestaurantBookingSystem>
```