

BookingReservationPage Test Report

We are using Jest to test our code.

Test 1: Fills out the input fields correctly and submits the form

Objective: Verify that all the inputs can be filled out correctly by the user e.g. name, phone etc. As well as the form successfully calling the Intertia.post with the correct data.

Steps:

- Render the BookingReservationPage
- Fill out the inputs:
 - o Name: John Doe
 - o Email: John@example.com
 - o Phone 07512399932
 - o Date: 2025-05-10
 - o Guests: 4
 - o Special Request: Window seat, please.

```
test('Fills out the input fields correctly and submits the form', async () => {  
  //Render the page  
  render(<BookingReservationPage/>);  
  
  //Get inputs  
  const nameInput = screen.getByLabelText(/Name/i);  
  const emailInput = screen.getByTestId('email-input');  
  const phoneInput = screen.getByLabelText(/Phone/i);  
  const dateInput = screen.getByLabelText(/Date/i);  
  const guestsInput = screen.getByLabelText(/Guests/i);  
  const specialRequestInput = screen.getByLabelText(/Special Request/i);  
  const submitButton = screen.getByRole('button', { name: /reserve table/i });  
  
  //Fill out the form  
  await userEvent.type(nameInput, 'John Doe');  
  await userEvent.type(emailInput, 'John@example.com');  
  await userEvent.type(phoneInput, '07512399932');  
  await userEvent.type(dateInput, '2025-05-10');  
  await userEvent.type(guestsInput, '4');  
  await userEvent.type(specialRequestInput, 'Window seat, please.');
```

```
  //Simulate clicking a time slot  
  const timeSlotButton = screen.getByText('12:00'); // Example time slot  
  await userEvent.click(timeSlotButton);  
});
```

Findings:

- The form was correctly filled out and passed the test.
- The inputs were the same as expected.
- Intertia.post was successfully called.

```
PASS tests/BookingReservationPage.test.js (6.869 s)
BookingReservationPage Form
  ✓ Fills out the input fields correctly and submits the form (2077 ms)
```

Test 2: Show error message for invalid inputs (Submitting empty form)

Objective: Ensure that submitting an empty form triggers error message for all required fields.

Steps:

- Render the BookingReservationPage.
- Click the reserve table button without filling out the form.
- Check if the error message appears on the user's screen.

```
test('Shows error messages for invalid inputs (Submitting Empty Form)', async () => {
  render(<BookingReservationPage/>);

  const submitButton = screen.getByRole('button', { name: /reserve table/i });
  await userEvent.click(submitButton);

  //Check for validation messages
  expect(screen.getByText(/name is required/i)).toBeInTheDocument();
  expect(screen.getByText(/email is required/i)).toBeInTheDocument();
  expect(screen.getByText(/phone number is required/i)).toBeInTheDocument();
  expect(screen.getByText(/date is required/i)).toBeInTheDocument();
  expect(screen.getByText(/time slot is required/i)).toBeInTheDocument();
  expect(screen.getByText(/number of guests is required/i)).toBeInTheDocument();
});
```

Findings:

- Error messages correctly appeared for
 - o Name
 - o Email
 - o Phone
 - o Date
 - o Time Slot
 - o Guests

```
✓ Shows error messages for invalid inputs (Submitting Empty Form) (272 ms)
```

Test 3: The form does not submit if no time slot is selected

Objective: Ensures that the form does not submit and that an error will be displayed asking the user to pick a time slot.

Steps:

- Fill out the form correctly except clicking a time slot.
- Click the submit button.
- Check for an error message relating to not picking a time slot.

```
test('Does not submit if no time slot is selected', async () => {  
  render(<BookingReservationPage />);  
  
  const submitButton = screen.getByRole('button', { name: /reserve table/i });  
  |  
  //Fill other fields except selecting time slot  
  await userEvent.type(screen.getByLabelText(/name/i), 'John Doe');  
  await userEvent.type(screen.getByTestId('email-input'), 'John@example.com');  
  await userEvent.type(screen.getByLabelText(/phone/i), '07512399932');  
  await userEvent.type(screen.getByLabelText(/date/i), '2025-05-10');  
  await userEvent.type(screen.getByLabelText(/guests/i), '4');  
  await userEvent.type(screen.getByLabelText(/special request/i), 'Window seat, please.');
```

```
  await userEvent.click(submitButton);  
  
  expect(screen.getByText(/time slot is required/i)).toBeInTheDocument();  
});
```

Findings:

- The form submission didn't go through.
- The form correctly displayed the error message 'Time slot is required'

```
BookingReservationPage Form  
  ✓ Fills out the input fields correctly and submits the form (2077 ms)  
  ✓ Shows error messages for invalid inputs (Submitting Empty Form) (272 ms)  
  ✓ Does not submit if no time slot is selected (1720 ms)  
  
Test Suites: 1 passed, 1 total  
Tests:      3 passed, 3 total  
Snapshots:  0 total  
Time:       8.66 s  
main 🔁 0 ⚠️ 0 Jest: 🔄 Jest-WS: 🟢 0 🚫 0 🕒 5 📄 dragon.kent.ac.uk 📁 comp6000_13
```