Connection and programming control API test

async **test.test_connect.test_get_device_by_name()** [source]

Search for devices based on the suffix of the robot serial number

To search for the robot with the specified serial number (behind the robot's butt), you can enter only the tail characters of the serial number, any length, it is recommended that more than 5 characters can be matched accurately, and a timeout of 10 seconds

Returns: Contains information such as robot name, ip, port, etc.

Return type: WiFiDevice

async **test.test_connect.test_get_device_list()** [source]

Search all devices

Search all devices, return results after 10s

Returns: All searched devices, WiFiDevice array

Return type: [WiFiDevice]

async **test.test_connect.test_connect**(*dev: mini.dns.dns_browser.WiFiDevice*)→ **bool** [source]

Connect the device

Connect the specified device

Parameters: **dev** (*WiFiDevice*) – The specified device object WiFiDevice

Returns: Whether the connection is successful

Return type: bool

async **test.test_connect.test_start_run_program()** [source]

Enter programming mode demo

Make the robot enter the programming mode, wait for the reply result, and delay 6 seconds, let the robot finish "Enter programming mode"

Returns:

Return type: None

async **test.test_connect.shutdown()** [source]

Disconnect and release resources

Disconnect the currently connected device and release resources

async **test.test_connect.main()** [source]