Content API

class **mini.apis.api_content.QueryWiKi**(*is_serial: bool = True, query: Optional[str] = None*) [source]

Bases: `mini.apis.base_api.BaseApi`

Encyclopedia api

Default Tencent Encyclopedia

Parameters:
- **is_serial** (*bool*) – Whether to wait for a reply, the default is True
- **query** (*str*) – query content, cannot be empty or None

#WikiResponse.isSuccess: Is it successful

#WikiResponse.resultCode: Return code

async **execute**() [source]

Execute encyclopedia instructions

Returns: WikiResponse

class **mini.apis.api_content.StartTranslate**(*is_serial: bool = True, query: Optional[str] = None, from_lan: mini.apis.api_config.LanType = LanType.CN, to_lan: mini.apis.api_config.LanType = LanType.EN, platform: mini.apis.api_config.ServicePlatform = ServicePlatform.BAIDU*) [source]

Bases: `mini.apis.base_api.BaseApi`

Translation api

Default Baidu translation

Parameters:
- **is_serial** (*bool*) – Whether to wait for a reply, the default is True
- **query** (*str*) – The translated content, cannot be empty or None
- **from_lan** (*LanType*) – the original language of the translation, default CN, Chinese
- **to_lan** (*LanType*) – target language for translation, default EN, English
- **platform** (*ServicePlatform*) – translation platform, default BAIDU, use Baidu translation

#TranslateResponse.isSuccess: Is it successful, True or False

#TranslateResponse.resultCode: Result code

async **execute**() [source]

Execute translation instructions

Returns: TranslateResponse