

CloudFront

Distributions

Policies

Functions

Static IPs

VPC origins

SaaS

Multi-tenant distributions

Distribution tenants

Telemetry

Monitoring

Alarms

Logs

E180JW7QY7E0CI

Standard

View metrics

Details

Distribution domain name

d1msbxhxfm9d.cloudfront.net

Billing

Pay-as-you-go

Switch to a plan

ARN

arn:aws:cloudfront::009850210027:distribution/E180JW7QY7E0CI

Last modified

April 23, 2026 at 9:31:01 PM UTC

Everything you need for a simple monthly price

Learn more

X

- Plans include global CDN, WAF, DDoS protection, DNS, TLS certificate, log ingestion, and serverless edge compute.
- No overage charges.
- Blocked requests and DDoS attacks never count against your usage allowance.
- Data transfer costs from your AWS origins (such as Amazon S3, Application Load Balancer, or API Gateway) to CloudFront are automatically waived.

General

Security

Origins

Behaviors

Error pages

Invalidations

Logging

Tags

Origins (1)

Edit

Delete

Create origin

Filter origins by property or value

< 1 >

Origin name	Origin domain	Origin path
○ samuel-faceapp-frontend.s3-website-eu-west-1	samuel-faceapp-frontend.s3-website-eu-west-1.a...	

Origin groups (0)

Edit

Delete

Create origin group

Filter origin groups by property or value

< 1 >

Origin group name	Origins	Failover criteria
No origin groups		
You don't have any origin groups.		

Create origin group

CloudFront

Distributions

E180JW7QY7E0CI

Edit origin

CloudFront

Distributions

Policies

Functions

Static IPs

VPC origins

SaaS

Multi-tenant distributions

Distribution tenants

Telemetry

Monitoring

Alarms

Logs

Edit origin

Settings

Origin domain

Choose an AWS origin, or enter your origin's domain name. [Learn more](#)

Q

samuel-faceapp-frontend.s3-website-eu-west-1.amazonaws.com

X

Enter a valid DNS domain name, such as an S3 bucket, HTTP server, or VPC origin ID.

Protocol

Info

☒ HTTP only

☐ HTTPS only

☐ Match viewer

HTTP port

Enter your origin's HTTP port. The default is port 80.

80

Origin path - optional

Enter a URL path to append to the origin domain name for origin requests.

Enter the origin path

Name

Enter a name for this origin.

samuel-faceapp-frontend.s3-website-eu-west-1.amazonaws.com-1776979860-506321

☐ Enable origin mutual TLS

Securely validate the connection between your origin and the CloudFront distribution.

Add custom header - optional

CloudFront includes this header in all requests that it sends to your origin.

Add header

Enable Origin Shield

Origin shield is an additional caching layer that can help reduce the load on your origin and help protect its availability.

☒ No

☐ Yes

Additional settings

Cancel

Save changes

CloudFront

Distributions

Policies

Functions

Static IPs

VPC origins

SaaS

Multi-tenant distributions

Distribution tenants

Telemetry

Monitoring

Alarms

Logs

E180JW7QY7E0CI

Standard

View metrics

Details

Distribution domain name

d1msbxhxfm9d.cloudfront.net

Billing

Pay-as-you-go

Switch to a plan

ARN

arn:aws:cloudfront::009850210027:distribution/E180JW7QY7E0CI

Last modified

April 23, 2026 at 9:31:01 PM UTC

Everything you need for a simple monthly price

Learn more

- Plans include global CDN, WAF, DDoS protection, DNS, TLS certificate, log ingestion, and serverless edge compute.
- No overage charges.
- Blocked requests and DDoS attacks never count against your usage allowance.
- Data transfer costs from your AWS origins (such as Amazon S3, Application Load Balancer, or API Gateway) to CloudFront are automatically waived.

General

Security

Origins

Behaviors

Error pages

Invalidations

Logging

Tags

Behaviors (1)

Save Move up Move down Edit Delete Create behavior

Filter behaviors by property or value

	Preced...	Path pattern	Origin or o...	Viewer pro...	Cache poli...	Origin req...	Response he...
	0	Default (*)	samuel-fac...	HTTP and ...	-	-	-

Edit behavior

Settings

Path pattern [Info](#)

Default (*)

Origin and origin groups

samuel-faceapp-frontend.s3-website-eu-west-1.amazonaws.com-1776979860-506321

Compress objects automatically [Info](#)

- ☒ No
- ☐ Yes

Viewer

Viewer protocol policy

- ☒ HTTP and HTTPS
- ☐ Redirect HTTP to HTTPS
- ☐ HTTPS only

Allowed HTTP methods

- ☒ GET, HEAD
- ☐ GET, HEAD, OPTIONS
- ☐ GET, HEAD, OPTIONS, PUT, POST, PATCH, DELETE

Restrict viewer access

If you restrict viewer access, viewers must use CloudFront signed URLs or signed cookies to access your content.

- ☒ No
- ☐ Yes

Cache key and origin requests

We recommend using a cache policy and origin request policy to control the cache key and origin requests.

- ☐ Cache policy and origin request policy (recommended)
- ☒ Legacy cache settings

Headers

Choose which headers to include in the cache key.

None

Query strings

Choose which query strings to include in the cache key.

None

Cookies

Choose which cookies to include in the cache key.

None

Object caching

- ☒ Use origin cache headers
- ☐ Customize

Response headers policy - optional

Choose an existing response headers policy or create a new one.

Select response headers



[Create response headers policy](#)

Additional settings

Function associations - optional [Info](#)

Choose an edge function to associate with this cache behavior, and the CloudFront event that invokes the function.

	Function type	Function ARN / Name	Include body
Viewer request	No association		
Viewer response	No association		

Origin request

No association



Origin response

No association



Cancel

Save changes



CloudShell

Feedback



Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences