

- Step 1
- Select trusted entity
- Step 2
- Add permissions
- Step 3
- Name, review, and create

Name, review, and create

Role details

Role name

Enter a meaningful name to identify this role.

FacialRecognitionLamdaRole-sam

Maximum 64 characters. Use alphanumeric and '+=, @-_' characters.

Description

Add a short explanation for this role.

Allows Lambda functions to call AWS services on my behalf.

Maximum 1000 characters. Use letters (A-Z and a-z), numbers (0-9), tabs, new lines, or any of the following characters: _+=, @-/\[\]!#\$%^&*()~`"'

Step 1: Select trusted entities

Edit

Trust policy

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Effect": "Allow",
6       "Action": [
7         "sts:AssumeRole"
8       ],
9       "Principal": {
10        "Service": [
11          "lambda.amazonaws.com"
12        ]
13      }
14    ]
15  }
16 }
```

Step 2: Add permissions

Edit

Permissions policy summary

Policy name ↗	Type	Attached as
AmazonDynamoDBFullAccess	AWS managed	Permissions policy
AmazonRekognitionFullAccess	AWS managed	Permissions policy
AmazonS3FullAccess	AWS managed	Permissions policy
CloudWatchLogsFullAccess	AWS managed	Permissions policy

Step 3: Add tags

Add tags - optional [Info](#)

Tags are key-value pairs that you can add to AWS resources to help identify, organize, or search for resources.

No tags associated with the resource.

Add new tag

You can add up to 50 more tags.

Cancel

Previous

Create role

Dashboard

User groups

Users

Roles

Policies

Identity providers

Account settings

Root access management

[View role](#)

Last activity

Info

Authenticate your non AWS workloads and securely provide access to AWS services.



X.509 Standard

Use your own existing PKI infrastructure or use [AWS Certificate Manager Private Certificate Authority](#) to authenticate identities.



Temporary credentials

Use temporary credentials with ease and benefit from the enhanced security they provide.

- Step 1
- Select trusted entity
- Step 2
- Add permissions
- Step 3
- Name, review, and create

Select trusted entity

Info

Trusted entity type

- ☒ **AWS service**
Allow AWS services like EC2, Lambda, or others to perform actions in this account.
- ☐ **AWS account**
Allow entities in other AWS accounts belonging to you or a 3rd party to perform actions in this account.
- ☐ **Web identity**
Allows users federated by the specified external web identity provider to assume this role to perform actions in this account.
- ☐ **SAML 2.0 federation**
Allow users federated with SAML 2.0 from a corporate directory to perform actions in this account.
- ☐ **Custom trust policy**
Create a custom trust policy to enable others to perform actions in this account.

Use case

Allow an AWS service like EC2, Lambda, or others to perform actions in this account.

Service or use case

API Gateway

Choose a use case for the specified service.

Use case

- ☒ **API Gateway**
Allows API Gateway to push logs to CloudWatch Logs.

Cancel

Next

Step 1

Select trusted entity

Step 2

Add permissions

Step 3

Name, review, and create

Add permissions

Permissions policies (1)

The type of role that you selected requires the following policy.

Policy name	Type
 AmazonAPIGatewayPushToCloudWatchLogs	AWS managed

► Set permissions boundary - optional

Cancel

Previous

Next

- Step 1
- Select trusted entity
- Step 2
- Add permissions
- Step 3
- Name, review, and create

Name, review, and create

Role details

Role name

Enter a meaningful name to identify this role.

FacialRecognitionAPIGatewayRole-sam

Maximum 64 characters. Use alphanumeric and '+=, @-./\[\]!#\$%^&*()_~' characters.

Description

Add a short explanation for this role.

Allows API Gateway to push logs to CloudWatch Logs.

Maximum 1000 characters. Use letters (A-Z and a-z), numbers (0-9), tabs, new lines, or any of the following characters: _+=, @-./\[\]!#\$%^&*()_~'

Step 1: Select trusted entities

[Edit](#)

Trust policy

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Sid": "",
6       "Effect": "Allow",
7       "Principal": {
8         "Service": [
9           "apigateway.amazonaws.com"
10        ]
11      },
12      "Action": [
13        "sts:AssumeRole"
14      ]
15    }
16  ]
17 }
```

Step 2: Add permissions

[Edit](#)

Permissions policy summary

Policy name	Type	Attached as
AmazonAPIGatewayPushToCloudWatchLogs	AWS managed	Permissions policy

Step 3: Add tags

Add tags - optional [Info](#)

Tags are key-value pairs that you can add to AWS resources to help identify, organize, or search for resources.

No tags associated with the resource.

[Add new tag](#)

You can add up to 50 more tags.

[Cancel](#)[Previous](#)[Create role](#)

Identity and Access Management (IAM)

Search IAM

Role FacialRecognitionAPIGatewayRole-sam created.

View role

Roles (21)

Info



Delete

Create role

An IAM role is an identity you can create that has specific permissions with credentials that are valid for short durations. Roles can be assumed by entities that you trust.

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

User groups

Users

Roles

Policies

Identity providers

Account settings

Root access management

Temporary delegation requests

FacialRecognitionAPIGatewayRole-sam

Info

Delete

Allows API Gateway to push logs to CloudWatch Logs.

Summary

Edit

Creation date

April 10, 2026, 13:59 (UTC+03:00)

Last activity

-

ARN

arn:aws:iam::009850210027:role/FacialRecognitionAPIGatewayRole-sam

Maximum session duration

1 hour

Permissions

Trust relationships

Tags

Last Accessed

Revoke sessions

Permissions policies (1)

Info

Refresh

Simulate

Remove

Add permissions

You can attach up to 10 managed policies.

Search

Filter by Type

All types

< 1 >

	Policy name	Type	Attached entities
☐	AmazonAPIGatewayPushT...	AWS managed	1

Permissions boundary (not set)

Generate policy based on CloudTrail events

You can generate a new policy based on the access activity for this role, then customize, create, and attach it to this role. AWS uses your CloudTrail events to identify the services and actions used and generate a policy. [Learn more](#)

Generate policy

No requests to generate a policy in the past 7 days.

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

- Step 1
- Specify permissions
- Step 2
- Review and create

Specify permissions

Add permissions by selecting services, actions, resources, and conditions. Build permission statements using the JSON editor.

Policy editor

VisualJSONActions

S3

Allow1 Action

Specify what actions can be performed on specific resources in S3.

Actions allowed

Specify actions from the service to be allowed.

putob

Effect

AllowDeny

Write

PutObject

PutObjectLegalHold

PutObjectRetention

Permissions management

PutObjectAcl

PutObjectVersionAcl

Tagging

PutObjectTagging

PutObjectVersionTagging

Resources

Specify resource ARNs for these actions.

AllSpecific

accesspointobject

You have not specified resource with type accesspointobject.
Add ARNs to restrict access.

Any in this account

object

arn:aws:s3::samuel-visitor-images/*

Add ARNs to restrict access.

Any

Request conditions - optional

Actions on resources are allowed or denied only when these conditions are met.

+ Add more permissions

Security: 0Errors: 0Warnings: 0Suggestions: 0

CancelNext

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

- Step 1
- Specify permissions
- Step 2
- Review and create

Review and create

Review the permissions, specify details, and tags.

Policy details

Policy name

Enter a meaningful name to identify this policy.

FacialRecognitionS3PutPolicy

Maximum 128 characters. Use alphanumeric and '+=, @- _' characters.

Permissions defined in this policy

Edit

Permissions defined in this policy document specify which actions are allowed or denied. To define permissions for an IAM identity (user, user group, or role), attach a policy to it

Search

Allow (1 of 467 services)

Show remaining 466 services

Service	Access level	Resource	Request condition
S3	Limited: Write	BucketName string like samuel-visitor-images, ObjectPath string like All	None

Cancel Previous Create policy

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

User groups

Users

Roles

Policies

Identity providers

Account settings

Root access management

Temporary delegation requests

Policy FacialRecognitionS3PutPolicy created.

FacialRecognitionAPIGatewayRole-sam

Info

Delete

Allows API Gateway to push logs to CloudWatch Logs.

Summary

Edit

Creation date

April 10, 2026, 13:59 (UTC+03:00)

ARN

arn:aws:iam::009850210027:role/FacialRecognitionAPIGatewayRole-sam

Last activity

-

Maximum session duration

1 hour

- Permissions
- Trust relationships
- Tags
- Last Accessed
- Revoke sessions

Permissions policies (2)

Info

Simulate

Remove

Add permissions

You can attach up to 10 managed policies.

Filter by Type

Search

All types

1

Policy name

Type

Attached entities

☐	AmazonAPIGatewayPushT...	AWS managed	1
☐	FacialRecognitionS3PutPolicy	Customer inline	0

Permissions boundary (not set)

Generate policy based on CloudTrail events

You can generate a new policy based on the access activity for this role, then customize, create, and attach it to this role. AWS uses your CloudTrail events to identify the services and actions used and generate a policy. [Learn more](#)

Generate policy

No requests to generate a policy in the past 7 days.