

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Files

File systems

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analvzer

samuel-faceapp-frontend

- Objects
- Metadata
- Properties
- Permissions
- Metrics
- Management
- File systems - new

Objects (4)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

< 1 >

	Name	Type	Last modified	Size	Storage class
☐	assets/	Folder	-	-	-
☐	favicon.svg	svg	April 24, 2026, 22:40:34 (UTC+03:00)	9.3 KB	Standard
☐	icons.svg	svg	April 24, 2026, 22:40:34 (UTC+03:00)	4.9 KB	Standard
☐	index.html	html	April 24, 2026, 22:40:34 (UTC+03:00)	472.0 B	Standard

Amazon S3

>

Buckets

>

samuel-faceapp-frontend

Static website hosting

Edit

Use this bucket to host a website or redirect requests. [Learn more](#)

We recommend using AWS Amplify Hosting for static website hosting

Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. [Learn more about Amplify Hosting](#) or [View your existing Amplify apps](#)

Create Amplify app

S3 static website hosting

Enabled

Hosting type

Bucket hosting

Bucket website endpoint

When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)

<http://samuel-faceapp-frontend.s3-website-eu-west-1.amazonaws.com>

Amazon S3

<

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Files

File systems

Access management and security

Access Points

Access Points for FSx

Access Grants

- Amazon S3
- Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets
- Files

File systems
- Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

samuel-faceapp-frontend

- etadata
- Properties
- Permissions
- Metrics
- Management
- File systems - new
- Access Points

Permissions overview

Access finding

Access findings are provided by IAM external access analyzers. Learn more about [How IAM analyzer findings work](#)

[View analyzer for eu-west-1](#)

Block public access (bucket settings)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access

Off

Individual Block Public Access settings for this bucket

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PublicRead",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::samuel-faceapp-frontend/*"
    }
  ]
}
```

Object Ownership

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

Bucket owner enforced

ACLs are disabled. All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

Access control list (ACL)

Grant basic read/write permissions to other AWS accounts. [Learn more](#)

This bucket has the bucket owner enforced setting applied for Object Ownership

When [bucket owner enforced](#) is applied, use bucket policies to control access. [Learn more](#)

Grantee	Objects	Bucket ACL
Bucket owner (your AWS account)		

Bucket owner (your AWS account)

Canonical ID:  841238b7180a89faf09f9ba197ba357b6a0418a25efde4026b23cf9e40b5cddd

List, Write

Read, Write

Everyone (public access)

Group:  <http://acs.amazonaws.com/groups/global/AllUsers>

-

-

Authenticated users group (anyone with an AWS account)

Group:  <http://acs.amazonaws.com/groups/global/AuthenticatedUsers>

-

-

S3 log delivery group

Group:  <http://acs.amazonaws.com/groups/s3/LogDelivery>

-

-

Cross-origin resource sharing (CORS)

Edit

The CORS configuration, written in JSON, defines a way for client web applications that are loaded in one domain to interact with resources in a different domain. [Learn more](#) 

No configurations to display

 Copy