

Riddler Express

Precipitation Permutations

Samuel Eklund
[linkedin.com/in/sameklund](https://www.linkedin.com/in/sameklund)

Travis Chambers
[linkedin.com/in/travisjchambers](https://www.linkedin.com/in/travisjchambers)

2018-12-07

1 Problem

Louie walks to and from work every day. In his city, there is a 50 percent chance of rain each morning and an independent 40 percent chance each evening. His habit is to bring (and use) an umbrella if it's raining when he leaves the house or office, but to leave them all behind if not. Louie owns three umbrellas.


On Sunday night, two are with him at home and one is at his office. Assuming it never starts raining during his walk to his home or office, what is the probability that he makes it through the work week without getting wet?

2 Description

We start by describing the various states of the system. We distinguish between Morning (M) and Evening (E). We also count how many umbrellas are at Home (H_n) and at the Office (O_n). Using this notation, we describe the starting state as $(M; H_2, O_1)$. We also designate W_0 and W_1 as the absorbing states that represent Louie getting wet (as he is traveling with no umbrella while it is raining).

3 Solution

We construct a graph of all states, along with their transition probabilities. Blue transitions represent rain and black transitions represent no rain. We also mark the absorbing states (W_0, W_1) in red.



We can create a table of the probabilities of each state based on the previous state, as below. Day 0 represents the initial state, when the probability of moving to $M; H_2, O_1$ is 1. We omit unnecessary values to reduce calculation, as we only need the values for W_0 and W_1 .

| Day | State | | | | | | | | | |
|-----|--------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|--------|
| | W_0 | $E; H_3, O_0$ | $M; H_3, O_0$ | $E; H_2, O_1$ | $M; H_2, O_1$ | $E; H_1, O_2$ | $M; H_1, O_2$ | $E; H_0, O_3$ | $M; H_0, O_3$ | W_1 |
| 0.0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 0.5 | 0 | 0 | 0 | 0.5 | 0 | 0.5 | 0 | 0 | 0 | 0 |
| 1.0 | 0 | 0 | 0.2 | 0 | 0.5 | 0 | 0.3 | 0 | 0 | 0 |
| 1.5 | 0 | 0.1 | 0 | 0.35 | 0 | 0.4 | 0 | 0.15 | 0 | 0 |
| 2.0 | 0.04 | 0 | 0.2 | 0 | 0.37 | 0 | 0.3 | 0 | 0.09 | 0 |
| 2.5 | 0.04 | 0.1 | 0 | 0.285 | 0 | 0.335 | 0 | 0.195 | 0 | 0.045 |
| 3.0 | 0.08 | 0 | 0.174 | 0 | 0.305 | 0 | 0.279 | 0 | 0.117 | 0.045 |
| 3.5 | 0.08 | 0.087 | 0 | 0.2395 | | | 0 | 0.198 | 0 | 0.1035 |
| 4.0 | 0.1148 | 0 | 0.148 | | | | | 0 | 0.1188 | 0.1035 |
| 4.5 | 0.1148 | 0.074 | | | | | | | 0 | 0.1629 |
| 5.0 | 0.1444 | | | | | | | | | 0.1629 |

The probability that Louie does not get wet during the workweek is:

$$Pr(\text{Dry}) = 1 - Pr(\text{Wet}) = 1 - (W_0 + W_1) = 1 - (0.1444 + 0.1629) = 0.6927 = 69.27\%$$