





DFS



BFS




$\emptyset$ ($\emptyset, 2$) 2 ($\emptyset, 3$) 3 (2, 1) 1 (2, 8) 8
(2, 3) (3, 2) (3, 8) (1, 4) 4 (1, 8) (8, 1)
(8, 2) (8, 3) (8, 10) 10 (4, 1) (4, 5) 5 (4, 7) 7 (4, 9) 9
(4, 10) (10, 4) (10, 7) (10, 8) (5, 4) (5, 6) 6
(5, 9) (7, 4) (7, 10) (9, 4) (9, 5) (9, 6)



C

OrdlineTop

C	A	D	F	G	E	B
---	---	---	---	---	---	---



A	B	C	D	E	F	G	H	K	J	I	L	M
0 NIL	8 NIL	8 NIL	8 NIL	8 NIL	8 NIL	8 NIL	8 NIL	8 NIL	8 NIL	8 NIL	8 NIL	8 NIL
	7 A	-	-	2 A	-	-	-	-	6 A	-	-	-
		2 B	6 B	2 A	-	-	-	5 B	6 A	-	-	-
			6 B	2 A	3 C	1 C	-	5 B	6 A	-	-	-
			6 B	2 A	3 C		9 G	5 B	6 A	3 G	4 G	-
			6 B				4 G	5 B	6 A	3 G	4 G	-
			6 B				4 G	5 B	5 H		4 G	-
			1 H					5 B	5 H		4 G	-
								5 B	5 H		4 G	-
								3	5		4	-

L	H	G	V
4	4	4	5
K	K	G	K
		4	3
		G	~
		W	W

CASA

- $T(n) = T\left(\frac{n}{3}\right) + 5n$ (esperto)

- $T(n) = T\left(\frac{n}{2}\right) + \log n$

IPOTESI : $T(n) = O((\log n)^2)$

- $$T(n) = \begin{cases} 1 & \text{se } n=1 \\ 3T(n/2) + n^2 & \text{se } n>1 \end{cases}$$

ALBERO DI RICORSIONE