



On-Prem AD User Account Audit

Generated at — July 20, 2026, 1:54 p.m.

Follow this procedure to audit any enabled AD accounts not logged in within 90 days. This is specifically for clients that have on-premise Active Directory only. If they are syncing Active Directory with 365, you would still follow this procedure.

1 Connect to a Domain Controller

- You can easily find which server is a domain controller by looking at for the (dc) tag

>

Machine Id:

Machine Group:

Latest agent version available: 9.5.0.41

Manage

Credentials

Column Sets

Deploy Agent

Refresh

1 of 1

100

Selected: 1 | Viewing: 1-10 of 10

			Computer Name	System Serial N...	Current User	Last Logged In ...	Last Checkin Time	Last Reboot Time	Domain/Workgr...	Operating Sy
☐			DL-veeam2016	VMware-42 07 8e 6	XL-Veeam	XL-Veeam	11:16:45 am 31-Jan-24	12:34:20 am 21-Jan-24	VEEAM (w)	2016
☒			DL-DC2016	VMware-42 07 00 5	xladmin	xladmin	11:16:45 am 31-Jan-24	2:56:10 am 21-Jan-24	DRIV-LOK (dc)	2016
☐			DL-DC2022	VMware-42 07 dd 9	xladmin	xladmin	11:16:45 am 31-Jan-24	12:34:17 am 30-Jan-24	DRIV-LOK (dc)	2022
☐			dlserver	VMware-42 19 9d d	Administrator	Administrator	11:16:45 am 31-Jan-24	11:57:51 pm 28-Jan-24	DRIV-LOK (d)	2016
☐			sql-2011	VMware-42 19 65 d	administrator	administrator	11:16:45 am 31-Jan-24	11:25:05 am 13-Dec-23	DRIV-LOK (d)	2012
☐			DL-GSHOPTEST	VMware-42 07 49 6	administrator	administrator	11:16:45 am 31-Jan-24	11:47:31 pm 28-Jan-24	DRIV-LOK (d)	2016
☐			DL-App01	VMware-42 07 3d 6	administrator	administrator	11:16:45 am 31-Jan-24	1:46:48 am 29-Jan-24	DRIV-LOK (d)	2019
☐			DL-RDS-Sess01	VMware-42 07 1d d	administrator	administrator	11:16:45 am 31-Jan-24	12:03:11 am 21-Jan-24	DRIV-LOK (d)	2016
☐			DLVirt1-MIS	VMware-42 19 b5 2	xladmin	xladmin	11:16:45 am 31-Jan-24	2:01:08 am 23-Nov-23	DRIV-LOK (d)	2012
☐			DL-GSHOP1	VMware-56 4d f1 f8	administrator	administrator	11:16:45 am 31-Jan-24	6:57:42 pm 15-Oct-23	DRIV-LOK (d)	2012

- Launch LiveConnect power shell, if you don't see Command Shell when hovering over the agent, then click Live Connect and switch to command.

The screenshot displays the Kaseya XL interface. At the top, a table lists system information for a host named 'dl-dc2016.hq.driv-lok'. A red circle '1' highlights the host name, and a red circle '2' highlights the 'Command Shell' button. Below the table, a 'Run Procedure Now' menu is visible, listing various system actions like Reboot, Disable Standby/Hibernate, etc. The bottom section shows a 'Commands' window with a PowerShell prompt ready for input.

Computer Name	System Serial N...	Current User	Last Logged In ...	Last Checkin Time	Last
DL-dc2016.hq.driv-lok	VMware-42 07 8a 6	xladmin	11:16:45 am 31-Jan-24	12:3	12:3

dl-dc2016.hq.driv-lok - User inactive since 4:49:44 pm 30-Jan-24

Remote Control Private Session Live Connect File Manager **Command Shell**

SMB1 Status

Current User	xladmin
Last Logged In User	xladmin
Operating System	2016
OS Version	Server Standard x64 Edition Build 14393
Time Zone	UTC -6
Computer Name	DL-DC2016
Domain/Workgroup	DRIV-LOK (dc)
DNS Computer Name	DL-DC2016.internal.driv-lok.com
Country	United States

Run Procedure Now

- Reboot
- Disable Standby/Hibernate
- Rename Computer
- Audit - Get Time Configuration
- AD Accounts Not Logged in for 90 Days
- Apply Standard Time Settings

Pending Procedures Procedure History Procedure Log Notes Ticket History Alarm Log Monitor Action Log View Credentials User Accounts Groups Members Disk Volumes Disk Partitions Disk Shares PCI and Disk Hardware Printers

Live Connect kaseya.xl.net / kaseya.xl.net

dl-dc2016.hq.driv-lok - Commands

Commands

PowerShell

```
Windows PowerShell
Copyright (C) 2016 Microsoft Corporation. All rights reserved.

[]
```

Commands

2 Run the command & retrieve output




```
Windows PowerShell
Copyright (C) 2016 Microsoft Corporation. All rights reserved.

Loading personal and system profiles took 3600ms.
PS C:\Windows\system32> Get-ADUser -Filter 'enabled -eq $true' -properties LastLogonDate,PasswordLastSet,description | Select-Object name, description, LastLogonDate, PasswordLastSet, Enabled | Export-Csv c:\temp\userlist.csv -NoTypeInformation
PS C:\Windows\system32>
```

```
Get-ADUser -Filter 'enabled -eq $true' -properties
LastLogonDate,description | Select-Object name, description, LastLogonDate,
Enabled | Export-Csv c:\temp\userlist.csv -NoTypeInformation
```

This exports all enabled accounts, the last login date, and the description of the account.

- Switch from **Command** to **Files** in live connect and navigate to c:\temp\userlist.csv and download the file to the client's Google Drive folder > Documents subfolder



3 Download the template and copy in the data

- Download the attached template and paste in the data from the CSV (skip line 1 of the CSV)



	A	B	C	D
1	name	description	LastLogon	Enabled
2	Administrator	Built-in account for administering the computer/domain	1/22/2024 14:40	TRUE
3	TsInternetUser	This user account is used by Terminal Services.		TRUE
4	IUSR_EXCHSRVR	Built-in account for anonymous access to Internet Information Services		TRUE
5	IWAM_EXCHSRVR	Built-in account for Internet Information Services to start out of process applications		TRUE
6	IWAM_FILE-SERVER	Built-in account for anonymous access to Internet Information Services out of process applications		TRUE
7	IUSR_FILE-SERVER	Built-in account for anonymous access to Internet Information Services		TRUE
8	IWAM_DLSEVER	Built-in account for anonymous access to Internet Information Services out of process applications		TRUE
9	IUSR_DLSEVER	Built-in account for anonymous access to Internet Information Services		TRUE
10	IWAM_DRIVLOKEXCH	Built-in account for anonymous access to Internet Information Services out of process applications		TRUE
11	IUSR_DRIVLOKEXCH	Built-in account for anonymous access to Internet Information Services		TRUE
12	IUSR_EXCHSRVR	Built-in account for anonymous access to Internet Information Services		TRUE
13	IWAM_EXCHSRVR	Built-in account for Internet Information Services to start out of process applications		TRUE
14	IUSR_DC_1	Built-in account for anonymous access to Internet Information Services		TRUE
15	IWAM_DC_1	Built-in account for Internet Information Services to start out of process applications		TRUE
16	IUSR_EXCHSRVR	Built-in account for anonymous access to Internet Information Services		TRUE
17	IUSR_DC2	Built-in account for anonymous access to Internet Information Services		TRUE
18	Veritas Backup Exec Service			TRUE

- Review each account and its description then fill out the 'Action' column. Conditional formatting is set in the template to highlight these 3 values specifically.
 - **Disable**
 - You know this account is no longer in use and disabling it should not impact anything.
 - **Keep**
 - You know this account is in use, either a service account or a full-time employee.
 - **Research**
 - You aren't sure what this account is used for and must spend time researching it. Perform ticket searches, online searches, etc to find out more.

	A	B	C	D	E	F
1	name	description	LastLogonDate	Enabled	Action:	Complete:
2	Administrator	Built-in account for administering the computer/domain	1/22/2024 14:40	TRUE	Disable	
3	TsInternetUser	This user account is used by Terminal Services.		TRUE	Keep	
4	IUSR_EXCHSRVR	Built-in account for anonymous access to Internet Information Services		TRUE	Research	
5	IWAM_EXCHSRVR	Built-in account for Internet Information Services to start out of process applications		TRUE	Keep	
6	IWAM_FILE-SERVER	Built-in account for anonymous access to Internet Information Services out of process applications		TRUE	Disable	
7	IUSR_FILE-SERVER	Built-in account for anonymous access to Internet Information Services		TRUE	Disable	
8	IWAM_DLSEVER	Built-in account for anonymous access to Internet Information Services out of process applications		TRUE	Disable	
9	IUSR_DLSEVER	Built-in account for anonymous access to Internet Information Services		TRUE		
10	IWAM_DRIVLOKEXCH	Built-in account for anonymous access to Internet Information Services out of process applications		TRUE		

Attachments

1. [AD User Account Audit.xlsx](#)

https://www.sweetprocess.com/media_access/?file=files/43511/24s01/532ef88c-2947-4a69-8ae5-68c804fad714.xlsx

4

Updating descriptions

- If you are keeping an account active or researching it and ultimately decide it needs to remain active, make sure the description field on the AD account is up to date and briefly explains what it's used for.
 - When you run this audit the next time, the updated descriptions will be pulled in and you won't have to repeat the time spent researching what the account is used for.

Veritas Properties

Member Of

Dial-in

Environment

Sessions

Remote control

Remote Desktop Services Profile

COM+

General

Address

Account

Profile

Telephones

Organization

Veritas

First name:

Initials:

Last name:

Display name:

Veritas

Description:

Backup Exec Service Account disabled 4/7/4

Office:

Telephone number:

Other...

Email:

Web page:

Other...

5

Reviewing with the POC

Once you have marked an "Action" for all accounts that you are able to, send the document to the POC and let them know you'd like to review it together with them. Some POCs prefer to review it on their own and send it back with their answers. See what your POC prefers and go with that.

6

Disabling accounts

- After you receive back the POCs input, filter out all accounts that are **Keep** and you should have the list of accounts that require action.
- The first time you run this kind of audit, there can be many accounts that need to be disabled. To control the amount of change, try not to disable more than 5 accounts per site visit if possible.
 - Use the **Complete** column to track which ones have been disabled over rolling monthly site visits

A	B	C	D	E	F
name	description	LastLogonDate	Enabled	Action:	Complete:
Administrator	Built-in account for administering the computer/domain	1/22/2024 14:40	TRUE	Disable	Yes
TsInternetUser	This user account is used by Terminal Services.		TRUE	Disable	Yes
IUSR_EXCHSRVR	Built-in account for anonymous access to Internet Information Services		TRUE	Disable	Yes
IWAM_EXCHSRVR	Built-in account for Internet Information Services to start out of process applications		TRUE		

7

End