

1. A nurse is caring for a client who is receiving chemotherapy and requests information about acupuncture to relieve some of the side effects. Which of the following findings should the nurse identify as a contraindication to receiving this alternative therapy?

Lymphedema

2. A nurse is preparing to administer lactated Ringer's via continuous IV infusion at 200 ml/hr. The IV tubing has a drop factor of 10 drops/mL. How many gtt/min should the nurse set the IV pump to administer?

33

3. A nurse is providing discharge teaching to a client who has a new prescription for sublingual nitroglycerin. Which of the following client statements indicates an understanding of the teaching?

I should lie down when I take this medication

4. A nurse is providing discharge teaching to an older adult client following total hip arthroplasty. Which of the following instructions should the nurse include in the teaching?

Install a raised toilet seat in your bathroom

5. A nurse is planning care for a client following a cardiac catheterization. Which of the following actions should the nurse take?

Maintain the client's affected extremity in extension

6. A nurse is caring for a client who has a lower extremity fracture and a prescription for crutches. Which of the following client statements indicates that the client is adapting to their role change?

I will need to have my partner take over shopping for groceries and cooking the meals for us

7. A nurse is providing teaching to a client who has an impaired immune system due to chemotherapy. Which of the following information should the nurse include in the teaching?

wash peri area two times each day with antimicrobial soap

8. A nurse is caring for a client who has a contusion and reports thirst. The client's urinary output was 4,000 ml over past 24 hr. the nurse should anticipate a prescription for which of the following IV medications?

Desmopressin

9. A nurse in a clinic receives a phone call from a client who recently started therapy with an ACE inhibitor and reports nagging dry cough. Which of the following responses by the nurse is appropriate?

Sucking on a lozenge may reduce the frequency of your cough

10. A nurse is taking an admission history from a client who reports Raynaud's disease. Which of the following assessment findings should the nurse identify as a parenteral trigger for exacerbation of Raynaud's?

Using nicotine transdermal patch

11. A nurse is caring for a client who has a central venous device and notes the tubing has become disconnected. the client develops dyspnea and tachycardia. Which of the following actions should the nurse take first?

On his left side in Trendelenburg position

12. A nurse is completing an assessment of an older client and notes reddened areas over the bony prominences, but the client's skin is intact. Which of the following interventions should the nurse include in the plan of care?

Support bony prominences with pillows

13. A home health nurse is making an initial visit to a client who has multiple sclerosis. Which of the following actions is the priority for the nurse to take?

List strategies for family coping when dealing with possible role changes

14. A nurse in the emergency department is assessing a client. Which of the following actions should the nurse take first? (click on the "exhibit" button for additional information about the client)

Initiate airborne precautions

15. A nurse is reviewing the medical record of a client to identify factors for colorectal cancer. The nurse should identify which of the following findings as increasing the client's risk?

History of Crohn's disease

16. A nurse is caring for a client who is scheduled for a mastectomy. The client tells the nurse, "I'm not sure I want to have a mastectomy." Which of the following statements should the nurse make?

I can give you additional information about the procedure

17. A nurse is preparing to administer a unit of packed RBCs to a client who is anemic. Identify the sequence of steps the nurse should follow.

- 1. obtain venous access using a 19-gauge needle**
- 2. Obtain the unit of a packed RBCs from blood bank**
- 3. verify blood compatibility with another nurse**
- 4. Initiate transfusion of the unit of packed RBCs**
- 5. Remain with the client for the first 15 to 30 minutes**

18. A nurse is providing discharge teaching to a client following a modified left radical mastectomy with breast expander. Which of the following statements by the client

indicates an understanding of the teaching?

I should expect less than 25 ml of secretions per day in the drainage devices

19. A critical care nurse is assessing a client who has a severe head injury. In response to painful stimuli, the client does not open her eyes, displays decerebrate posturing and makes incomprehensible sounds. Which of the following Glasgow Coma scale scores should the nurse assign the client?

5

20. A nurse is providing discharge teaching to a client who has heart failure and instructs him to limit sodium intake to 2 g per day. Which of the following statements by the client indicates an understanding of the teaching?

I can have a frozen fruit juice bar for dessert

21. A nurse is preparing to perform ocular irrigation for a client following a chemical splash to the eye. Which of the following actions should the nurse plan to take first?

instill 0.9% sodium chloride solution into the affected eye

22. A nurse is assessing a client following extubation from a ventilator for which of the following findings should the nurse intervene immediately?

Stridor

23. A nurse is reviewing the laboratory reports of a client who has acute pancreatitis. Which of the following findings should the nurse expect?

Elevated blood glucose

24. A nurse is reviewing the medical record of a client who has diabetes insipidus. Which of the following findings should the nurse expect?

Urine specific gravity 1.001

25. A nurse is planning care for a client who has a pulmonary embolism. Which of the following interventions should the nurse include?

Initiate a continuous IV heparin infusion

26. A nurse is providing discharge teaching to a client who is recovering from a sickle cell crisis. Which of the following instructions should the nurse include?

Avoid extremely hot or cold temperatures

27. A nurse in the emergency department is caring for a client who is in hypovolemic shock. Which of the following actions should the nurse take first?

Insert a large-bore IV catheter

28. A nurse is caring for a client who has an arteriovenous graft. Which of the following findings indicates adequate circulation on of the graft?

Palpable thrill

29. A nurse is assessing a client who has heart failure and is receiving a loop diuretic. Which of the following finding indicates hypokalemia?

Muscle weakness

30. A nurse is caring for a client in diabetic ketoacidosis (DKA) Which of the following is the priority intervention by the nurse?

Infuse 0.9% normal saline

31. A nurse is providing discharge teaching to a client who has an ileostomy. Which of the following client statements indicates an understanding of the teaching?

I will expect my stools to be loose

32. A nurse is caring for a client who is receiving total parenteral nutrition through a central line. The current bag is nearly empty, and a new bag is unavailable from the pharmacy. Which of the following actions should the nurse take?

Switch the infusion to a 10% dextrose solution

33. A nurse is caring for a client who is 6hr postoperative following a thyroidectomy. The client reports tingling and numbness in the hands. The nurse should identify this as a sign of which of the following electrolyte imbalance?

Hypocalcemia

34. A nurse in a provider office is caring for a client who has total vision loss and is the handler of a service dog. Which of the following actions should the nurse take to show consideration for the client and the service animal?

Consult the client before approaching the dog.

35. A nurse is reviewing medications taken at home with a client who has angina. Which of the following statements by the client indicates an understanding of the teaching?

I should lie down before taking a dose of isosorbide dinitrate

36. A nurse in the post anesthesia care unit is assessing a client following an appendectomy and finds a 2 cm (3/4 in) area of blood on the postoperative dressing. Which of the following actions should the nurse take?

Apply pressure

37. A nurse is caring for a client who is receiving mechanical ventilation. Which of the following interventions should the nurse implement?

Suction the client's airway q 4 hrs.

38. A nurse is planning care for a client who has full thickness burns on the lower extremities. Which of the following interventions should the nurse include?

Apply new gloves when alternating between wound care sites

39. A nurse is providing teaching for a client who has tuberculosis and a new prescription for pyrazinamide. The nurse should instruct the client to notify the provider if which of the following adverse **effects** occurs?

Jaundice

40. A nurse is planning care for a client who has left-side hemiplegia following a stroke. Which of the following actions should the nurse include in the plan of care?

Position the client's table on the left side

41. A nurse is performing an ear irrigation for a client. Which of the following actions should the nurse take?

Point the type of the syringe toward the top of the ear canal

42. A nurse is caring for a client who has a history of chemotherapy-induced nausea and vomiting. Which of the following medications should the nurse administer prior to chemotherapy?

Ondansetron

43. A nurse is preparing to discharge a client who has a halo device and is reviewing new prescription from the provider. The nurse should clarify which of the following prescriptions with the provider?

May operate a motor vehicle when no longer taking analgesics

44. A nurse is providing discharge teaching to a client who has tuberculosis. Which of the following information should the nurse include in the teaching?

You will to return in 2 weeks to provide a sputum specimen

45. A nurse is assessing a client who has left-sided heart failure. Which of the following findings should the nurse expect?

Frothy sputum

46. A nurse is planning care for a client who has osteoarthritis of the knees. Which of the following interventions should the nurse include in the plan?

Place a large pillow under the client's knees when resting.

47. A nurse is caring for a client who is receiving continuous bladder irrigation following a transurethral resection of the prostate (TURP). The client reports sharp lower abdominal

pain. Which of the following actions should the nurse take first?

Check the client's urine output

48. A nurse is providing instructions about foot care for a client who has a peripheral arterial disease. The nurse should identify that which of the following statements by the client indicates understanding of the teaching

"I rest in my recliner with my feet elevated for about an hour every afternoon"

49. A nurse in a provider's office is teaching a client about the self-management of GERD. Which of the following instructions should the nurse include?

Sleep with the head of the bed elevated 6 inches

50. A nurse is caring for a client who is postoperative following a partial thyroidectomy. Which of the following findings is the priority for the nurse to report to the provider?

High-pitched sound on inspiration

51. A nurse is caring for a client who is 2 days postoperative following a below the knee amputation and asks about the purpose of maintaining an elastic bandage around the residual limb of the extremity. Which of the following is an appropriate response by the nurse?

***The elastic bandage will prevent a postoperative wound infection**

52. A nurse is planning care for a client who is 8 hr. postoperative following a coronary artery bypass grafting. Which of the following assessments should the nurse plan to perform first?

Measure the client's core body temperature

53. A nurse is providing instructions to a client who has primary syphilis. Which of the following instructions should the nurse include in the discharge plan?

You will need to be monitored for 15 minutes after receiving each medication dose

54. A nurse is caring for a client who has hypotension, cool and clammy skin, tachycardia, and tachypnea. In which of the following positions should the nurse place the client?

Feet elevated

55. A nurse is assessing a client who has a pressure ulcer. Which of the following findings should the nurse expect as an indication the wound is healing?

Dark red granulation tissue

56. A nurse is providing discharge teaching for a client who has a new tracheostomy. Which of the following statements by the client indicates an understanding of the teaching?

I'll cut a slit in a clean gauze pad to use as a stoma dressing

57. A nurse is preparing to administer furosemide to a client who has acute heart failure. Which of the following laboratory results should the nurse identify as a contraindication for receiving the medication?

Potassium 3.2 mEq/L

58. A nurse is caring for a client admitted with a skull fracture. which of the following assessment findings should be greatest concern to the nurse?

Glasgow coma scale score changes from 14 to 9

59. A nurse is assessing a client who has myasthenia gravis. Which of the following client statements should indicate to the nurse that the client needs a referral for occupational therapy?

I have a hard time with brushing my hair

60. A nurse is providing discharge teaching to a client who will be self-administering insulin at home. Which of the following information should the nurse include regarding needle disposal?

You can discard needles in an empty bleach bottle with a lid

61. A nurse is assessing a client who has an arteriovenous (AV) graft in the left forearm. Which of the following findings should indicate to the nurse a complication of vascular access?

Absence of a bruit

62. A client who is deaf and communicates using sign language is being admitted by a nurse who does not know sign language. Which of the following actions should the nurse take?

Request an interpreter during the initial assessment

63. A nurse is teaching a client. about the use of the incentive spirometer. which of the following instructions should the nurse include in the teaching?

Hold breaths 3 to 5 seconds before exhaling

64. A nurse is caring for a client who sustained a spinal cord injury in a diving accident. which of the following actions should the nurse take?

Monitor urine output hourly

65. A nurse is planning care for a client who has a central venous access device for intermittent infusions. Which of the following actions should the nurse include in the plan of care?

Flush the catheter using a 10-ml syringe

66. A nurse in the emergency department is caring for a client who has a gunshot wound to the abdomen. Which of the following action should the nurse take first?

Remove all of the client's clothing

67. A nurse is caring for a client following a bronchoscopy. Which of the following action should the nurse take first?

Check the client's gag reflex

68. A nurse is teaching a client about using a metered-dose rescue inhaler. Which of the following statements should the nurse include in the teaching?

Exhale fully before bringing the inhaler to your lips

69. A nurse is instructing a client who has a new diagnosis of type 1 diabetes mellitus about the sick-day rules. Which of the following statements by the client indicates an understanding of the teaching?

I will check my urine for ketones if my blood glucose is greater than 240 mg/dL

70. A nurse is reviewing ABG results for a client who has COPD. Which of the following findings should the nurse expect?

PaCO₂ 48 mm Hg

71. A nurse is admitting a client to a medical unit following placement of a permanent pacemaker. Which of the following findings requires further assessment by the nurse?

Hiccups

72. A nurse is preparing to administer daily medications to a client who is undergoing a procedure at 1000 that requires IV contrast dye. Which of the following routine medications to give at 0800 should the nurse withhold?

Metformin

73. A nurse is planning care for a client who is 1 day postoperative following an open cholecystectomy. Which of the following interventions should the nurse include in the plan of care?

Apply compression stocking socks

74. A nurse is caring for a client who has duodenal ulcer. Which of the following actions should the nurse take? (click on the Exhibit button for additional information)

Infuse packed RBCs

75. A nurse is assessing an older adult client at a health fair. Which of the following statements by the client is the nurse's priority?

In the last day, I have had a severe headache and pain around my right eye.

76. A nurse is caring for an adolescent client who has an acute kidney injury. Which of the following laboratory findings should the nurse anticipate?

Potassium 6.8 mEq/L

77. A nurse is planning care for an older adult client who has Meniere's disease. Which of the following interventions should the nurse include in the plan?

Encourage the client to change positions slowly

78. A nurse is preparing to receive a client from surgery following a transverse colon resection with colostomy placement. The nurse should expect assess the stoma at which of the following locations?

B. on top

79. A nurse is admitting a client to the emergency department after a gunshot wound to the abdomen. Which of the following actions should the nurse take to help prevent the onset of acute kidney failure?

Administer IV fluids to the client

80. A nurse is preparing to administer 1 unit of packed RBCs to an adult client. Which of the following actions should the nurse plan to take?

Complete the transfusion within 2hrs

81. A nurse is planning care for a client who has developed nephrotic syndrome. Which of the following dietary recommendations should the nurse include?

Decrease protein intake

82. A nurse is caring for an older adult client who has dementia. Which of the following questions should the nurse ask to assess the client's abstract thinking?

What is meant by the saying "Don't beat around the bush?"

83. A nurse is caring for a client who has cervical cancer and is receiving brachytherapy. Which of the following actions should the nurse take?

Keep soiled bed linens in the client's room

84. A nurse is preparing a client for a lumbar puncture which of the following images indicates the position the nurse should assist the client into for this procedure?

B.

85. A nurse is caring for a client who has cervical cancer and a sealed radiation implant. Which of the following actions should the nurse take?

Attach a dosimeter badge to the client's gown

86. A nurse is teaching a client who has Grave's disease about recognizing the manifestations of thyroid storm. Which of the following findings should the nurse include in the teaching?

Increased temperature

87. A nurse is caring for a client who is postoperative following a complete thyroidectomy, which of the following findings is the priority for the nurse to report to the provider?

Muscle twitching

88. A nurse is reviewing ECG rhythm strips for a group of clients. the nurse should identify that which of the following rhythms indicates bradycardia?

C

89. a nurse is caring for a client who is receiving epidural analgesia. Which of the following assessment finding is the nurse's priority?

Hypotension

90. A nurse is planning care for a client who has status epilepticus. Which of the following interventions is the nurse's priority to include?

Turn the client lateral position during the seizure activity

91. A nurse is caring for a client following a below the knee amputation. The client states, "my life is over". Which of the following responses should the nurse take?

Why do you think your life is over?

92. A nurse in a clinic is providing preventive teaching to an older adult client during a well visit. The nurse should instruct the client that which of the following immunizations are recommended for healthy adult after age 60?

Pneumococcal polysaccharide

Herpes zoster

Influenza

93. A nurse is planning care for a client who has dementia. Which of the following interventions should the nurse plan to include?

- Turn off the lights in the client's rom at night

- Assist the client with toiling at least once every 4 hrs.

94. A nurse is assessing a client who has new diagnosis of DM1. Which of the following findings indicate that the client is experiencing hypoglycemia?

Increased perspiration

95. A nurse in the PACU is assessing a client who is post-operative following general anesthesia. Which of the following findings is the priority to address?

vomiting upon arousal

96. A nurse is caring for a client who has hypervolemia. Which of the following is an expected assessment finding?

Weight gain

97. A nurse is teaching about measure to prevent recurring urinary tract infections with a female client. Which of the following information should the nurse include in the teaching?

- Wipe the perineal area from front to back after urinating.

- Drink 3L of fluids daily

- Drink low-fructose cranberry juice

98. A nurse is caring for a client following a cardiac-catherization who has hives and urticaria following administration of IV contrast dye. Which of the following Medication should the nurse plan to administer?

Diphenidramine

99. A home care nurse to use non-pharmacological pain relief measures for an adult client who has severe chronic back pain. Which of the following guideline should the nurse use?

Discontinue opioids before trying nonpharmacological methods of pain relief

100. A nurse is caring for a female client who is receiving total parenteral nutrition without fat emulsion. Which of the following findings should the nurse report.?

Crackles in the bilateral lung bases