

Review Test Submission: Exam - Week 11

User

Course NRNP-6635-9/NRNP-6635F-9-Psychopathology Diag
Reasoning2020 Winter Qtr 11/30-02/21-PT27

Test Exam - Week 11

Started 2/15/21 11:36 AM

Submitted 2/15/21 2:03 AM

Due Date 2/15/21 1:59 AM

Status Needs Grading

AttemptScore 86 out of 100 points

re

TimeElapsed 2 hours, 26 minutes out of 2 hours and 30 minutes
d

-

- **Question 1**

Select the mental function that is most affected in mild cognitive impairment.

Selected
Answer:

D.
Recent
memory

- **Question 2**

Select the most frequent cause of infant and childhood intellectual disability that is attributed to a specific gene.

Selected
Answer:

C.
Down
syndrome

- **Question 3**

Select the neurotransmitter that is most associated with the occurrence of ADHD.

Selected
Answer:

B.
Dopami
ne

- **Question 4**

Select the drug of choice to treat psychosis in delirious patients.

Selected Answer: D.
Haloperidol

- **Question 5**

Select the characteristic that is greater in childhood than adult onset schizophrenia.

Selected Answer: B.
Social withdrawal

- **Question 6**

Select the personality disorder in which patients are continually in crisis and exhibit unpredictable behavior.

Selected Answer: C.
Borderline

- **Question 7**

Select the factor that best correlates with attempted and completed suicide.

Selected Answer: A.
Mental illness

- **Question 8**

Select the brain region that shows the greatest anatomical abnormalities in schizophrenic patients.

Selected Answer: D.
Basal ganglia

- **Question 9**

Select the gender dysphoria in which genital surgery is usually not chosen.

Selected Answer: C.
Crossdresser

- **Question 10**

Select the antipsychotic drug for which the labeling carries a black box warning for agranulocytosis.

Selected Answer: A.
Clozapine

- **Question 11**

Select the time of onset for tolerance to develop from continuous use of hallucinogens such as LSD.

Selected Answer: C.
4-7 days

- **Question 12**

Select the most reliable method to make a diagnosis of schizophrenia.

Selected Answer: D.
Patient history

- **Question 13**

Select the dysfunction that is common to 50% to 85% of schizophrenic patients.

Selected Answer: D.
Eye movement

- **Question 14**

Select **two** of the "Four A's" symptoms of schizophrenia described by Bleuler.

Selected Answers: A.
autism
B.
ambivalence

- **Question 15**

Select the personality disorder in which patients exhibit covert obstructionism, procrastination and pessimism.

Selected Answer: D.
Passive-aggressive

- **Question 16**

Select the negative symptom of schizophrenia.

Selected Answer: A.
Anhedonia

- **Question 17**

Select the main cause female orgasmic disorder.

Selected Answer: B. Genetic

- **Question 18**

Select the age range for 90% of patients treated for schizophrenia.

Selected Answer: C. 10-55

- **Question 19**

Select the non-drug therapy in which mastery of anxiety through desensitization is critical to successful treatment of sexual dysfunction.

Selected Answer: D. Group

- **Question 20**

Select the disorder that is often comorbid with brief psychotic disorder.

Selected Answer: D. Personality

- **Question 21**

Select the psychoactive substance that is most frequently consumed worldwide.

Selected Answer: B. Caffeine

- **Question 22**

Select the age range at which most children with gender dysphoria begin to show increased anxiety over anticipated changes to their bodies.

Selected Answer: D. 3 to 4

- **Question 23**

Select the theorist who first studied social and cultural influences on suicide.

Selected Answer: B. Durkheim

- **Question 24**

Select the disorder in which is characterized by lack breast development.

Selected Answer: B.
5- α -reductase
deficiency

- **Question 25**

Select the age range of the highest rate of substance dependence or abuse.

Selected Answer: B.
18-
25

- **Question 26**

Select two terms preferred to describe sexual orientation.

Selected Answers: A.
Gay
D.
Lesbian

- **Question 27**

Select the two patient populations in which delirium occurs most frequently.

Selected Answers: B.
Terminally ill
C.
Long-term
care

- **Question 28**

Select the drug used to treat neuroleptic malignant syndrome.

Selected Answer: C.
Dantrolene

- **Question 29**

Select the drug that is most likely to cause parkinsonian movement symptoms.

Selected Answer: D.
Haloperidol

- **Question 30**

Select the two main conditions to initially identify in adult psychiatric emergencies.

Selected
Answers: B.
Suicide
D.
Substance
intoxication

- **Question 31**

Select the psychiatric emergency that is indicated by mothers who express inadequate distress over their children's medical symptoms.

Selected
Answer: D.
Munchausen's
syndrome

- **Question 32**

Select the drug that is least life-threatening when consumed in an overdose.

Selected
Answer: B.
Zolpidem

- **Question 33**

Select the drug that is most safe and effective in treating mild to moderate memory loss in early Alzheimer's disease.

Selected
Answer: A.
Donepezil

- **Question 34**

Select the substance that is most commonly abused by adolescents.

Selected
Answer: B.
Marijuana

- **Question 35**

Select the development time of symptoms in neuroleptic malignant syndrome.

Selected
Answer: D.
10-14
days

- **Question 36**

Select the patient population at most risk of mortality from delirium.

Selected C.

Answer: Alcohol withdrawal

- **Question 37**

Select the most distinguishing characteristic of delirium.

Selected Answer: B. Sudden onset

- **Question 38**

Select the category of symptoms that is most commonly comorbid with cognitive disorders.

Selected Answer: A. Behavioral

- **Question 39**

Select the primary defense mechanism that is common in delusional disorder.

Selected Answer: A. Projection

- **Question 40**

Select the neurotransmitter system that is most associated with the addictive rewarding properties of opioids.

Selected Answer: A. Dopaminergic

- **Question 41**

Select the type of hallucinations most common in schizophrenia.

Selected Answer: C. Auditory

- **Question 42**

Select the diagnostic criterion for catatonia resulting from a medical condition.

Selected Answer: C. Waxy flexibility

- **Question 43**

Select the **two** factors that are not applicable to diagnosing schizoaffective disorder.

Selected
Answers: C.
Medical
condition
D.
Substance
abuse

- **Question 44**

Select the percentage of substance-addicted persons with a concurrent psychiatric disorder.

Selected
Answer: B.
50

- **Question 45**

Select the hepatic enzyme that performs the initial metabolism of alcohol.

Selected
Answer: A.
AD
H

- **Question 46**

Select the epidemiologic characteristic of tardive dyskinesia symptoms.

Selected
Answer: C.
Absence in age less
than 50

- **Question 47**

Select the neurotransmitter that inhibits sexual orgasm.

Selected
Answer: A.
Serotoni
n

- **Question 48**

Select the drug that is least likely to cause male sexual dysfunction.

Selected
Answer: C.
sertraline

- **Question 49**

Select the youngest age at which childhood-onset schizophrenia can be distinguished from autism spectrum.

Selected Answer: A. 3

- **Question 50**

Select the most effective form of questioning when taking a sex history.

Selected Answer: B. Open-ended

- **Question 51**

Select the initial intervention to treat children experiencing acute school refusal.

Selected Answer: B. Return to school the next normal day

- **Question 52**

Select the primary method to assess cognition.

Selected Answer: C. Mental status exam

- **Question 53**

Select the preferred drug used to treat alcohol withdrawal.

Selected Answer: C. Lorazepam

- **Question 54**

Select the procedure most applicable to confirming a diagnosis of delirium.

Selected Answer: C. EEG

- **Question 55**

Select the brain region that is associated with substance addiction.

Selected Answer: A. Prefrontal cortex

- **Question 56**

Select the **two** defense mechanisms used commonly by patients with personality disorders.

Selected
Answers: C.
Splitting
D.
Projectio
n

- **Question 57**

Select the lifetime prevalence of schizophrenia in the United States.

Selected
Answer: A.
0.1-
1.0%

- **Question 58**

Select the subtype of schizophrenia in which auditory hallucinations are frequent.

Selected
Answer: D.
Residu
al

- **Question 59**

Select the neurotransmitter deficiency that is most associated with delirium.

Selected
Answer: B.
Acetylcholi
ne

- **Question 60**

Select the rating scale used to assess medication-induced movement disorders.

Selected
Answer: C.
AIM
S

- **Question 61**

Select the symptom not present in paranoid personality disorder.

Selected
Answer: B.
Fixed
delusions

- **Question 62**

Select the percentage range of schizophrenic patients that remain significantly impaired throughout their lives.

Selected C.

Answer: 40 to 60

- **Question 63**

Select the drug most likely to inhibit female orgasm.

Selected Answer: Paroxetine

- **Question 64**

Select the **two** non-drug therapies most likely to be effective in treating paraphilic disorders.

Selected Answers: A. Cognitive-behavioral C. Insight

- **Question 65**

Select the **two** patient populations most likely suffer neuroleptic-induced parkinsonian symptoms.

Selected Answers: A. Female C. Elderly

- **Question 66**

Select the factor that is most influential in determining gender role development.

Selected Answer: B. Genetics

- **Question 67**

Select the most common paraphilic disorder.

Selected Answer: C. Pedophilia

- **Question 68**

Select the therapy that is contrary to position statements of the American Academy of Child and Adolescent Psychiatry.

Selected Answer: B.

Answer: Conversion

- **Question 69**

Select the psychiatric disorder in which patients refuse mental health care and deny their problems.

Selected Answer: C. Personality

- **Question 70**

Select the most common cause of dementia in elderly persons.

Selected Answer: C. Alzheimer's disease

- **Question 71**

Select the substance of abuse with the strongest evidence for genetic association.

Selected Answer: C. Alcohol

- **Question 72**

Select the characteristic found in persons with intersex conditions.

Selected Answer: D. Chromosome X abnormality

- **Question 73**

Select the medical condition in which erectile dysfunction drugs (e.g., sildenafil) are likely to be ineffective.

Selected Answer: D. Ischemic heart disease

- **Question 74**

Select the neurotransmitter that increases sexual desire.

Selected Answer: B. Dopamine

- **Question 75**

Select the infectious disease that when untreated may lead to an incorrect diagnosis of depression.

Selected Answer: B.
Lyme

- **Question 76**

Select the **two** essential features of sexual dysfunction.

Selected Answers: A.
Failure to achieve orgasm
C.
Pain during sexual activity

- **Question 77**

Select the personality disorder in which patients seek social withdrawal.

Selected Answer: D.
Schizotypal

- **Question 78**

Select the percentage of the U.S. population with a substance dependence problem as of year 2012.

Selected Answer: B.
20%

- **Question 79**

Select the youngest age by which early-onset schizophrenia occurs.

Selected Answer: B.
13

- **Question 80**

Select **two** psychiatric disorders that are often misdiagnosed as childhood-onset or early-onset schizophrenia.

Selected Answers: A.
Autism spectrum
C.
Bipolar II

- **Question 81**

Select the comorbid disorder that is more frequent in children with gender dysphoria.

Selected Answer: A.
Down syndrome

- **Question 82**

Select two treatments for adults who identify as transgender.

Selected Answers: A.
Hormonal
D.
Surgical

- **Question 83**

Select two comorbid factors common in schizophrenic patients.

Selected Answers: A.
Substance abuse
D.
Undiagnosed medical illness

- **Question 84**

Select the age at which sexual identity is self-evident.

Selected Answer: B.
2 to 3 years

- **Question 85**

Select the pair of terms that represents the greatest conflict regarding sexual behavior.

Selected Answer: C.
medical and legal

- **Question 86**

Select the two characteristics that describe normal sexual behavior.

Selected Answers: A.
Varies from era to era
B.
Reflects cultural mores

- **Question 87**

Select the medical condition that occurs less frequently in schizophrenic patients than in

the general population.

Selected Answer: D.
Rheumatoid arthritis

- **Question 88**

Select the most frequently abused illicit drug.

Selected Answer: A.
Marijuana

- **Question 89**

Select the two drugs used to treat alcohol dependence.

Selected Answers: A.
Naltrexone
C.
Lorazepam

- **Question 90**

Select the percentage of remission that results from correct antipsychotic drug therapy of schizophrenic patients.

Selected Answer: C.
45

- **Question 91**

Select the percent blood alcohol level at which voluntary motor activity becomes impaired.

Selected Answer: C.
0.2

- **Question 92**

Select the drug most likely to be effective treating paraphilic disorders.

Selected Answer: D.
Medroxyprogesterone

- **Question 93**

Select the most distinguishing feature in the course and prognosis of schizophrenia.

Selected Answer: A.
Worsening after each relapse

- **Question 94**

Select the personality disorder in which patients are preoccupied with perfectionism and interpersonal control.

Selected Answer: B.
Obsessive-compulsive

- **Question 95**

Select the rare adverse effect of SSRI antidepressants.

Selected Answer: A.
Tardive dyskinesia

- **Question 96**

Select the neurotransmitter for which the metabolite 5-HIAA in CSF is evident and predictive of suicide.

Selected Answer: A.
Serotonin

- **Question 97**

Select the **two** behaviors of schizophrenic patients that occur more frequently than in the general population.

Selected Answers: B.
Violence
C.
Suicide

- **Question 98**

Select the neurotransmitter that has least involvement in drug-induced movement disorders.

Selected Answer: C.
Dopamine

- **Question 99**

Select the factor that exerts the strongest influence on the initiation of substance use disorder in adolescents.

Selected Answer: C.
Parent
s

- **Question 100**

Select the intrinsic chemical released in orgasm that reinforces pleasurable sensation.

Selected Answer: D.
Oxytocin

- **Question 101**

When completing this exam, did you comply with Walden University's Code of Conduct including the expectations for academic integrity?

Selected Answer: Yes