

CAPSTONE QUIZ MODULE 3

1. a nurse is developing a plan of care for an older adult who is **at risk for falls**. Which of the following actions should the nurse plan to include in the plan? (SATA)

Lock beds and wheelchairs when not providing care

Administer a sedative at bedtime

Provide information about home safety checks

Teach balance and strengthening exercises

Place the bedside table within the clients reach;

2. a nurse is providing teaching to a client who has schizophrenia about **thioridazine**. Which of the following instructions should the nurse include in the teaching?

Report any sign of infection to the provider immediately

Expect your blood pressure to increase

Easy bruising may occur while taking this medication

Muscle rigidity is an expected adverse effect during the first few days of therapy

3. A nurse is teaching a client who has a new prescription **for amoxicillin clavulanate** to treat pharyngitis. Which of the following statements by the client indicates an understanding of the teaching?

I will double my dose if I miss one

I should take this medication on an empty stomach between meals

I will take medication until my sore throat goes away

I will stop taking this medication if I develop itching

4. A nurse is preparing to administer medications to four clients. The nurse should administer medications to which of the following **clients first**?

A client who has pneumonia a WBC count of 11,500/mm³ and is prescribed piperacillin

A client who has renal failure, a serum potassium of 5.8/mEq/L and is prescribed sodium polystyrene sulfonate

A client who is post coronary artery bypass graft (CABG) has total cholesterol of 318mg/dl and is prescribed atorvastatin

A client who has anemia hemoglobin of 11g/dl and is prescribed epoetin alfa

5. a nurse caring for a client who is **vomiting**. Which of the following actions should the nurse take first?

Administer an antiemetic to the client

Notify housekeeping

Prevent the client from aspirating

Providing the client with an emesis basin

6. A nurse is providing teaching to a parent of a child who has celiac disease. The nurse should include which of the following food choices for this child?

Rice

Barley

Wheat

Rye

7. A nurse is caring for a client who is postoperative and has a prescription stockings. which of the following actions should the nurse take?

Check the stockings for wrinkles

Apply the stockings while the client is sitting in a chair

Measure the size of the clients foot

Remove the stockings once each day

8. A nurse is teaching a client about which foods she should include in her **low fiber diet**. Which of the following statements indicates the client understands the teaching?

A fresh pear would be a good snack option

I can prepare refried beans for supper

I should choose white rice as a side dish

Bran cereal would be a good breakfast choice

10. A client is prescribed 1g potassium phosphate IV to be infused continuously over 6 hr.

Available is 1 g potassium phosphate in 250ml dextrose 5% water (D5W). The nurse should set the IV pump to run at how many ml/hr?(round nearest whole number)

42.

11. a nurse is assessing a client who has a **hip fracture**. Which of the following findings should the nurse expect?

Hip pallor

Leg abduction

Muscle spasms

Leg lengthening

12. A nurse is reviewing the medical record of a client who has a new prescription for **clozapine** for the treatment of schizophrenia. Which of the following findings indicates a contraindication to clozapine?

Fasting blood glucose 120mg/dl

Asthma

Hypertension

WBC count 3.300/mm

13. A nurse is teaching a client who reports insomnia about promoting rest and sleep. Which of the following statements should the nurse identify as an indication that the client understands the instructions?

I will walk briskly for 30minute before bedtime

I will have a cup of hot cocoa immediately before bedtime

I will no longer have a glass of wine before bedtime

I will do my muscle relaxation techniques each afternoon

14. A nurse is planning care for an older adult client who is at risk for developing pressure ulcers. Which of the following interventions should the nurse use to help maintain the integrity of the clients skin?

Elevate the head of the bed no more than 45

Apply cornstarch to keep sensitive skin area dry

Massage the skin over the clients bony prominences

Use a transfer device to lift the client up in bed

15. A nurse is teaching an older adult client who has left sided weakness about cane use. Which of the following instructions should the nurse include?

Hold the cane with your left hand

Move the cane forward 18 inches with each step

When walking moves your left foot forward first

Keep your elbow straight when you hold the cane

16. A nurse is planning care for a client who has **dehydration** and is receiving a continuous IV infusion of 0.9% sodium chloride. Which of the following intervention should the nurse include in the plan of care?

Monitor the clients intake and output every 6 hr

Administer furosemide to the client

Check the clients IV infusion every 8hr

Offer the client 240 ml (8oz) of oral fluids every 4hr

18. A nurse is teaching a client who has a new **diagnosis of type 1diabetes mellitus** about self administration of insulin. Which of the following instructions should the nurse include?

Store the current bottle of insulin at room temperature

Massage the injection site after removing the needle

Pull back on the plunger after injecting the insulin

Use each syringe up to six times

19. a nurse is reviewing a clients lab result. Which of the following lab values should the nurse report to the provider?

Magnesium 1.9mEq/L

Potassium 3.6mEq/L

Sodium 126 mEq/L

Chloride 99 mEq/L

20. a nurse is teaching a female client who is experiencing **alcohol withdrawal** about chlordiazepoxide. Which of the following information should the nurse include in the teaching?

This medication may increase your blood pressure

Breast tenderness may occur with this medication

You can double the dose of medication if you feel anxious

Notify the provider if pregnancy is desired or suspected

22. a nurse is teaching a female client who has **anxiety disorder about alprazolam**. Which of the following information should the nurse include in the teaching?

This medication may increase your blood pressure

Use a reliable form of contraception while taking this medication

If a dose is missed double the next dose of medication

Do not eat age cheeses while taking this medication

23. A nurse is caring for an older adult client. The nurse informs the client that straining while defecating can cause which of the following?

Diarrhea

Gastric ulcer

Dilated pupils

Dysrhythmias

24. A nurse manager is presenting to a group of unit nurses the categories regulated under the controlled substances Act. Which of the following medication prescriptions should the nurse include under **schedule II**?

Buprenorphine hydrochloride

Hydrocodone bitartrate

Diazepam

Morphine

25. A nurse is caring for a client following an esophagogastroduodenoscopy (EGD) procedure. Which of the following assessments is the nurses priority?

Level of consciousness

Pain

Nausea

Gag reflex

26. A nurse is providing teaching to a client who has a new prescription for **lisinopril**. Which of the following statements by the nurse indicates an understanding of the teaching?

I should take this medication with food

I should report a cough to my provider

I should expect to have facial swelling when taking this medication

I should increase my intake of potassium rich foods

27. a nurse is teaching an older adult client who reports **constipation**. Which of the following instructions should the nurse include in the teaching?

Increase dietary intake of raw vegetables

Limit activity

Drink four to five glasses of water daily

Bear down hard when defecating

28. A nurse in a clinic sees a client who has an acute asthma exacerbation. Which of the following medications should reduce the symptoms?

Cromolyn via metered dose inhaler

Budesonide via dry powder inhaler

Montelukast orally

Albuterol via jet nebulizer

29. A nurse is caring for a client who requires total parenteral nutrition (TPN). Which of the following actions should the nurse take when finding that the TPN solution is infusing too rapidly?

Sit the client upright

Stop the TPN infusion

Turn the client on his left side

Prepare to add insulin to the TPN infusion

30. A nurse is teaching a client about foods that are included on a clear liquid diet. Which of the following food choices made by the client indicates the need for further teaching?

Gelatin

Broth

Popsicle

Yogurt

31. A nurse is caring for a client who has an indwelling urinary catheter and a prescription for a urine specimen for culture and sensitivity. Which of the following actions should the nurse take?

Wipe the area of needleless port with sterile water

Insert the needle into the needleless port at a 60 angle

Withdraw 3 to 5 ml of urine from the port

Don sterile gloves

32. A nurse is assessing a client who has asthma. Which of the following areas should the nurse evaluate as the most reliable indicator of **central cyanosis**?

Oral mucosa

Conjunctivae

Soles of the feet

Ear lobes

33. A nurse is teaching a client who has **hypertension** and a new prescription for atenolol. Which of the following findings should the nurse include as **adverse effects** of this medication?

Cough

Tremor

Constipation

bradycardia

34. A nurse is planning preoperative care for a client who will undergo surgery. Which of the following is the priority action by the nurse?

Discuss if family members will assist with postoperative care

Review the client's current home environment

Identify the client's usual coping mechanism

Determine what the client knows about the surgery

35. A nurse is completing discharge to a client about nutrition therapy for wound healing following major surgery. Which of the following vitamins that promote wound healing should the nurse include in the teaching? (SATA)

Vitamin B12

Vitamin C

Vitamin K

Vitamin D

Vitamin A

36. A nurse is preparing to admit a client to the PACU who received a competitive neuromuscular blocking agent. Which of the following items should the nurse place at the client's bedside?

Defibrillator machine

Chest tube equipment

Central venous catheter tray

Bag valve mask device

37. A nurse is preparing to administer aspirin 650mg PO every 12 hr. The amount available is aspirin 325mg tablets. How many tablets should the nurse administer?(nearest whole number)

2

38. A nurse should teach which of the following clients requiring crutches about how to use a three point gait?

A client who has a right femur fracture with no weight bearing on the affected leg

A client who has bilateral leg braces due to paralysis of the lower extremities

A client who has bilateral knee replacements with partial weight bearing on both legs

A client who is able to bear full weight on both lower extremities

39. A nurse is caring for a client who has bilateral eye patches in place following an injury. When the clients food tray arrives, which of the following interventions should the nurse take to promote independence in eating?

Explain to the client that her tray is here and place her hands on it

Ask the client if she would prefer a liquid diet

Assign an assistive personnel to feed the client

Describe to the client the location of the food on the tray

40. A nurse is preparing to perform a 12 lead electrocardiogram. Which of the following instructions should the nurse provide to the client?

Try to remain still once I have attached the gel pads

I will be placing electrodes on your breast

I will lower the head of your bed so you can lie flat

Try to hold your breath until this procedure is complete

41. A nurse is monitoring an older adult female client who had a myocardial infarction (MI) for the development of an acute kidney injury. Which of the following findings should the nurse identify as indicating an increased risk of acute kidney injury (AKI)?

Magnesium 2.0 mEq/L

Blood urea nitrogen (BUN) 20 mg/dL

Serum Osmolality 290 mOsm/kg H₂O

Serum creatinine 1.8 mg/dL

42. A nurse is teaching a client who has tuberculosis and is to start combination drug therapy. Which of the following medications should the nurse plan to administer? (SATA)

Acyclovir

Pyrazinamide

Isoniazid

Montelukast

Rifampin

43. A nurse is teaching a client who has a new prescription for **clopidogrel**. Which of the following instructions should the nurse include?

Take this medication with food

Take this medication three times daily

You might have to stop taking this medication 5 days before any planned surgeries

Expect to have black colored stools while taking medication

44. A nurse is assessing a client who has **carpal tunnel syndrome**. The nurse should expect which of the following findings?

Positive chvostek's sign

Cool extremities

Positive phalen's sign

Decreased radial pulse

45. A nurse is planning to administer an IM injection into a clients deltoid muscle. Which of the following actions should the nurse take?

Use a 21 gauge needle for the injection

Inject the medication at a 90 angle

Inject the medication 12.7cm (5in) below the

47. A nurse is teaching a client who has a new prescription for **sumatriptan tablets** to treat **migraine headaches**. Which of the following instructions should the nurse include?

Chew tablet well before swallowing

Report swelling of eyelids after dosage

Repeat dose in 1 hour for unrelieved headache

Take daily to prevent headache

48. A nurse is caring for a client who had a left hip arthroplasty. Which of the following interventions should the nurse use to prevent dislocation?

Maintain foam wedge between legs

Monitor for shortening of the affected leg

Encourage use of elastic stockings

Avoid flexing the hips more than 60

49. A nurse is caring for a client who had total thyroidectomy and a serum calcium level of 7.6mg/dl. Which of the following findings should the nurse expect?

Shortened QT intervals

Hypoactive deep tendon reflexes

Tingling of the extremities

constipation

50. A nurse is preparing to administer enoxaparin to a client. Which of the following actions should the nurse plan to take?

Aspirate for a blood return before depressing the plunger

Insert the needle at 45 angle

Administer the medication 2.54cm(1in) from the umbilicus

The nurse should not expel the air bubble in the prefilled syringe

51. A nurse is planning care for a client who has cirrhosis and ascites. Which of the following interventions should the nurse include in the plan of care?

Increase the clients sodium intake

Increase the clients saturated fat intake

Decrease the clients carbohydrate intake

Decrease the clients fluid intake

52. A nurse is teaching a client who has a new prescription for **ferrous sulfate**. Which of the following statements by the client indicates an understanding of the teaching?

I should expect dark tarry stools

I should expect increased bruising

I will not get as many infections

I will expect the color of my urine to be amber

53. A nurse is caring for a client who has a prescription for a **clear liquid diet**. Which of the following foods should the nurse allow the client to have?

Lemon sherbet

Milkshake

Vanilla ice cream

Grape juice

54. A nurse is teaching a client who is scheduled for a CT scan of the head with contrast. Which of the following statements by the client indicates a need for further teaching?

I will not eat or drink 4hr prior to the procedure

I will keep my head still during the procedure

I will feel a warm sensation when the dye is injected

I can take my morning dose of metformin

55. A nurse is assessing a client following a head injury and a brief loss of consciousness. Which of the following findings should the nurse report to the provider?

Glasgow Coma scale (GCS) score of 12

Edematous bruise on forehead

Small drops of clear fluid in left ear

Pupils are 4mm and reactive to light

56. A nurse is teaching a client who is in her first trimester of pregnancy about over the counter medications that are a pregnancy risk category B. which of the following medications should the nurse include?

Naproxen

Aspirin

Ibuprofen

Acetaminophen??

57. A nurse is preparing to measure a client's level of oxygen saturation and observes edema of both hands and thickened toenails. The nurse should apply the pulse oximeter probe to which of the following locations?

Finger

Earlobe

Toe

Skin fold

58. A nurse is caring for a child who is allergic to penicillin. The nurse should verify which of the following prescriptions with the provider?

Amphotericin B

Amoxicillin clavulanate

Erythromycin

Gentamicin

59. a nurse is caring for a client who has hypertension and has hypertension and has a potassium of 6.8mEq/L. Which of the following action should the nurse take?

Suggest that the client use a salt substitute

Obtain a 12 lead ECGu

Obtain a blood sample for a serum sodium level

Advise the client to add citrus juices and bananas to her diet

60. The nurse asks a client who is about to have a cardiac catheterization about any allergies. The client states I always get a rash when I eat shellfish. Which of the following is the priority nursing action?

Attach a wrist band indicating the clients allergy

Ask the client if any other foods cause such a reaction

Notify the dietary department of the clients allergy

Notify the provider of the clients allergy

61. A nurse is teaching the partner of a client who had a stroke about manifestations of dysphagia. Which of the following statements by the clients partner indicates the need for further teaching?

I will monitor my husband for coughing while he is eating

I will monitor my husband for pocketing food in his mouth

I will monitor for a change in my husband voice after he swallows

I will monitor my husband for tilting his head forward when he swallows

62. A nurse is caring for a client who reports difficulty sleeping while in the hospital. Which of the following actions taken by the assistive personnel (AP) while the client is sleeping should prompt the nurse to intervene?

Closes the door to the clients room

Flushes the clients toilet after emptying the urinary catheters drainage bag

Measures the clients vital signs routinely

Asks a group of nurses in the hall to speak quietly

63. A nurse is caring for a client who is postoperative following a cholecystectomy and reports pain. Which of the following actions should the nurse take? (SATA)

Change the client's position

Identify the clients pain level

Remind the client to use incisional splinting

Assist the client to ambulate

Offer the client a back rub

64. A nurse is performing a pain assessment for a client who is alert. The nurse should recognize that which of the following measures is the most reliable indicator of pain?

Self report of pain

Nonverbal behavior

Severity of the condition

Vital signs

65. A nurse is assessing a client who is being admitted from the PACU following an abdominal hysterectomy. Which of the following assessments is the nurses priority?

Urinary output

Pain level

Oxygen saturation

Abdominal dressing

66. a nurse is preparing to discontinue a clients indwelling urinary catheter. Which of the following actions should the nurse take first?

Measure and document the urine in the drainage bag

Remove the tape or device securing the catheter to the clients thigh

Position the client supine

Deflate the catheter balloon using a sterile syringe

67. A nurse is teaching about levothyroxine with a client who has primary hypothyroidism. Which of the following statements should the nurse use when teaching the client?

Take this medication until your symptoms are gone and then discontinue

Symptoms improve immediately after starting the medication

The medication decreases the overproduction of the thyroid hormone thyroxine

Tremors nervousness and insomnia may indicate your dose is too high

68. A nurse is assessing a client 15min after administering morphine sulfate 2 mg via IV push. The nurse should identify which of the following findings as an adverse effect of the medication?

Sleepy, but arousing when her name is called

SaO₂ 94%

Respiratory rate 8/min

Pain level of 6 on a scale from 0 to 10

69. A nurse is caring for a client who has not voided for 8hr following the removal of an indwelling urinary catheter. Which of the following actions should be the nurse take first?

Provide assistance bathroom

Insert a straight catheter

Increase fluids

Perform a bladder scan

70. a nurse is teaching a client about how to use her new hearing aids. Which of the following statements should the nurse identify as an indication that the client needs further instruction?

I will not use hairspray if I am wearing the hearing aids

I will clean the hearing aids with alcohol wipes

I will change the batteries once a week

I will expect the hearing aids to whistle when I cup my hand over them

71. A nurse is caring for a client who was exposed to anthrax. Which of the following antibiotics should the nurse plan to administer?

Fluconazole

Tobramycin

Ciprofloxacin

Vancomycin

72 A nurse is caring for a client who has impaired mobility. Which of the following support devices should the nurse plan to use prevent the client from developing plantar flexion contractures?

Sheepskin heel pad

Footboard

Trochanter roll

Abduction pillow

74. A nurse is caring for a client who had a stroke involving right cerebral hemisphere. The nurse should monitor for which of the following findings?

Deficits in the right visual field

Unable to discriminate words and letters

Motor retardation

Poor impulse control

75. A nurse is caring for a client who just had a flexible bronchoscopy. Which of the following nursing actions is appropriate?

Irrigate the clients throat every 4 hr

Withhold food and liquids until the clients gag reflex returns

Suction the clients oropharynx frequently

Have the client refrain from talking for 24hr

76. A nurse is assessing a clients wound dressing and observes a watery red drainage. The nurse should document this drainage as which of the following?

Purulent

Serous

Sanguineous

Serosanguineous

77. A nurse at a provider's office is providing teaching to a client who is taking chemotherapy and losing weight. Which of the following should the nurse recommend increasing calorie and protein intake? (SATA)

Top fruits with yogurt

Add cream to soups

Increase fluids during meals

Use milk instead of water in recipes

Dip meats in eggs and breadcrumbs before cooking

78. A nurse is teaching a client who has left hemiparesis how to use a cane. Which of the following instructions should the nurse include?

Place the cane approximately 61cm (24 in) in front of her feet before advancing

Advance the right leg and the cane together to support the weaker leg

Remove the rubber tip when using the cane

Hold the cane on the right side to provide support for the weaker leg

79. A nurse is preparing to administer digoxin 0.25mg PO daily. The amount available is digoxin 0.125mg tablets. How many tablets should the nurse administer? (nearest whole number)

2

80. A nurse is presenting educational materials for a group of middle-aged clients about menopausal hormone therapy following total hysterectomy. Which of the following information should the nurse include in the information?

Take at different times of the day

Prevents from having a cerebral hemorrhage

Prevents osteoporotic fractures

Take an extra dose if missed a day

81. a nurse is preparing to administer furosemide 40mg IV. Available is furosemide 10mg/1ml. How many ml should the nurse administer per dose?

4

A nurse receives report about assigned clients at the start of the shift. Which of the following clients should the nurse plan to see first?

A client who experienced a vaginal birth 24hr ago and reports no bleeding

A client who experienced a cesarean birth 4hr ago and reports pain

A client who has preeclampsia with a BP of 138/90mm Hg

A client who is scheduled for discharge following laparoscopic tubal ligation

82. a nurse is caring for a client who has urinary incontinence . which of the following actions should the nurse implement to prevent the development of skin breakdown?

Request a prescription for the insertion of an indwelling urinary catheter

Check the clients shin every 8hr for signs of breakdown

Apply a moisture barrier ointment to the clients skin

Clean the clients skin and perineum with hot water after each episode of incontinence

83. a nurse is talking with a client who is about to start using transcutaneous electrical nerve stimulation (TENS) to manage chronic pain. Which of the following statements should the nurse identify as an indication that the client needs further teaching?

I wish I didn't have to attach the electrodes to my skin

I II need to shave the hair off the skin where I place the electrodes

I hope I don't have to take as many pain pills

Its unfortunate that I have to be in the hospital for this treatment

84. The nurse is evaluating a client who had a **cardiac catheterization** with a left antecubital insertion site. Which of the following pulses should the nurse palpate?

Brachial pulse in the right arm

Radial pulse in the right arm

Branchial pulse in the left arm

Radial pulse in the left arm

85. A nurse receives report about assigned clients at the start of the shift. Which of the following clients should the **nurse plan to see first**?

A client who experienced a vaginal birth 24hr ago and reports bleeding

A client who experienced a cesarean 4hr ago and report pain

A client who has preeclampsia with a BP of 138/90mm Hg

A client who is scheduled for discharge following a Laparoscopic tubal ligation

86. A nurse is providing dietary teaching for a client who has a burn injury and adheres to a vegan diet. The nurse should recommend which of the following foods as the best source of protein to promote wound healing?

One cup of brown rice

One cup of pureed avocado

One cup of lentils

One cup of orange juice

87. a nurse is caring for a client who has asthma and is taking **fluticasone**. The nurse should monitor the client for which of the following adverse effects?

Polyuria

Oral candidiasis

Hypertension

Hypoglycemia

88. A nurse is teaching a client who has diabetes mellitus and a new prescription for prednisone for a rash. Which of the following statements by the client indicates the need for further teaching?

I might have a hard time falling asleep while taking prednisone

I might feel a little emotional when I am on this medicine

I might need to increase my regular insulin during this time

I will gradually stop the prednisone when my rash goes away

90. a nurse is monitoring a client following a thoracentesis. The nurse should identify which of the following manifestations as a complication and contact the provider immediately?

Increased heart rate

Decreased temperature

Serosanguineous drainage from the puncture site

Discomfort at the puncture site