

**THE PROPOSED CONSTRUCTION OF A COMMERCIAL
DEVELOPMENT MERU COUNTY**

MR. JULIUS KABERIA KOBIA

BILLS OF QUANTITIES

PREPARED BY

Jun-26

ITEM	DESCRIPTION	AMOUNT
	PARTICULAR PRELIMINARIES	
A	PRICING ITEMS OF PRELIMINARIES Prices SHALL BE INSERTED against items of “preliminaries” in the priced Bills of Quantities. The contractor is advised to read and understand all preliminary items.	
B	DESCRIPTION OF THE WORKS The works to be carried out under this contract involves; Construction of a commercial development which involves; Substructures, Superstructure, walling, Doors, Windows, external and internal finishes, roof, plumbing .and electrical services	
C	FLOOR AREAS The total gross floor areas are approximately 450 square metres . The total gross floor area is given without warranty but for guidance only.	
D	MEASUREMENTS In the event of any discrepancies arising between the Bills of Quantities and the actual works, the site measurements shall generally take precedence. However, such discrepancies between any contract documents shall immediately be referred to the PROJECT MANAGER in accordance with Clause 22 of the Conditions of Contract. The discrepancies shall then be treated as a variation and be dealt with in accordance with Clause 22 of the said Conditions.	
E	LOCATION OF SITE The site of the proposed works is located at LAARE, MERU COUNTY The Contractor is advised to visit the site, to familiarize with the nature and position of the site. No claims arising from the Contractor’s failure to do so will be entertained. The Contractor shall be deemed to have verified for themselves following:- (a) The nature of the site (b) The amount of clearing and cutting and fillings and therefore ready (c) The nature of existing communication by road or otherwise.	
	(d) The availability of land for the erection and positioning of all temporary	
	Carried to collection	0.00

ITEM	DESCRIPTION	AMOUNT
A	DEMOLITIONS AND ALTERATIONS The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc. as directed by the Project Manager and as necessary for the adequate propping and protection of existing property, finishes, workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor. All protective devices are to be removed on completion of the works and any necessary making good consequent upon this is to be executed to the satisfaction of the Project Manager The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described. Unless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and carted away from site. The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a result of the condition of the item concerned	20,000.00
B	CLEARING AWAY The Contractor shall remove all temporary works, rubbish, debris and surplus materials from the site as they accumulate and upon completion of the works, remove and clear away all plant, equipment, rubbish, unused materials and stains and leave in a clean and tidy state to the reasonable satisfaction of the Project Manager. The whole of the works shall be delivered up clean, complete and in perfect condition in every respect to the satisfaction of the Project Manager.	10,000.00
C	CLAIMS It shall be a condition of this contract that upon it becoming reasonably apparent to the Contractor that he has incurred losses and / or expenses due to any of the contract conditions, or by any other reason whatsoever, he shall present such a claim or intent to claim notice to the PROJECT MANAGER within the contract period. No claim shall be entertained upon the expiry of the said contract period.	
	Carried to collection	30,000.00

ITEM	DESCRIPTION	AMOUNT
A	PAYMENTS The tenderer's attention is drawn to the fact that the GOVERNMENT DOES NOT MAKE ADVANCE PAYMENTS but pays for work done and materials delivered to sit: all in accordance with Clause 23 of the Conditions of Contract Agreement. In order to facilitate this, a list of the general component elements for the works is given at the summary page of these specifications and the tenderer is requested to break down his tender sum commensurate to the said elements	
B	PREVENTION OF ACCIDENT, DAMAGE OR LOSS The Contractor is instructed to take reasonable care in the execution of the works as to prevent accidents, damage or loss of any item during project execution. The Contractor shall allow in his rates any expense he deemed necessary by taking such care within the site.	30,000.00
C	WORKING CONDITIONS The Contractor shall allow in his rates for any interference that he may encounter in the course of the works for the Client may in some cases ask the Contractor not to proceed based on his own reason.	
D	SIGNBOARD Allow for providing, erecting, maintaining throughout the course of the Contract and afterwards clearing away a signboard as designed, specified and approved by the Project Manager.	40,000.00
E	LABOUR CAMPS The Contractor shall not be allowed to house labour on site. Allow for transporting workers to and from the site during the tenure of the contract.	20,000.00
F	MATERIALS FROM DEMOLITIONS Any materials arising from demolitions and not re-used shall become the property of the client. The Contractor shall allow in his rates the cost of transporting the demolished materials as directed.	5,000.00
	Carried to collection	95,000.00

ITEM	DESCRIPTION	AMOUNT
A	PRICING RATES The tenderer shall include for all costs in executing the whole of the works, including transport, replacing damaged items, fixing, all to comply with the said Conditions of Contract.	
B	SECURITY The Contractor shall allow for providing adequate security for the works and the workers in the course of execution of this contract. No claim will be entertained from the Contractor for not maintaining adequate security for both the works and workers.	
C	URGENCY OF THE WORKS The Contractor is notified that these “works are urgent” and should be completed within the period stated in these Particular Preliminaries. The Contractor shall allow in his rates for any costs he/ she deems that he/she may incur by having to complete these works within the stipulated contract period.	
D	PAYMENT FOR MATERIALS ON SITE All materials for incorporation in the works must be stored on site before payment is effected, unless specifically exempted by the Project Manager. This is to include materials of the Contractor, nominated sub-Contractors and nominated suppliers.	
E	EXISTING SERVICES Prior to the commencement of any work, the Contractor is to ascertain from the relevant authority the exact position, depth and level of all existing services in the area and he/she shall make whatever provisions may be required by the authorities concerned for the support, maintenance and protection of such services.	50,000.00
F	CONTRACT COMPLETION PERIOD The contract completion period in accordance with condition 31 of the Conditions of contract must be adhered to. The ‘PROJECT MANAGER’ shall strictly monitor the Contractors progress in relation to the progress chart and should it be found necessary the ‘PROJECT MANAGER’ shall inform the Contractor in writing that his actual performance on site is not satisfactory. In all such cases the Contractor shall accelerate his rate of performance production and progress by all means such as additional labour, plant, etc. and working overtime all at his cost.	
	Carried to collection	50,000.00

ITEM	DESCRIPTION	AMOUNT
C	VALUE ADDED TAX The Contractor's attention is drawn to the Legal Notice in the Finance Act part 3 Section 21(b) operative from 1st September, 1993 which requires payment of VAT on all contracts. The Contractor should therefore include allowance in his rates and prices for prices for VAT and any other Government taxes currently in force. NB: VAT shall be added at the Grand Summary page	
	<i>Carried to collection</i>	0.00

ITEM	DESCRIPTION	AMOUNT
A	PARTICULARS OF INSERTIONS TO BE MADE IN APPENDIX TO The following are the insertions to be made in the appendix to the Contract Agreement: - Period of Final Measurement 3 Months From Practical completion Defects Liability Period 6 Months from Practical completion Date for Possession To be agreed with the Project Manager Date for Completion 24 Weeks from date of Possession Liquidated and Ascertained At the rate of Ksh. 30,000... per week or part thereof Prime cost sums for which the Contractor desires to tender for the pre defined items and activities. Period of Interim Certificates Monthly Period of Honouring Certificates 30 days Percentage of Certified Value Retained 10% Limit of Retention Fund 10%	
	<i>Carried to collection</i>	0.00

ITEM	DESCRIPTION	AMOUNT
A.	GENERAL PRELIMINARIES METHOD OF MEASUREMENT The Bills of Quantities have been prepared in accordance with the general Principles of the Standard Method of Measurement of Building Works for East Africa, Second Edition (Metric), published by the Architectural Association of Kenya, Chapter of Quantity Surveyors.	
B.	PRICING ITEMS OF PRELIMINARIES AND PREAMBLES Prices will be inserted against items of Preliminaries in the Contractor's priced Bills of Quantities and Specification. The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract.	
C.	ABBREVIATIONS Throughout these Bills, units of measurement and terms are abbreviated and shall be all the requirements for the proper execution of the whole of the works in the Contract. <i>C.M.</i> Shall mean cubic metre <i>S.M.</i> Shall mean square metre <i>L.M.</i> Shall mean linear metre <i>MM</i> Shall mean Millimetre <i>Kg.</i> Shall mean Kilogramme <i>No.</i> Shall mean Number <i>Prs.</i> Shall mean Pairs <i>B.S.</i> - Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I.. Eneland.	
	<i>Ditto</i> - Shall mean the whole of the preceding description except as qualified in the description in which it occurs. <i>m.s.</i> Shall mean measured separately. <i>a.b.d</i> Shall mean as before described.	
	Carried to collection	0.00

ITEM	DESCRIPTION	AMOUNT
A.	EXCEPTION TO THE STANDARD METHOD OF Attendance ; Clause B19(a) of the Standard Method of Measurement is deleted and the following clause is substituted:- Attendance on nominated Sub-Contractors shall be given as an item in each case shall be deemed to include: allowing use of standing scaffolding, mess rooms, sanitary accommodation and welfare facilities; provision of special scaffolding where necessary; providing space for office accommodation and for storage of plant and materials; providing light and water for their work; clearing away rubbish; unloading checking and hoisting; providing electric power and removing and replacing duct covers, pipe casings and the like necessary for the execution and testing of Sub-Contractors' work and being responsible for the accuracy of the same. Fix Only:- "Fix Only" shall mean take delivery at nearest railway station (Unless otherwise stated), pay all demurrage charges, load and transport to site where necessary, unload, store, unpack, assemble as necessary, distribute to position, hoist and fix only.	
B.	EMPLOYER The "Employer" is FUND MANAGER WESTLANDS CONSTITUENCY The term "Employer" and "Government" wherever used in the contract document shall be synonymous	
C.	PROJECT MANAGER The term "P.M." wherever used in these Bills of Quantities shall be deemed to imply the Project Manager as defined in Condition 1 of the Conditions of Contract or such person or persons as may be duly authorised to represent him on behalf of the Government.	
D.	ARCHITECT The term "Architect" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is LIVARCH DESIGNS STUDIOS	
	Carried to collection	0.00

ITEM	DESCRIPTION	AMOUNT
A	QUANTITY SURVEYOR The term "Quantity Surveyor" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is LIVARCH DESIGNS STUDIOS	
B	ELECTRICAL ENGINEER The term "Electrical Engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is LIVARCH DESIGNS STUDIOS	
C	MECHANICAL ENGINEER The term "Mechanical Engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is LIVARCH DESIGNS STUDIOS	
D	STRUCTURAL ENGINEER The term "Structural Engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is LIVARCH DESIGNS STUDIOS	
E	FORM OF CONTRACT The Form of Contract shall be as stipulated in the Republic of Kenya's Standard Tender Document for Procurement of Building Works(2000 Edition) included herein The Conditions of Contract are also included herein <i>Conditions of Contract</i> These are numbered from 1 to 37 as set out in pages 18 to Particulars of insertions to be made in the Appendix to the Contract Agreement will be found in the Particular Preliminaries part of these Bills of Quantities	
	Carried to collection	0.00

ITEM	DESCRIPTION	AMOUNT
A	BOND. The Contractor shall find and submit on the Form of Tender an approved bank who will be willing to be bound to the Government in an amount equal to five per cent (5) of the Contract amount for the due performances of the Contract up to the date of completion as certified by the PROJECT MANAGER and who will, when and if called upon, sign a Bond to that effect on the relevant standard form included herein. (without the addition of any limitations) on the same day as the Contract Agreement is signed, by the Government, the Contractor shall furnish within seven days another Surety to the approval of the Government.	
B	PLANT, TOOLS AND VEHICLES Allow for providing all scaffolding, plant, tools and vehicles required for the works except in so far as may be stated otherwise herein and except for such items specifically and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work.	
C	TRANSPORT. Allow for transport of workmen, materials, etc., to and from the site at such hours and by such routes as may be permitted by the competent authorities.	
D	MATERIALS AND WORKMANSHIP. All materials and workmanship used in the execution of the work shall be of the best quality and description unless otherwise stated. The Contractor shall order all materials to be obtained from overseas immediately after the Contract is signed and shall also ensure they are onsite when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials.	
E	SIGN FOR MATERIALS SUPPLIED. The Contractor will be required to sign a receipt for all articles and materials supplied by the PROJECT MANAGER at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the PROJECT MANAGER at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the PROJECT MANAGER	
	Carried to collection	0.00

ITEM	DESCRIPTION	AMOUNT
A	STORAGE OF MATERIALS The Contractor shall provide at his own risk and cost where	100,000.00
B	SAMPLES The Contractor shall furnish at his own cost any samples of The procedure for submitting samples of materials for testing	
C	GOVERNMENT ACTS REGARDING WORKPEOPLE ETC. Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labour and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople. The Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labour, labour camps , passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow accordingly in his tender. No claim in respect of want of knowledge in this connection will be entertained.	
	Carried to collection	100,000.00

ITEM	DESCRIPTION	AMOUNT
A	SECURITY OF WORKS ETC. The Contractor shall be entirely responsible for the security of all the works stores, materials, plant, personnel, etc., both his own and sub-contractors' and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and the protection of the public.	50,000.00
B	PUBLIC AND PRIVATE ROADS. Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER	20,000.00
C	EXISTING PROPERTY. The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER	60,000.00
D	VISIT SITE AND EXAMINE DRAWINGS. The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.	10,000.00
E	ACCESS TO SITE AND TEMPORARY ROADS. Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER.	35,000.00
	Carried to collection	175,000.00

ITEM	DESCRIPTION	AMOUNT
A	AREA TO BE OCCUPIED BY THE CONTRACTOR The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the PROJECT MANAGER	
B	OFFICE ETC. FOR THE PROJECT MANAGER The Contractor shall provide, erect and maintain where directed on site and afterwards dismantle the site office of the standard type, complete with furniture. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the PROJECT MANAGER including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with levelling staff, ranging rods and 50 metre metallic or linen tape.	55,000.00
C	WATER AND ELECTRICITY SUPPLY FOR THE WORKS The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER . The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Sub--contractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use.	80,000.00
D	SANITATION OF THE WORKS The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER	20,000.00
	Carried to collection	155,000.00

ITEM	DESCRIPTION	AMOUNT
A	SUPERVISION AND WORKING HOURS The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.	
B	PROVISIONAL SUMS. The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement. Such sums are net and no addition shall be made to them for profit.	
C	PRIME COST (OR P.C.) SUMS. The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.	
D	PROGRESS CHART. The Contractor shall provide within two weeks of Possession of Site and in agreement with the PROJECT MANAGER a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors ; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.	
C.	ADJUSTMENT OF P.C. SUMS. In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER'S order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid. Items of "attendance"	
	Carried to collection	0.00

ITEM	DESCRIPTION	AMOUNT
A	ADJUSTMENT OF P.C. SUMS. Ctd..... Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor.	
B	ADJUSTMENT OF PROVISIONAL SUMS. In the final account all Provisional Sums shall be deducted and the value of the work properly executed in respect of them upon the PROJECT MANAGER's order added to the Contract Sum. Such work shall be valued as described for Variations, but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or articles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added.	
C	NOMINATED SUB-CONTRACTORS When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-contracts and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance".	
D	DIRECT CONTRACTS Notwithstanding the foregoing conditions, the Government reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.	
	Carried to collection	0.00

ITEM	DESCRIPTION	AMOUNT
A	ATTENDANCE UPON OTHER TRADESMEN, ETC. The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills.	50,000.00
B	INSURANCE The Contractor shall insure as required in Clause 30 of the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER's inspection.	120,000.00
C	PROVISIONAL WORK All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense.	
D	ALTERATIONS TO BILLS, PRICING, ETC. Any unauthorised alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored. The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted.	
	Carried to collection	170,000.00

ITEM	DESCRIPTION	AMOUNT
A	BLASTING OPERATIONS Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.	
B	MATERIALS ARISING FROM EXCAVATIONS Materials of any kind obtained from the excavations shall be the property of the Government. Unless the PROJECT MANAGER directs otherwise such materials shall be dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise have had to supply with the written permission of the PROJECT MANAGER Should such permission be given, the Contractor shall make due allowance for the value of the materials so used at a price to be agreed.	30,000.00
C	PROTECTION OF THE WORKS. Provide protection of the whole of the works contained in the Bills of Quantities, including casing , casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the PROJECT MANAGER and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Government.	
D	REMOVAL OF RUBBISH ETC. Removal of rubbish and debris from the Buildings and site as it accumulates and at the completion of the works and remove all plant, scaffolding and unused materials at completion.	45,000.00
E	WORKS TO BE DELIVERED UP CLEAN Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts of metalwork and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER	
	Carried to collection	75,000.00

ITEM	DESCRIPTION	AMOUNT
A.	GENERAL SPECIFICATION. For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the Ministry of Roads, Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities.	
B.	TRAINING LEVY The Contractor's attention is drawn to legal notice No. 237 of October, 1971, which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Ksh. 50,000.00 in value.	
C.	MATERIALS ON SITE All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.	
D.	HOARDING The Contractor shall enclose all the site under construction with a hoarding 2400 mm high consisting of iron sheets gauge 30 on 100 x 50 mm 2nd grade treated sawn cypress timber posts firmly secured at 1800 mm centres with two 75 x 50 mm 2nd grade treated sawn cypress timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.	60,000.00
E.	CONTRACTOR'S SUPERINTENDENCE/SITE AGENT The Contractor shall constantly keep on the works a literate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract.	
	Carried to collection	60,000.00

Item	Description	Unit	Qty	Rate	Amount
	<u>ELEMENT NO.1</u>				
	<u>SUBSTRUCTURES</u>				
	<u>(All provisional)</u>				
	<u>Excavations and Earthworks</u>				
	<u>No allowance is made in excavations for working space. The contractor to include in his rates.</u>				
A	Clear site of all grass and small plants not exceeding 300mm girth and cart away or burn arising.	SM	638	150	95,700
B	Excavate oversight average 150mm deep to remove vegetable soil, load, wheel and deposit 100 meters away and later spread and level on site where directed	SM	540	150	81,000
C	Excavation of foundation trenches 600 wide commencing from reduced level and cart away from site as directed; not exceeding 1.5m deep.	CM	78	500	39,000
D	Ditto for trenches between 1.5m to 3m deep	CM	47	750	35,250
E	Excavate for column bases starting from striped level but not exceeding 1.5m dp from ground level.	CM	120	500	60,000
F	Ditto for bases between 1.5m to 3m deep	CM	60	750	45,000
G	Load, wheel and cart away from site surplus excavated material and deposit in approved dumping area.	CM	124	550	68,200
H	Return fill and well ram selected excavated material around foundations.	CM	74	250	18,500
	<u>Fillings</u>				
G	50mm fine material for blinding (murram/quarry dust) to surface of hardcore well rolled and levelled	SM	450	200	90,000
H	300mm thick approved hardcore filling spread, levelled, well rammed and consolidated in 150mm thick layers to receive concrete surface bed	CM	135	1,950	263,250
I	Anti-termite treatment as "Premise 200sc" distributed by high chemicals essentials or other equal and approved applied to surface of blinded hardcore and surrounding areas strictly in accordance with manufacturer's instructions (subject to a TEN YEAR GUARANTEE to the satisfaction of the Architect	SM	450	260	117,000
J	1000 gauge polythenwe D.P.M underlay sheeting to bottom of slab with end side laps of 150mm.	SM	450	350	157,500
	Total Carried to collection for Substructures				1,070,400

[illegible]

[illegible]

[illegible]

[illegible]

Item	Description	Unit	Qty	Rate	Amount
	<u>ELEMENT NO. 4 WINDOWS</u>				
	<u>Steel casement window; purpose made standard metal casement sections complete with Zed sections; permanent ventilators comprising 'T' bar gauze and metal hood; openable casements; coupling mullions; approved ironmongery; as per schedule. Pattern as shown in the Appendix to Architects approval</u>				
A	Window size 3100mm x 1500mm high	NO	7	28,400	198,800
B	Ditto but for steel vents	NO	12	28,400	340,800
	<u>Burglar Proofing</u>				
D	Mild steel burglar proofing grille in heavy gauge sections bent and welded into an approved pattern including priming, fixing and finishing to Architect's detail (provisional)	SM	89	3,500	311,500
	<u>Glazing</u>				
	<u>4mm Thick sheet glass and glazing to steel casement window with and including linseed putty; in</u>				
D	Clear Panes of various sizes	SM	33	2,200	72,600
E	Ditto Obscure	SM	56	2,400	134,400
	<u>Prepare metal surfaces; apply undercoat and two finishing coats first grade eggshell paint; as "Crown paints" or other equal approved metallic paint on metal surfaces to</u>				
E	General surfaces; window and burglar-proofing grilles internally (measured flat overall)	SM	89	400	35,600
F	General surfaces; windows externally (measured flat overall)	SM	89	400	35,600
	<u>Window cill</u>				
G	Precast concrete window cill and including finishing well, creating a throat and making good	LM	38	2,500	95,000
	Total for Windows Carried to Summary Page				1,224,300

Item	Description	Unit	Qty	Rate	Amount
A	ELEMENT NO. 5 DOORS Metal Doors <u>The following purpose made mild steel doors complete with hanging and locking accessories fabricate in accordance with the Architectural designs ad once primed with red oxide before delivery to the site by cutting and pinning fixing lugs to walls and plastering reveals in cement (1:3)mortar with all main frames in 100*50mm RHS Tubing.</u> Door size 3100 x 4000mm high in Double leave, with a fanlight to approval and all necessary iron monger to detail. <u>Prepare metal surfaces; apply undercoat and two finishing coats first grade eggshell paint; as "Crown paints" or other equal approved metallic paint on metal surfaces to</u> General surfaces; Door and burglar-proofing grilles internally (measured flat overall) General surfaces; Doors externally (measured flat overall)	NO SM SM	2 25 25	39,000 400 400	78,000 10,000 10,000
	Total for Doors Carried to Summary Page				98,000

Item	Description	Unit	Qty	Rate	Amount
	<u>ELEMENT NO. 6 FINISHES</u>				
	<u>Wall Finishes Internally</u>				
	<u>15mm Thick plaster in cement/sand (1:3)floated with a steel trowel; to block walls and concrete surfaces in:-</u>				
D	Wall surfaces to receive paint	SM	344	600	206,400
	<u>Prepare surfaces and apply1 undercoat and 2 coats of silk vinyl paint to or other equal approved on plastered masonry or concrete surfaces; to</u>				
E	Plastered wall surfaces	SM	344	600	206,400
	<u>Wall Finishes Externally</u>				
	<u>15mm Thick plaster/Keying in cement/sand (1:3)floated with a steel trowel; to block walls and concrete surfaces in:-</u>				
A	Wall surfaces to receive paint	SM	344	600	206,400
B	Wall surfaces to the gutter with approved waterproofing	SM	215	600	129,000
C	Concrete surfaces to the gutter with approved waterproofing	SM	86	600	51,600
	<u>Prepare surfaces and apply1 undercoat and 2 coats of silk vinyl paint to or other equal approved on plastered masonry or concrete surfaces; to</u>				
C	Plastered wall surfaces	SM	645	600	387,000
	<u>Floor Finishing</u>				
	<u>32 mm thick cement sand (1:3) screed backing to receive rustic Ceramic floor tiles/Anti-slip ceramic tiles/ coloured polished ceramic tiles/ Granite tiles.</u>				
C	Floor Slab	SM	450	600	270,000
	<u>400x400x8mm thick non-slip Ceramic floor tiles bedded and jointed in cement and finished with matching colour waterproof grout.</u>				
D	Floor Slab	SM	450	2,050	922,500
E	100 x 20mm high skirting	LM	86	200	17,200
	Total for Finishes Carried to Summary Page				2,396,500

[illegible]

Item	Description	Unit	Quantity	Rate	Amount
	<u>ELEMENT NO. 7</u>				
	<u>ROOFING CONSTRUCTION AND RAINWATER GOODS</u>				
	<u>Covering</u>				
D	IT5 28 gauge GCI sheets and fixed on steel purlins (m/s) with adequate end and side laps	SM	525	2,050	1,076,250
E	Ditto matching ridge cap and hips	LM	25	600	15,000
	<u>Trusses</u>				
	<u>The following roof trusses of approved RSH and purlins welded and anchored to each other respectively including all necessary accessories for joining and fixing at 1500mm c/c</u>				
F	75mm x 25mm Wall plates	LM	121	320	38,720
G	50mm x 50mm Rafters	LM	1812	320	579,840
H	50mm x 25mm Struts	LM	754	320	241,280
I	50mm x 50mm Collar beams	LM	503	320	160,960
J	40mm x 25mm Under purlins	LM	428	320	136,960
K	Standard Z Purlins	LM	1750	320	560,000
	<u>RAINWATER GOODS</u>				
C	150x150mm Plastic rain water downpipe; holder bats at 800mm (maximum) centres on wall .	LM	45	1,200	54,000
E	Extra over ditto for 800 mm swan neck offset	NO	10	320	3,200
F	Ditto for shoe	NO	10	320	3,200
	Total for Roof Construction and Rain Water Goods carried to Summary Page				2,869,410

Item	Description	Unit	Quantity	Rate	Amount
	<u>ELEMENT NO. 8 EXTERNAL WORKS</u>				
	<u>PERIMETER WALL</u>				
A	Sub structure works all inclusive of excavation, concrete bases, foundation wall and columns.	LM	200	1,200	240,000
B	Superstructure works including wall raising, columns, copings and finishes both externally and internally to approval	SM	900	1,800	1,620,000
C	Supply and fix double leaf gate of approximately 4m wide with approved framed structure and painting colour.	ITEM	1	100,000	100,000
	<u>SOAK PIT & SEPTIC TANK</u>				
D	Allow for Excavation, construction and finishes of a septic tank measuring 400mm by 200mm with three chambers n.e 2m deep to detail.	NO	1	400,000	400,000
E	Allow for Excavation, Filling and top cover of a soak pit n.e 3m by 3m by 3m to detail	NO	1	250,000	250,000
	<u>PAVING SLABS</u>				
F	Prepare and level the ground with quarry dust around the wall to receive paving slabs.	LM	92	1,100	101,200
G	Supply and fit 600mm by 600mm paving slabs around the wall including finishes between the paving slabs.	LM	92	1,600	147,200
	Total for Roof Construction and Rain Water Goods carried to Summary Page				2,858,400

Item	Description	Unit	Qty	Rate	Amount
	<u>P.C & PROVISIONAL SUMS</u> <i><u>The contractor shall include in his rates the following to be deducted in whole or in part as directed by the Project Manager</u></i> <u>ELECTRICAL WORKS</u> A Provide the Provisional Sum of Kshs. Six Hundred Thousand (600,000/=) only for Electrical Installations for all the works <u>PLUMBING WORKS</u> B Provide the Provisional Sum of Kshs. Three Hundrend Thousand (Kshs. 500,000) for Plumbing and Drainage Work. <u>FITTINGS (PROVISIONAL)</u> C Allow for necessary kitchen fittings including kitchenwood D Allow For all necessary supplies & fittings for Cold Room <u>PROJECT MANAGERS</u> E Allow a Provisional Sum of KShs. Three Hundrend Thousand (300,000/=) only for Project Management. <u>CONTINGENCY</u> G Provide the Provisional Sum of Kshs. One Milion (1,000,000/=) only for Contingencies to be omitted or expended in whole or in part at the discretion of the Architect				
	Total Carried to Grand Summary				5,600,000

GRAND SUMMARY

ITEM	DESCRIPTION	AMOUNT (Ksh)
1	PRELIMINARIES	910,000
2	BUILDERS WORK	15,490,050
3	P.C & PROVISIONAL SUMS	5,600,000
	GRAND TOTAL CARRIED TO FORM OF TENDERS	22,000,050

GRAND TOTAL IN WORDS

.....

.....

.....

PREPARED BY

ADDRESS:

SIGNATURE: DATE:.....