

# Stackvill Backend Developer Assessment

## 30 Technical MCQs (Node.js, Express.js, MongoDB, REST API, JWT, SQL, HTTP)

**Q1. Which HTTP method is idempotent for updating a resource?**

- A. POST
- B. PATCH
- C. PUT
- D. CONNECT

**Correct Answer: C**

**Q2. Which Express middleware parses JSON bodies?**

- A. cors()
- B. express.json()
- C. helmet()
- D. morgan()

**Correct Answer: B**

**Q3. JWT consists of how many parts?**

- A. 2
- B. 3
- C. 4
- D. 5

**Correct Answer: B**

**Q4. Which MongoDB index enforces uniqueness?**

- A. Text
- B. TTL
- C. Hashed
- D. Unique

**Correct Answer: D**

**Q5. HTTP status for successful resource creation?**

- A. 200
- B. 201
- C. 204
- D. 302

**Correct Answer: B**

**Q6. bcrypt is mainly used for?**

- A. Encryption
- B. Hashing passwords
- C. JWT
- D. Compression

**Correct Answer: B**

**Q7. Which MongoDB aggregation stage filters documents?**

- A. \$match
- B. \$group
- C. \$sort
- D. \$lookup

**Correct Answer: A**

**Q8. REST stands for?**

- A. Representational State Transfer
- B. Remote State Transfer
- C. Resource System Transfer
- D. None

**Correct Answer: A**

**Q9. Purpose of CORS?**

- A. Cache APIs
- B. Control cross-origin requests
- C. Encrypt traffic
- D. Compress responses

**Correct Answer: B**

**Q10. Which status code means Unauthorized?**

- A. 401
- B. 403
- C. 404
- D. 500

**Correct Answer: A**

**Q11. Which Mongoose method returns one document?**

- A. find()
- B. findOne()
- C. aggregate()
- D. count()

**Correct Answer: B**

**Q12. Default HTTP port?**

- A. 21
- B. 80
- C. 443
- D. 3000

**Correct Answer: B**

**Q13. Which header commonly carries JWT?**

- A. Content-Type
- B. Authorization
- C. Accept
- D. Origin

**Correct Answer: B**

**Q14. Which operator compares type and value in JS?**

- A. ==
- B. ===
- C. !=
- D. =

**Correct Answer: B**

**Q15. What is middleware in Express?**

- A. Database
- B. Function between request and response
- C. Model
- D. Schema

**Correct Answer: B**

**Q16. Which method deletes a MongoDB document?**

- A. deleteOne()
- B. removeField()
- C. dropField()
- D. erase()

**Correct Answer: A**

**Q17. Swagger is mainly used for?**

- A. Testing UI
- B. API Documentation
- C. Deployment
- D. Logging

**Correct Answer: B**

**Q18. Which HTTP code indicates validation error?**

- A. 200
- B. 400
- C. 301
- D. 502

**Correct Answer: B**

**Q19. What does async/await simplify?**

- A. CSS
- B. Asynchronous code
- C. JWT
- D. MongoDB

**Correct Answer: B**

**Q20. Purpose of dotenv?**

- A. Routing
- B. Environment variables
- C. Hashing
- D. Compression

**Correct Answer: B**

**Q21. Which SQL command retrieves data?**

- A. INSERT
- B. UPDATE
- C. SELECT
- D. DELETE

**Correct Answer: C**

**Q22. MongoDB stores data as?**

- A. Rows
- B. XML
- C. BSON Documents
- D. CSV

**Correct Answer: C**

**Q23. Which Express method defines GET route?**

- A. app.post
- B. app.get
- C. app.use

D. app.listen

**Correct Answer: B**

**Q24. Which method starts an Express server?**

A. app.run

B. app.listen

C. server.start

D. express.start

**Correct Answer: B**

**Q25. Purpose of helmet?**

A. Routing

B. Security headers

C. Authentication

D. Validation

**Correct Answer: B**

**Q26. Which HTTP status is 'No Content'?**

A. 200

B. 201

C. 204

D. 304

**Correct Answer: C**

**Q27. What is an API endpoint?**

A. Database

B. Specific URL for API resource

C. Middleware

D. Schema

**Correct Answer: B**

**Q28. Which JWT claim commonly stores expiry?**

A. iss

B. exp

C. aud

D. sub

**Correct Answer: B**

**Q29. Which Mongoose method updates one document?**

A. updateOne()

B. replace()

C. modify()

D. patch()

**Correct Answer:** A

**Q30. Which package automatically restarts Node during development?**

A. pm2

B. nodemon

C. webpack

D. vite

**Correct Answer:** B