

- alter table Usuarios add column email VARCHAR(100);
- alter table Usuarios add column data\_cadastro DATE;
- alter table Usuarios add column cpf CHAR(11) UNIQUE;
- alter table Usuarios add column status VARCHAR(30);
- alter table Usuarios add column idade INT;

- alter table Produtos modify column preco DECIMAL(10,2);
- alter table Produtos modify column estoque INT;
- alter table Produtos modify column id INT NOT NULL;
- alter table Produtos add column nome VARCHAR(200);
- alter table Produtos modify column nome VARCHAR(100);

- alter table Tbl\_Antiga rename column col\_nome to nome\_completo;
- alter table Tbl\_Antiga add column temp varchar(1);
- alter table Tbl\_Antiga rename column temp to observacoes;
- alter table Usuarios rename column id to id\_usuario;

- alter table Backup\_Sistema drop column lixo\_digital;
- alter table Backup\_Sistema add column temp\_data varchar(1);
- alter table Backup\_Sistema drop column temp\_data;
- alter table Usuarios drop column idade;

Action Output

| #  | Time     | Action                                                                                                       | Message                                                           | Duration / Fetch |
|----|----------|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|------------------|
| 46 | 20:36:15 | INSERT INTO Mensagens VALUES (1, 'Olá', 'Lida'), (2, 'SPAM detectado', 'Spam'), (3, 'Conta vencida', 'Spam') | Error Code: 1062. Duplicate entry '1' for key 'mensagens.PRIMARY' | 0.000 sec        |
| 47 | 20:36:26 | alter table Usuarios add column email VARCHAR(100);                                                          | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0            | 0.031 sec        |
| 48 | 20:37:04 | alter table Usuarios add column data_cadastro DATE                                                           | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0            | 0.016 sec        |
| 49 | 20:37:37 | alter table Usuarios add column cpf CHAR(11) UNIQUE                                                          | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0            | 0.047 sec        |
| 50 | 20:37:58 | alter table Usuarios add column status VARCHAR(30)                                                           | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0            | 0.016 sec        |
| 51 | 21:01:45 | alter table Usuarios add column idade INT                                                                    | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0            | 0.015 sec        |
| 52 | 21:03:56 | alter table Produtos modify column preco DECIMAL(10,2)                                                       | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0            | 0.047 sec        |

- 52
- 53 • alter table Produtos modify column preco DECIMAL(10,2);
- 54 • alter table Produtos modify column estoque INT;
- 55 • alter table Produtos modify column id INT NOT NULL;
- 56 • alter table Produtos add column nome VARCHAR(200);
- 57 • alter table Produtos modify column nome VARCHAR(100);
- 58
- 59 • alter table Tbl\_Antiga rename column col\_nome to nome\_completo;
- 60 • alter table Tbl\_Antiga add column temp varchar(1);
- 61 • alter table Tbl\_Antiga rename column temp to observacoes;
- 62 • alter table Usuarios rename column id to id\_usuario;
- 63
- 64 • alter table Backup\_Sistema drop column lixo\_digital;
- 65 • alter table Backup\_Sistema add column temp\_data varchar(1);
- 66 • alter table Backup\_Sistema drop column temp\_data;
- 67 • alter table Usuarios drop column idade;

Output

Action Output

| #    | Time     | Action                                                         | Message                                                                                                              | Duration / Fetch |
|------|----------|----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------|
| ✓ 52 | 21:03:56 | alter table Produtos modify column preco DECIMAL(10,2)         | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.047 sec        |
| ✓ 53 | 21:04:06 | alter table Produtos modify column preco DECIMAL(10,2)         | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.016 sec        |
| ✓ 54 | 21:04:10 | alter table Produtos modify column preco DECIMAL(10,2)         | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.015 sec        |
| ✓ 55 | 21:04:41 | alter table Produtos modify column estoque INT                 | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.031 sec        |
| ✗ 56 | 21:05:05 | alter table Produtos modify column id INT NOT NULL             | Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server ve... | 0.000 sec        |
| ✗ 57 | 21:05:18 | alter table Produtos modify column id INT PRIMARY KEY NOT NULL | Error Code: 1068. Multiple primary key defined                                                                       | 0.000 sec        |
| ✓ 58 | 21:05:53 | alter table Produtos modify column id INT NOT NULL             | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.016 sec        |

- 47 • alter table Usuarios add column email VARCHAR(100);
- 48 • alter table Usuarios add column data\_cadastro DATE;
- 49 • alter table Usuarios add column cpf CHAR(11) UNIQUE;
- 50 • alter table Usuarios add column status VARCHAR(30);
- 51 • alter table Usuarios add column idade INT;
- 52
- 53 • alter table Produtos modify column preco DECIMAL(10,2);
- 54 • alter table Produtos modify column estoque INT;
- 55 • alter table Produtos modify column id INT NOT NULL;
- 56 • alter table Produtos add column nome VARCHAR(200);
- 57 • alter table Produtos modify column nome VARCHAR(100);
- 58
- 59 • alter table Tbl\_Antiga rename column col\_nome to nome\_completo;
- 60 • alter table Tbl\_Antiga add column temp varchar(1);
- 61 • alter table Tbl\_Antiga rename column temp to observacoes;
- 62 • alter table Usuarios rename column id to id\_usuario;
- 63
- 64 • alter table Backup\_Sistema drop column lixo\_digital;
- 65 • alter table Backup\_Sistema add column temp\_data varchar(1);
- 66 • alter table Backup\_Sistema drop column temp\_data;
- 67 • alter table Usuarios drop column idade;

Output

Action Output

| #    | Time     | Action                                                         | Message                                                                                                              | Duration / Fetch |
|------|----------|----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------|
| ✓ 58 | 21:05:53 | alter table Produtos modify column id INT NOT NULL             | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.016 sec        |
| ✗ 59 | 21:07:38 | alter table Produtos add column nome VARCHAR(200);             | Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server ve... | 0.000 sec        |
| ✓ 60 | 21:07:44 | alter table Produtos add column nome VARCHAR(200);             | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.016 sec        |
| ✓ 61 | 21:08:26 | alter table Produtos modify column preco DECIMAL(10,3)         | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.031 sec        |
| ✓ 62 | 21:09:23 | alter table Produtos modify column nome VARCHAR(100)           | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.046 sec        |
| ✓ 63 | 21:10:28 | alter table Tbl_Antiga rename column col_nome to nome_completo | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.016 sec        |
| ✓ 64 | 21:11:15 | alter table Tbl_Antiga add column temp varchar(1)              | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.016 sec        |

```

47 • alter table Usuarios add column email VARCHAR(100);
48 • alter table Usuarios add column data_cadastro DATE;
49 • alter table Usuarios add column cpf CHAR(11) UNIQUE;
50 • alter table Usuarios add column status VARCHAR(30);
51 • alter table Usuarios add column idade INT;
52
53 • alter table Produtos modify column preco DECIMAL(10,2);
54 • alter table Produtos modify column estoque INT;
55 • alter table Produtos modify column id INT NOT NULL;
56 • alter table Produtos add column nome VARCHAR(200);
57 • alter table Produtos modify column nome VARCHAR(100);
58
59 • alter table Tbl_Antiga rename column col_nome to nome_completo;
60 • alter table Tbl_Antiga add column temp varchar(1);
61 • alter table Tbl_Antiga rename column temp to observacoes;
62 • alter table Usuarios rename column id to id_usuario;
63
64 • alter table Backup_Sistema drop column lixo_digital;
65 • alter table Backup_Sistema add column temp_data varchar(1);
66 • alter table Backup_Sistema drop column temp_data;
67 • alter table Usuarios drop column idade;

```

Output

Action Output

| #    | Time     | Action                                                     | Message                                                                                                              | Duration / Fetch |
|------|----------|------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------|
| ✓ 64 | 21:11:15 | alter table Tbl_Antiga add column temp varchar(1)          | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.016 sec        |
| ✓ 65 | 21:11:38 | alter table Tbl_Antiga rename column temp to observacoes   | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.031 sec        |
| ✓ 66 | 21:12:24 | alter table Usuarios rename column id to id_usuario        | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.015 sec        |
| ✓ 67 | 21:13:46 | alter table Backup_Sistema drop column lixo_digital        | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.015 sec        |
| ✗ 68 | 21:14:22 | alter table Backup_Sistema add column temp_data varchar(1) | Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server ve... | 0.000 sec        |
| ✓ 69 | 21:14:54 | alter table Backup_Sistema add column temp_data varchar(1) | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.031 sec        |
| ✓ 70 | 21:14:57 | alter table Backup_Sistema drop column temp_data           | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                               | 0.031 sec        |

```

59 • alter table Tbl_Antiga rename column col_nome to nome_completo;
60 • alter table Tbl_Antiga add column temp varchar(1);
61 • alter table Tbl_Antiga rename column temp to observacoes;
62 • alter table Usuarios rename column id to id_usuario;
63
64 • alter table Backup_Sistema drop column lixo_digital;
65 • alter table Backup_Sistema add column temp_data varchar(1);
66 • alter table Backup_Sistema drop column temp_data;
67 • alter table Usuarios drop column idade;
68
69 • set SQL_SAFE_UPDATES =0;
70
71 • delete from Mensagens where id=1;
72 • delete from Mensagens where status='Spam';
73 • INSERT INTO Mensagens VALUES (1, 'Teste', 'Lida');
74 • delete from Mensagens where texto='Teste';
75 • CREATE TABLE yugioh (
76   id INT PRIMARY KEY,
77   nome VARCHAR(100)
78 );
79 • delete from yugioh;

```

Output

Action Output

| #    | Time     | Action                                            | Message                                                                | Duration / Fetch |
|------|----------|---------------------------------------------------|------------------------------------------------------------------------|------------------|
| ✓ 70 | 21:14:57 | alter table Backup_Sistema drop column temp_data  | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                 | 0.031 sec        |
| ✗ 71 | 21:15:15 | alter table Backup_Sistema drop column temp_data  | Error Code: 1091. Can't DROP 'temp_data'; check that column/key exists | 0.000 sec        |
| ✓ 72 | 21:15:55 | alter table Usuarios drop column idade            | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                 | 0.016 sec        |
| ✓ 73 | 21:16:34 | set SQL_SAFE_UPDATES =0                           | 0 row(s) affected                                                      | 0.000 sec        |
| ✓ 74 | 21:18:49 | delete from Mensagens where status='Spam'         | 2 row(s) affected                                                      | 0.000 sec        |
| ✗ 75 | 21:20:37 | INSERT INTO Mensagens VALUES (1, 'Teste', 'Lida') | Error Code: 1062. Duplicate entry '1' for key 'mensagens PRIMARY'      | 0.000 sec        |
| ✓ 76 | 21:20:53 | delete from Mensagens where id=1                  | 1 row(s) affected                                                      | 0.000 sec        |

```

59 • alter table Tbl_Antiga rename column col_nome to nome_completo;
60 • alter table Tbl_Antiga add column temp varchar(1);
61 • alter table Tbl_Antiga rename column temp to observacoes;
62 • alter table Usuarios rename column id to id_usuario;
63
64 • alter table Backup_Sistema drop column lixo_digital;
65 • alter table Backup_Sistema add column temp_data varchar(1);
66 • alter table Backup_Sistema drop column temp_data;
67 • alter table Usuarios drop column idade;
68
69 • set SQL_SAFE_UPDATES =0;
70
71 • delete from Mensagens where id=1;
72 • delete from Mensagens where status='Spam';
73 • INSERT INTO Mensagens VALUES (1, 'Teste', 'Lida');
74 • delete from Mensagens where texto='Teste';
75 • CREATE TABLE yugioh (
76     id INT PRIMARY KEY,
77     nome VARCHAR(100)
78 );
79 • delete from yugioh;

```

| Output        |          |                                                               |                                                                   |
|---------------|----------|---------------------------------------------------------------|-------------------------------------------------------------------|
| Action Output |          |                                                               |                                                                   |
| #             | Time     | Action                                                        | Message                                                           |
| 74            | 21:18:49 | delete from Mensagens where status='Spam'                     | 2 row(s) affected                                                 |
| 75            | 21:20:37 | INSERT INTO Mensagens VALUES (1, 'Teste', 'Lida')             | Error Code: 1062. Duplicate entry '1' for key 'mensagens.PRIMARY' |
| 76            | 21:20:53 | delete from Mensagens where id=1                              | 1 row(s) affected                                                 |
| 77            | 21:20:56 | INSERT INTO Mensagens VALUES (1, 'Teste', 'Lida')             | 1 row(s) affected                                                 |
| 78            | 21:21:49 | delete from Mensagens where texto='Teste'                     | 1 row(s) affected                                                 |
| 79            | 21:22:35 | CREATE TABLE yugioh ( id INT PRIMARY KEY, nome VARCHAR(100) ) | 0 row(s) affected                                                 |
| 80            | 21:23:13 | delete from yugioh                                            | 0 row(s) affected                                                 |

CREATE DATABASE AulaPratica;

USE AulaPratica;

-- Tabelas para o Passo 1 (ADD)

```

CREATE TABLE Usuarios (
id INT PRIMARY KEY,
nome VARCHAR(100)
);

```

-- Tabelas para o Passo 2 (MODIFY)

```

CREATE TABLE Produtos (
id INT PRIMARY KEY,
preco FLOAT,
estoque VARCHAR(10)
);

```

-- Tabelas para o Passo 3 (RENAME)

```

CREATE TABLE Tbl_Antiga (
id INT PRIMARY KEY,
col_nome VARCHAR(50)
);

```

-- Tabelas para o Passo 4 (DROP)

```

CREATE TABLE Backup_Sistema (
id INT PRIMARY KEY,
nota_fiscal TEXT,

```

```
lixo_digital VARCHAR(50)
);
```

-- Tabelas para o Passo 5 (DELETE)

```
CREATE TABLE Mensagens (
id INT PRIMARY KEY,
texto VARCHAR(255),
status VARCHAR(20)
);
```

```
INSERT INTO Mensagens
VALUES (1, 'Olá!', 'Lida'), (2, 'SPAM detectado', 'Spam'), (3, 'Conta vencida', 'Spam');
```

```
alter table Usuarios add column email VARCHAR(100);
alter table Usuarios add column data_cadastro DATE;
alter table Usuarios add column cpf CHAR(11) UNIQUE;
alter table Usuarios add column status VARCHAR(30);
alter table Usuarios add column idade INT;
```

```
alter table Produtos modify column preco DECIMAL(10,2);
alter table Produtos modify column estoque INT;
alter table Produtos modify column id INT NOT NULL;
alter table Produtos add column nome VARCHAR(200);
alter table Produtos modify column nome VARCHAR(100);
```

```
alter table Tbl_Antiga rename column col_nome to nome_completo;
alter table Tbl_Antiga add column temp varchar(1);
alter table Tbl_Antiga rename column temp to observacoes;
alter table Usuarios rename column id to id_usuario;
```

```
alter table Backup_Sistema drop column lixo_digital;
alter table Backup_Sistema add column temp_data varchar(1);
alter table Backup_Sistema drop column temp_data;
alter table Usuarios drop column idade;
```

```
set SQL_SAFE_UPDATES =0;
```

```
delete from Mensagens where id=1;
delete from Mensagens where status='Spam';
INSERT INTO Mensagens VALUES (1, 'Teste', 'Lida');
delete from Mensagens where texto='Teste';
CREATE TABLE yugioh (
id INT PRIMARY KEY,
nome VARCHAR(100)
);
delete from yugioh;
```

