1 Pikanäppäimiä

You can visualize paths home moose Desktop manual.tex or menus View Highlight Mode Markup LaTeX or key press combinations: ctrl + 1 + F is for formatting in Eclipse. You can also visualize , A, A and many more. Let's try some more: a, ä

2 Johdanto

Tässä dokumentissa käydään läpi erilaisia tapoja helpottaa ja nopeuttaa tutkijan työskentelyä. Aluksi käymme läpi yksinkertaisia, tietokoneen sisään rakennettuja ominaisuuksia, jonka jälkeen siirrymme monimutkaisempiin ongelmiin.

3 Ladattavat ohjelmat ja koodi

Osiota 1 lukuunottamatta tarvit seuraavat ohjelmat ja koodin.

3.1 Zotero

zotero.org

3.2 autohotkey

autohotkey.com

3.3 Word

Word on kaikilla jo valmiiksi asennettuna. Kun word on auki paina Alt+F11 ja Copy-pastaa (Ctrl+c & Ctrl+v) alla oleva koodi käytettävissä olevaan isoon tilaan.

```
Sub selecthighlight()

,
,
,
,
Selection.Paragraphs(1).Range.Select
Options.DefaultHighlightColorIndex = wdBrightGreen
Selection.Range.HighlightColorIndex = wdBrightGreen
End Sub
Sub selecthighlightR()
```

```
Selection . Paragraphs (1). Range . Select
Options. DefaultHighlightColorIndex = wdNoColor
Selection.Range.HighlightColorIndex = wdNoColor
End Sub
Sub selecthighlight_SC()
With Application
' \\ where to do customization
. CustomizationContext = NormalTemplate
' \\ Add keybinding to this Shorcut:
. KeyBindings.Add KeyCode:=BuildKeyCode(wdKeyAlt, wdKeyL),
KeyCategory:=wdKeyCategoryMacro, _
Command:="selecthighlight"
End With
End Sub
Sub selecthighlight R_SC()
' \\ where to do customization
CustomizationContext = NormalTemplate
' \\ Add keybinding to this Shorcut:
KeyBindings.Add KeyCode:=BuildKeyCode(wdKeyAlt, wdKeyK),
KeyCategory:=wdKeyCategoryMacro, _
Command:="selecthighlightR"
End Sub
Sub Normal_select()
' Macrol Macro
Selection . Paragraphs (1). Range . Select
Selection. Style = ActiveDocument. Styles ("Normal")
End Sub
Sub Normal_selectSC()
' \\ where to do customization
CustomizationContext = NormalTemplate
' \\ Add keybinding to this Shorcut:
```

```
KeyBindings.Add KeyCode:=BuildKeyCode(wdKeyAlt, wdKeyI), _
KeyCategory:=wdKeyCategoryMacro, _
Command:="Normal_select"
End Sub
Sub Select_para()
' Macrol Macro
Selection. Paragraphs (1). Range. Select
End Sub
Sub Select_paraSC()
' \\ where to do customization
CustomizationContext = NormalTemplate
' \\ Add keybinding to this Shorcut:
KeyBindings.Add KeyCode:=BuildKeyCode(wdKeyAlt, wdKey₽), _
KeyCategory:=wdKeyCategoryMacro, _
Command:="Select_para"
End Sub
```

4 Peruspikanäppäimet