

# **Atmosphere**

An **atmosphere** (from Ancient Greek 'vapour, steam' ἀτμός (atmós) σφαῖρα (sphaîra) 'sphere') $\frac{[1]}{[1]}$  is a layer of gases that envelop an astronomical object, held in place by the gravity of the object. A planet retains an atmosphere when the gravity is great and the temperature of the atmosphere is low. A stellar atmosphere is the outer region of a star, which includes the layers above the opaque photosphere; stars low temperature might outer have atmospheres containing compound molecules.

The <u>atmosphere of Earth</u> is composed of <u>nitrogen</u> (78%), <u>oxygen</u> (21%), <u>argon</u> (0.9%), <u>carbon dioxide</u> (0.04%) and trace gases. [2] Most organisms use oxygen for



The atmospheric gases around Earth <u>scatter blue light</u> (shorter wavelengths) more than light toward the red end (longer wavelengths) of the <u>visible spectrum</u>; thus, a <u>blue</u> glow over the horizon is seen when <u>observing Earth</u> from <u>outer space</u>. The Moon is visible in the background.

respiration; lightning and bacteria perform <u>nitrogen fixation</u> which produces <u>ammonia</u> that is used to make <u>nucleotides</u> and <u>amino acids</u>; <u>plants</u>, <u>algae</u>, and <u>cyanobacteria</u> use carbon dioxide for <u>photosynthesis</u>. The layered composition of the atmosphere minimises the harmful effects of <u>sunlight</u>, <u>ultraviolet</u> radiation, <u>solar wind</u>, and <u>cosmic rays</u> and thus protects the organisms from genetic damage. The current composition of the atmosphere of the Earth is the product of billions of years of biochemical modification of the paleoatmosphere by living organisms. [3]

## **Occurrence and compositions**

#### Origins

Atmospheres are clouds of gas bound to and engulfing an astronomical focal point of <u>sufficiently</u> <u>dominating mass</u>, adding to its mass, possibly escaping from it or collapsing into it. Because of the latter, such <u>planetary nucleus</u> can develop from interstellar <u>molecular clouds</u> or <u>protoplanetary disks</u> into <u>rocky</u> astronomical objects with varyingly thick atmospheres, gas giants or fusors.

Composition and thickness is originally determined by the stellar nebula's chemistry and temperature, but can also by a product processes within the astronomical body outgasing a different atmosphere.

#### **Compositions**

The atmospheres of the planets <u>Venus</u> and <u>Mars</u> are principally composed of <u>carbon dioxide</u> and <u>nitrogen</u>, argon and oxygen. [4]

The composition of Earth's atmosphere is determined by the by-products of the life that it sustains. Dry air (mixture of gases) from Earth's atmosphere contains 78.08% nitrogen, 20.95% oxygen, 0.93% argon, 0.04% carbon dioxide, and traces of hydrogen, helium, and other "noble" gases (by volume), but generally a variable amount of water vapor is also present, on average about 1% at sea level. [5]

The low temperatures and higher gravity of the Solar System's giant planets—Jupiter, Saturn, Uranus and Neptune—allow them more readily to retain gases with low molecular masses. These planets have hydrogen—helium atmospheres, with trace amounts of more complex compounds.

Two satellites of the outer planets possess significant atmospheres. <u>Titan</u>, a moon of Saturn, and <u>Triton</u>, a moon of Neptune, have atmospheres mainly of <u>nitrogen</u>. When in the part of its orbit closest to the Sun, <u>Pluto</u> has an atmosphere of nitrogen and

100 80 Jupiter 60 50 40 Saturn Escape velocity (km/s) 30 Uranus 20 Neptune 10 8 6 Mars 5 4 Ganymede 3 Titan Moon lo Callisto 2 Europa Eris Triton ·Pluto 40 60 100 200 400 600 1000 Temperature (K)

Graphs of escape velocity against surface temperature of some Solar System objects showing which gases are retained. The objects are drawn to scale, and their data points are at the black dots in the middle.

methane similar to Triton's, but these gases are frozen when it is farther from the Sun.

Other bodies within the Solar System have extremely thin atmospheres not in equilibrium. These include the <u>Moon</u> (sodium gas), <u>Mercury</u> (sodium gas), <u>Europa</u> (oxygen), <u>Io</u> (sulfur), and <u>Enceladus</u> (water vapor).

The first exoplanet whose atmospheric composition was determined is <u>HD 209458b</u>, a gas giant with a close orbit around a star in the <u>constellation Pegasus</u>. Its atmosphere is heated to temperatures over 1,000 K, and is steadily escaping into space. Hydrogen, oxygen, carbon and sulfur have been detected in the planet's inflated atmosphere. [8]

#### **Atmospheres in the Solar System**

- Atmosphere of the Sun
- Atmosphere of Mercury
- Atmosphere of Venus
- Atmosphere of Earth
  - Atmosphere of the Moon
- Atmosphere of Mars
- Atmosphere of Ceres
- Atmosphere of Jupiter


- Atmosphere of Io
- Atmosphere of Callisto
- Atmosphere of Europa
- Atmosphere of Ganymede
- Atmosphere of Saturn
  - Atmosphere of Titan
  - Atmosphere of Enceladus
- Atmosphere of Uranus
  - Atmosphere of Titania
- Atmosphere of Neptune
  - Atmosphere of Triton
- Atmosphere of Pluto

## Structure of atmosphere

#### **Earth**

The <u>atmosphere of Earth</u> is composed of layers with different properties, such as specific gaseous composition, temperature, and pressure.

The <u>troposphere</u> is the lowest layer of the atmosphere. This extends from the planetary surface to the bottom of the <u>stratosphere</u>. The troposphere contains 75–80% of the mass of the atmosphere, and is the atmospheric layer wherein the weather occurs; the height of the troposphere varies between 17 km at the equator and 7.0 km at the poles.



Earth's atmosphere profile

The <u>stratosphere</u> extends from the top of the troposphere to the bottom of the <u>mesosphere</u>, and contains the <u>ozone layer</u>, at an altitude between 15 km and 35 km. It is the atmospheric layer that absorbs most of the ultraviolet radiation that Earth receives from the Sun.

The <u>mesosphere</u> ranges from 50 km to 85 km and is the layer wherein most <u>meteors</u> are incinerated before reaching the surface.

The <u>thermosphere</u> extends from an altitude of 85 km to the base of the <u>exosphere</u> at 690 km and contains the <u>ionosphere</u>, where solar radiation ionizes the atmosphere. The density of the ionosphere is greater at short distances from the planetary surface in the daytime and decreases as the ionosphere rises at night-time, thereby allowing a greater range of radio frequencies to travel greater distances.

The <u>exosphere</u> begins at 690 to 1,000 km from the surface, and extends to roughly 10,000 km, where it interacts with the magnetosphere of Earth.

#### Pressure

Atmospheric pressure is the <u>force</u> (per unit-area) perpendicular to a unit-area of planetary surface, as determined by the <u>weight</u> of the vertical column of atmospheric gases. In said atmospheric model, the <u>atmospheric pressure</u>, the weight of the mass of the gas, decreases at high altitude because of the diminishing mass of the gas above the point of <u>barometric</u> measurement. The units of air pressure are based upon the <u>standard atmosphere</u> (atm), which is 101,325 <u>Pa</u> (equivalent to 760 <u>Torr</u> or 14.696 <u>psi</u>). The height at which the atmospheric pressure declines by a factor of <u>e</u> (an <u>irrational number</u> equal to 2.71828) is called the <u>scale height</u> (*H*). For an atmosphere of uniform temperature, the scale height is proportional to the atmospheric temperature and is inversely proportional to the product of the mean molecular mass of dry air, and the local acceleration of gravity at the point of barometric measurement.

#### **Escape**

<u>Surface gravity</u> differs significantly among the planets. For example, the large gravitational force of the giant planet <u>Jupiter</u> retains light gases such as <u>hydrogen</u> and <u>helium</u> that escape from objects with lower gravity. Secondly, the distance from the Sun determines the energy available to heat atmospheric gas to the point where some fraction of its molecules' <u>thermal motion</u> exceed the planet's <u>escape velocity</u>, allowing those to escape a planet's gravitational grasp. Thus, distant and cold <u>Titan</u>, <u>Triton</u>, and <u>Pluto</u> are able to retain their atmospheres despite their relatively low gravities.

Since a collection of gas molecules may be moving at a wide range of velocities, there will always be some fast enough to produce a slow leakage of gas into space. Lighter molecules move faster than heavier ones with the same thermal kinetic energy, and so gases of low molecular weight are lost more rapidly than those of high molecular weight. It is thought that Venus and Mars may have lost much of their water when, after being photodissociated into hydrogen and oxygen by solar ultraviolet radiation, the hydrogen escaped. Earth's magnetic field helps to prevent this, as, normally, the solar wind would greatly enhance the escape of hydrogen. However, over the past 3 billion years Earth may have lost gases through the magnetic polar regions due to auroral activity, including a net 2% of its atmospheric oxygen. The net effect, taking the most important escape processes into account, is that an intrinsic magnetic field does not protect a planet from atmospheric escape and that for some magnetizations the presence of a magnetic field works to increase the escape rate.

Other mechanisms that can cause <u>atmosphere depletion</u> are <u>solar wind</u>-induced sputtering, <u>impact</u> erosion, <u>weathering</u>, and sequestration—sometimes referred to as "freezing out"—into the <u>regolith</u> and polar caps.

#### Terrain

Atmospheres have dramatic effects on the surfaces of rocky bodies. Objects that have no atmosphere, or that have only an exosphere, have terrain that is covered in <u>craters</u>. Without an atmosphere, the planet has no protection from meteoroids, and all of them collide with the surface as meteorites and create craters.

For planets with a significant atmosphere, most <u>meteoroids</u> burn up as <u>meteors</u> before hitting a planet's surface. When meteoroids do impact, the effects are often erased by the action of wind. [12]

<u>Wind erosion</u> is a significant factor in shaping the terrain of rocky planets with atmospheres, and over time can erase the effects of both craters and <u>volcanoes</u>. In addition, since <u>liquids</u> cannot exist without pressure, an atmosphere allows liquid to be present at the surface, resulting in <u>lakes</u>, <u>rivers</u> and <u>oceans</u>. <u>Earth</u> and <u>Titan</u> are known to have liquids at their surface and terrain on the planet suggests that <u>Mars</u> had liquid on its surface in the past.

#### **Outside the Solar System**

Atmosphere of HD 209458 b

#### Circulation

The circulation of the atmosphere occurs due to thermal differences when <u>convection</u> becomes a more efficient transporter of heat than <u>thermal radiation</u>. On planets where the primary heat source is solar radiation, excess heat in the tropics is transported to higher latitudes. When a planet generates a significant amount of heat internally, such as is the case for <u>Jupiter</u>, convection in the atmosphere can transport thermal energy from the higher temperature interior up to the surface.

#### **Importance**

From the perspective of a planetary geologist, the atmosphere acts to shape a planetary surface. Wind picks up <u>dust</u> and other particles which, when they collide with the terrain, erode the <u>relief</u> and leave <u>deposits</u> (<u>eolian</u> processes). <u>Frost</u> and <u>precipitations</u>, which depend on the atmospheric composition, also influence the relief. Climate changes can influence a planet's geological history. Conversely, studying the surface of the Earth leads to an understanding of the atmosphere and climate of other planets.

For a <u>meteorologist</u>, the composition of the Earth's atmosphere is a factor affecting the <u>climate</u> and its variations.

For a <u>biologist</u> or <u>paleontologist</u>, the Earth's atmospheric composition is closely dependent on the appearance of life and its evolution.

## See also



- Atmometer (evaporimeter)
- Atmospheric pressure
- International Standard Atmosphere
- Kármán line
- Sky

#### References

- Liddell, Henry George; Scott, Robert (2015-09-24). "ἀτμός" (https://web.archive.org/web/201 50924182433/http://www.perseus.tufts.edu/hopper/text?doc=Perseus%3Atext%3A1999.04. 0057%3Aentry%3Da%29tmo%2Fs). A Greek-English Lexicon. Perseus Digital Library. Archived from the original (https://perseus.tufts.edu/hopper/text?doc=Perseus%3Atext%3A1 999.04.0057%3Aentry%3Da%29tmo%2Fs) on 24 September 2015.
- 2. "Earth's Atmosphere Composition: Nitrogen, Oxygen, Argon and CO2" (https://earthhow.com/earth-atmosphere-composition/). Earth How. 2017-07-31. Archived (https://web.archive.org/web/20220419213949/https://earthhow.com/earth-atmosphere-composition/) from the original on 2022-04-19. Retrieved 2019-10-22.
- 3. "Evolution of the Atmosphere" (https://globalchange.umich.edu/globalchange1/current/lectures/Perry\_Samson\_lectures/evolution\_atm/). globalchange.umich.edu. Archived (https://web.archive.org/web/20220809204821/https://globalchange.umich.edu/globalchange1/current/lectures/Perry\_Samson\_lectures/evolution\_atm/) from the original on 9 August 2022. Retrieved 30 April 2023.
- 4. Williams, Matt (2016-01-07). "What is the Atmosphere Like on Other Planets?" (https://www.universetoday.com/35796/atmosphere-of-the-planets/). *Universe Today*. Archived (https://wwb.archive.org/web/20191022200133/https://www.universetoday.com/35796/atmosphere-of-the-planets/) from the original on 2019-10-22. Retrieved 2019-10-22.
- 5. "Atmospheric Composition" (https://web.archive.org/web/20200420141730/http://tornado.sfs u.edu/geosciences/classes/m201/Atmosphere/AtmosphericComposition.html). *Department of Earth & Climate Sciences*. San Francisco State University. Archived from the original (htt p://tornado.sfsu.edu/geosciences/classes/m201/Atmosphere/AtmosphericComposition.html) on 2020-04-20. Retrieved 2019-10-22.
- 6. Lorenz, Ralph D. (2014). "Titan: Interior, surface, atmosphere, and space environment, edited by I. Müller-Wodarg, C. A. Griffith, E. Lellouch, and T. E. Cravens. Cambridge, UK: Cambridge University Press, 2014, 474 p. \$135, hardcover" (https://doi.org/10.1111%2Fmaps.12317). *Meteoritics & Planetary Science*. **49** (6): 1139–1140. doi:10.1111/maps.12317 (https://doi.org/10.1111%2Fmaps.12317). ISBN 978-0-521-19992-6. ISSN 1945-5100 (https://search.worldcat.org/issn/1945-5100).
- 7. Ingersoll, Andrew P. (1990). "Dynamics of Triton's atmosphere". *Nature*. **344** (6264): 315—317. Bibcode:1990Natur.344..315I (https://ui.adsabs.harvard.edu/abs/1990Natur.344..315I). doi:10.1038/344315a0 (https://doi.org/10.1038%2F344315a0). S2CID 4250378 (https://api.semanticscholar.org/CorpusID:4250378).
- 8. Weaver, D.; Villard, R. (2007-01-31). "Hubble Probes Layer-cake Structure of Alien World's Atmosphere" (https://web.archive.org/web/20070314043755/http://hubblesite.org/newscente/archive/releases/2007/07/). Hubble News Center. Archived from the original (http://hubblesite.org/newscenter/archive/releases/2007/07/) on 2007-03-14. Retrieved 2007-03-11.
- 9. "Atmosphere" (https://education.nationalgeographic.org/resource/atmosphere). *National Geographic Society*. Archived (https://web.archive.org/web/20220610180446/https://education.nationalgeographic.org/resource/atmosphere/) from the original on 2022-06-10. Retrieved 2022-06-09.
- Seki, K.; Elphic, R. C.; Hirahara, M.; Terasawa, T.; Mukai, T. (2001). "On Atmospheric Loss of Oxygen Ions from Earth Through Magnetospheric Processes" (http://www.sciencemag.or g/cgi/content/full/291/5510/1939). Science. 291 (5510): 1939–1941.
  Bibcode:2001Sci...291.1939S (https://ui.adsabs.harvard.edu/abs/2001Sci...291.1939S).
  CiteSeerX 10.1.1.471.2226 (https://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.471.2226). doi:10.1126/science.1058913 (https://doi.org/10.1126%2Fscience.1058913).
  PMID 11239148 (https://pubmed.ncbi.nlm.nih.gov/11239148). S2CID 17644371 (https://api.semanticscholar.org/CorpusID:17644371). Retrieved 2007-03-07.

- 11. Gunell, H.; Maggiolo, R.; Nilsson, H.; Stenberg Wieser, G.; Slapak, R.; Lindkvist, J.; Hamrin, M.; De Keyser, J. (2018). "Why an intrinsic magnetic field does not protect a planet against atmospheric escape" (https://doi.org/10.1051%2F0004-6361%2F201832934). *Astronomy and Astrophysics*. **614**: L3. Bibcode:2018A&A...614L...3G (https://ui.adsabs.harvard.edu/abs/2018A&A...614L...3G). doi:10.1051/0004-6361/201832934 (https://doi.org/10.1051%2F0004-6361%2F201832934).
- 12. "Scientists Detected An Incoming Asteroid The Size Of A Car Last Week Why That Matters To Us" (https://www.forbes.com/sites/marshallshepherd/2019/06/27/scientists-detected-an-in coming-asteroid-the-size-of-a-car-last-week-why-that-matters-to-us/#3fb514894869). Forbes. 2019-06-27. Archived (https://web.archive.org/web/20190726062900/https://www.forbes.com/sites/marshallshepherd/2019/06/27/scientists-detected-an-incoming-asteroid-the-size-of-a-car-last-week-why-that-matters-to-us/#3fb514894869) from the original on 2019-07-26. Retrieved 2019-07-26.

## **Further reading**

■ Sanchez-Lavega, Agustin (2010). *An Introduction to Planetary Atmospheres*. <u>Taylor & Francis</u>. ISBN 978-1420067323.

#### **External links**

- Properties of atmospheric strata The flight environment of the atmosphere (https://web.arc hive.org/web/20090421144658/http://www.allstar.fiu.edu/aero/fltenv2.htm)
- Atmosphere Everything you need to know (https://mappingaround.in/atmosphere-everything-you-need-to-know/)

Retrieved from "https://en.wikipedia.org/w/index.php?title=Atmosphere&oldid=1283491729"