Content
App Shell Model
Basics of User Experiences
What Makes a Good Mobile Site?
Introduction to variable fonts on the web
Overview
Introduction to Focus
DOM Order Matters
Using tabindex
Introduction to Semantics
The Accessibility Tree
Text Alternatives for Images
Navigating Content
Introduction to ARIA
ARIA Labels and Relationships
Hiding and Updating Content
Accessible Styles
How To Do an Accessibility Review
Accessibility for Teams
Overview
CSS Versus JavaScript
The Basics of Easing
Custom Easing
Animating Between Views
Choosing the Right Easing
Animating Modal Views
Asymmetric Animation Timing
Animations and Performance
Overview
Patterns
Responsive Images
Multi-Device Content
Add to Home Screen (Web)

- App Install Prompt (Native)
- Additional Colors and Icons
- Handling User Location
- Using Device Orientation & Motion
- Making Fullscreen Experiences
- Click to Call
- Search Optimization
- Overview
- Sign in Users
- Save Credentials from Forms
- Social Discovery
- Create Amazing Forms
- Add Touch To Your Site
- Intro to the Payment Request API
- Deep Dive into the Payment Request API
- Payment Request UX considerations
- Set up Google Pay API
- Overview
- How Push Works
- Subscribing a User
- Permission UX
- Sending Messages with Web Push Libraries
- Web Push Protocol
- Handling Push Events
- Displaying a Notification
- Notification Behavior
- Common Notification Patterns
- FAQ
- Common Issues and Reporting Bugs
- Video: Web Push Notifications (I/O 2016)
- WebAPKs on Android
- Web App Manifest
- Using <video> and <audio>

Mobile Web Video Playback
Playing Protected Content with Encrypted Media Extensions
Overview
Seamless Playback
Fast Playback with Video Preload
Capturing Audio
Capturing Images
Capturing Video
Application Primers
From Raw Video to Web Ready
Real Time Effects For Images and Video
Cheat Sheet
Overview
Status
Seeing the Web From a VR Perspective
Getting Started with WebVR
Adding Input to a WebVR Scene
Overview
Measure Performance with the RAIL Model
Overview
Measuring Performance
Text Content
Graphical Content
HTTP Requests
HTTP Caching
Wrap-up and Demo
How to Think About Speed Tools
Assessing Loading Performance in Real Life with Navigation and Resource Timing
User-centric Performance Metrics
Understanding Low Bandwidth and High Latency
Overview
Eliminating Unnecessary Downloads
Optimizing Encoding and Transfer Size of Text-based Assets

- Image Optimization
- Automating Image Optimization
- Replace Animated GIFs with Video
- JavaScript Start-up Optimization
- Loading Third-Party JavaScript
- Web Font Optimization
- HTTP Caching
- Delivering Fast and Light Applications with Save-Data
- Reduce JavaScript Payloads with Tree Shaking
- Offline Cookbook
- Overview
- Offline Storage for Progressive Web Apps
- Using the Cache API
- IndexedDB Best Practices
- Offline UX Considerations
- Images and Video
- Overview
- Constructing the Object Model
- Render-Tree Construction, Layout, and Paint
- Render-Blocking CSS
- Adding Interactivity with JavaScript
- Measuring the Critical Rendering Path
- Analyzing Critical Rendering Path Performance
- Optimizing the Critical Rendering Path
- PageSpeed Rules and Recommendations
- Introduction to HTTP/2
- PRPL Pattern
- Resource Prioritization
- Introduction
- Decrease Front-end Size
- Make Use of Long-term Caching
- Monitor and analyze the app
- Conclusion

- Overview
- Optimizing JavaScript Execution
- Reduce the Scope and Complexity of Style Calculations
- Avoid Large, Complex Layouts and Layout Thrashing
- Simplify Paint Complexity and Reduce Paint Areas
- Stick to Compositor-Only Properties and Manage Layer Count
- Debounce Your Input Handlers
- Overview
- Content Security Policy
- Why HTTPS
- Important Security Terminology
- Enabling HTTPS on Your Servers
- What Is Mixed Content?
- Preventing Mixed Content
- Overview
- How do I know if my site is hacked?
- Top ways websites get hacked by spammers
- Build a support team
- Quarantine your site
- Use Search Console
- Overview
- Fixing the Japanese keyword hack
- Fixing the gibberish hack
- Fixing the cloaked keywords and links hack
- Assess malware damage
- Identify the vulnerability
- Clean and maintain your site
- Request a review
- Glossary for hacked sites
- FAQs for hacked sites
- Overview
- Custom Elements v1: Reusable Web Components
- Shadow DOM v1: Self-Contained Web Components

Best Practices

Overview

<howto-checkbox>

<howto-tabs>

<howto-tooltip>

Async Functions

Promises

Overview

Life Cycle

Registration

High Performance Loading

App Shell Model

Basics of User Experiences

What Makes a Good Mobile Site?

Introduction to variable fonts on the web

Overview

Introduction to Focus

DOM Order Matters

Using tabindex

Introduction to Semantics

The Accessibility Tree

Text Alternatives for Images

Navigating Content

Introduction to ARIA

ARIA Labels and Relationships

Hiding and Updating Content

Accessible Styles

How To Do an Accessibility Review

Accessibility for Teams

Overview

CSS Versus JavaScript

The Basics of Easing

Custom Easing

- Animating Between Views
- Choosing the Right Easing
- Animating Modal Views
- Asymmetric Animation Timing
- Animations and Performance
- Overview
- Patterns
- Responsive Images
- Multi-Device Content
- Add to Home Screen (Web)
- App Install Prompt (Native)
- Additional Colors and Icons
- Handling User Location
- Using Device Orientation & Motion
- Making Fullscreen Experiences
- Click to Call
- Search Optimization
- Overview
- Sign in Users
- Save Credentials from Forms
- Social Discovery
- Create Amazing Forms
- Add Touch To Your Site
- Intro to the Payment Request API
- Deep Dive into the Payment Request API
- Payment Request UX considerations
- Set up Google Pay API
- Overview
- How Push Works
- Subscribing a User
- Permission UX
- Sending Messages with Web Push Libraries
- Web Push Protocol

- Handling Push Events
- Displaying a Notification
- Notification Behavior
- Common Notification Patterns
- FAQ
- Common Issues and Reporting Bugs
- Video: Web Push Notifications (I/O 2016)
- WebAPKs on Android
- Web App Manifest
- Using <video> and <audio>
- Mobile Web Video Playback
- Playing Protected Content with Encrypted Media Extensions
- Overview
- Seamless Playback
- Fast Playback with Video Preload
- Capturing Audio
- Capturing Images
- Capturing Video
- Application Primers
- From Raw Video to Web Ready
- Real Time Effects For Images and Video
- Cheat Sheet
- Overview
- Status
- Seeing the Web From a VR Perspective
- Getting Started with WebVR
- Adding Input to a WebVR Scene
- Overview
- Measure Performance with the RAIL Model
- Overview
- Measuring Performance
- Text Content
- Graphical Content

- HTTP Requests
- HTTP Caching
- Wrap-up and Demo
- How to Think About Speed Tools
- Assessing Loading Performance in Real Life with Navigation and Resource Timing
- User-centric Performance Metrics
- Understanding Low Bandwidth and High Latency
- Overview
- Eliminating Unnecessary Downloads
- Optimizing Encoding and Transfer Size of Text-based Assets
- Image Optimization
- Automating Image Optimization
- Replace Animated GIFs with Video
- JavaScript Start-up Optimization
- Loading Third-Party JavaScript
- Web Font Optimization
- HTTP Caching
- Delivering Fast and Light Applications with Save-Data
- Reduce JavaScript Payloads with Tree Shaking
- Offline Cookbook
- Overview
- Offline Storage for Progressive Web Apps
- Using the Cache API
- IndexedDB Best Practices
- Offline UX Considerations
- Images and Video
- Overview
- Constructing the Object Model
- Render-Tree Construction, Layout, and Paint
- Render-Blocking CSS
- Adding Interactivity with JavaScript
- Measuring the Critical Rendering Path
- Analyzing Critical Rendering Path Performance

- Optimizing the Critical Rendering Path
- PageSpeed Rules and Recommendations
- Introduction to HTTP/2
- PRPL Pattern
- Resource Prioritization
- Introduction
- Decrease Front-end Size
- Make Use of Long-term Caching
- Monitor and analyze the app
- Conclusion
- Overview
- Optimizing JavaScript Execution
- Reduce the Scope and Complexity of Style Calculations
- Avoid Large, Complex Layouts and Layout Thrashing
- Simplify Paint Complexity and Reduce Paint Areas
- Stick to Compositor-Only Properties and Manage Layer Count
- Debounce Your Input Handlers
- Overview
- Content Security Policy
- Why HTTPS
- Important Security Terminology
- Enabling HTTPS on Your Servers
- What Is Mixed Content?
- Preventing Mixed Content
- Overview
- How do I know if my site is hacked?
- Top ways websites get hacked by spammers
- Build a support team
- Quarantine your site
- Use Search Console
- Overview
- Fixing the Japanese keyword hack
- Fixing the gibberish hack

Fixing the cloaked keywords and links hack
Assess malware damage
Identify the vulnerability
Clean and maintain your site
Request a review
Glossary for hacked sites
FAQs for hacked sites
Overview
Custom Elements v1: Reusable Web Components
Shadow DOM v1: Self-Contained Web Components
Best Practices
Overview
<howto-checkbox>
<howto-tabs>
<howto-tooltip>
Async Functions
Promises
Overview
Life Cycle
Registration
High Performance Loading