

# BioSpecInfo

## Security, Privacy & Compliance — BioSpecInfo

---

Samuele Pio Provenzano

Versione **bsi-v174** · commit `de935fb`

Generato il 2026-09-25

Documento generato automaticamente dal sorgente Markdown versionato nel repository. La versione e il commit stampati in ogni piè di pagina identificano esattamente lo stato del software descritto.

# Security, Privacy & Compliance — BioSpecInfo

---

| Field    | Value                         |
|----------|-------------------------------|
| Software | BioSpecInfo                   |
| Author   | Samuele Pio Provenzano        |
| Model    | Client-side / Local-First PWA |

---

## 1. Privacy & data protection (GDPR)

---

### 1.1 Local-First by design

- **No account, no login, no advertising tracking.**

• All user data (drawn molecules, preferences, quiz history, study progress) is stored **exclusively locally** on the device ( `localStorage` / IndexedDB / `sql.js` ), with no transmission to author-controlled servers.

- **There is no application backend** collecting or processing personal data.

### 1.2 Data handling and GDPR alignment

- **Data minimisation:** the app requires no personal data to function.

• **No transfer to the author's third parties:** data never leaves the device for infrastructure controlled by the author.

• **Optional, transparent external calls:** only upon a user action (searching a molecule, opening a 3D model) does the app query public third-party APIs (PubChem, NASA/ESA, spectral databases). Such requests contain **only the chemical identifier** (e.g. SMILES/name) and **no personal data**. Use of these services is subject to their respective privacy policies.

• **Local right to erasure:** the user can delete data by clearing the site storage in the browser.

**Note.** This alignment describes the local-first design properties that favour GDPR compliance. It does not constitute a legal certification; for regulated contexts a dedicated DPIA assessment is recommended.

## 2. Application security (OWASP)

---

### 2.1 Attack surface

Being a **static application with no backend**, entire classes of server-side vulnerabilities are absent by construction (SQL injection on a server DB, server-side RCE, server authentication/session, IDOR on proprietary APIs).

### 2.2 Input sanitisation

- Parsing of **SMILES / SMARTS** strings and molecular files is delegated to

**RDKit MinimalLib (WASM)**, which validates the structures and rejects malformed input by returning invalid molecules rather than executing them.

- Strings coming from user input or external APIs, when inserted into the DOM, are treated as untrusted. Their textual value (names, notations) is shown as text content/ `textContent` or with escaping of the `& < >` characters.

### 2.3 Runtime robustness

- **localStorage guard**: every storage access is protected by `try/catch` with an in-memory fallback, so that incognito mode or blocked storage cannot halt execution (a historical regression that has been fixed).
- **Controlled degradation**: panels never silently stay empty; errors show a message and, where applicable, a "Retry" button.
- **Sub-app isolation** in `iframe`s.

### 2.4 Content Security Policy (deployment recommendation)

Since the app can be published on static hosting, it is recommended to serve it with security headers at the hosting/CDN level:

- Restrictive `Content-Security-Policy` (self script/style + WASM),  
`frame-ancestors`, `X-Content-Type-Options: nosniff`, `Referrer-Policy: no-referrer`.
- `Cross-Origin-Opener-Policy` / `Cross-Origin-Embedder-Policy` if `SharedArrayBuffer` and parallel Web Workers are enabled in the future (HPC roadmap).

---

## 3. Integrity and reproducibility (GAMP 5 alignment)

---

For use in pharmaceutical/regulated contexts, the architecture is **compatible** with GAMP 5 principles:

- **Determinism**: the cheminformatics computations (RDKit) are deterministic and reproducible for the same input.

- **Version traceability:** code versioning on Git, versioned Service Worker cache, changelog.

- **Method transparency:** the heuristic predictors are documented with their sources and limitations (see the *Validation Report*).

Again: this is **alignment with the principles**, not a formal qualification (IQ/OQ/PQ), which would require a dedicated validation process at the using organisation.

## 4. Summary

| Aspect                                        | Status                       |
|-----------------------------------------------|------------------------------|
| Personal data transmitted to author's servers | <b>None</b>                  |
| Backend / server database                     | <b>Absent</b>                |
| Molecular input validation                    | RDKit WASM                   |
| DOM output escaping                           | Yes (untrusted content)      |
| Storage guard / error degradation             | Yes                          |
| CSP / security headers                        | Recommended at hosting level |
| Offline operation                             | Yes (Service Worker)         |