

Sample Obligation And Evidence Workflow

Document type: sales demo workflow and pilot setup guide.

Data status: synthetic, redacted, or non-sensitive data only.

Required boundary: FeDril tracks readiness workflow, obligation ownership, and evidence metadata. It does not determine legal compliance, certify CMMC status, or authorize real CUI handling in the MVP.

Publication status: controlled internal / demo-prep draft. Do not send externally until the pre-publication checklist in this document is complete.

Current-State Verification

Claim	Status	Evidence
Contract metadata can be entered in the Contracts tab.	Implemented	UI labels verified in apps/web/src/App.tsx; API contract routes require ManageContracts.
Contract document upload requires current No-CUI acknowledgement.	Implemented	ContractDocumentFileService.UploadAsync checks acknowledgement before upload; ContractRecordTests.TC_8_2_1 proves a 428 response before acknowledgement.
Evidence upload requires current No-CUI acknowledgement and user attestation.	Implemented	EvidenceFileUploadTests.TC_12_2_1 and NoCuiAcknowledgementTests.TC_4_1_2 prove server-side blocking before acknowledgement.
Evidence metadata can be created and linked to obligations or controls.	Implemented	Evidence tab exposes Evidence metadata, Obligations (optional), and Controls; evidence API routes require evidence permissions.
Reports are workflow guidance only.	Implemented in UI	Reports tab includes the no-legal-advice/no-certification disclaimer.
Paid pilot delivery, conversion credit, and customer testimonial workflow.	Planned	Business process only; not an implemented product capability.
Real CUI upload or processing.	Do not claim	MVP posture prohibits real CUI handling.

Workflow Goal

Show a buyer how one contract requirement becomes a managed readiness workflow:

1. Contract metadata is entered.
2. Clauses are attached or reviewed.
3. Source-backed obligations are generated and reviewed.
4. Owners and due dates are assigned.
5. Allowed evidence metadata is linked.
6. Readiness status is reported.
7. Audit history records compliance-relevant changes.

Sample Scenario

Field	Value
Customer	Acme Federal Services LLC
Contract	Synthetic DoD Subcontract 2026-001

Field	Value
Buyer persona	Operations lead and security lead
Data posture	No-CUI / compliance management only
Primary workflow	CMMC-related readiness tracking and evidence organization
Demo objective	Replace spreadsheet tracking with owned obligations and reportable evidence metadata

Step 1: Confirm Data Handling Boundary

Before evidence upload or contract document upload is enabled, the user must acknowledge the No-CUI posture. The acknowledgement is also displayed during contract intake so the buyer sees the data boundary before discussing evidence collection.

Where to find it in the app

Tab	UI section or action	Notes
Contracts	No-CUI acknowledgement panel	Displayed during contract intake as Required before contract or evidence work.
Evidence	No-CUI acknowledgement panel	Displayed before the upload workflow as Required before evidence upload.
Contracts	Contract documents upload workflow	Upload-related actions require the current No-CUI acknowledgement.
Evidence	Upload area	Upload is disabled until acknowledgement and No-CUI attestation requirements are satisfied.

Required user acknowledgement

- I will not upload, paste, import, or attach real CUI.
- I will not upload classified information, ITAR/export-controlled data, credentials, payroll records, SSNs, health data, or sensitive incident details.
- I will use synthetic, redacted, or non-sensitive data during the pilot.
- I understand FeDril reports are workflow guidance, not legal advice or certification decisions.

Sales demo note

Show this step before discussing evidence upload or contract document upload. This prevents the prospect from assuming FeDril is a CUI repository. Do not state that all contract metadata entry is blocked before acknowledgement; the current MVP blocks upload-related workflows, while contract intake still displays the acknowledgement boundary.

Step 2: Add Contract Metadata

The user enters non-sensitive contract metadata.

Where to find it in the app

Tab	UI section or action	Notes
Contracts	Create contract record	Use New contract when a selected contract is already open.
Contracts	Contract form	Enter the fields listed below, then select Create contract or Update contract.

UI field	Sample value
Contract number	SYN-DOD-SUB-2026-001
Title	Synthetic DoD Subcontract 2026-001
Agency or prime	Redacted Prime Contractor
Role	Subcontractor
Contract type	Fixed price
Status	Active
Awarded	2026-07-15
Start	2026-08-01
End	2026-12-31
FCI/CUI posture	FCI only
Place of performance	Remote / Redacted location
Description	Synthetic pilot contract used for readiness workflow demonstration.

Fields not currently shown in contract metadata

Semantic field	Current app treatment	Recommendation
Review owner	Not a Contract form field. Obligation ownership is assigned later from the obligation detail panel.	Do not claim this as contract metadata in the demo. Add a contract-level owner field only if customer discovery shows buyers need one accountable contract lead before obligations exist.
Security owner	Not a Contract form field. Security ownership is represented through obligation owner assignment and evidence workflow ownership.	Do not claim this as contract metadata in the demo. Add a contract-level security owner only if it is needed for routing, reminders, or reporting.

Step 3: Attach Or Review Clauses

This workflow is implemented in the Contracts tab under the Attached clauses section. The user attaches a published clause to the selected contract instead of typing an unsupported free-form clause tag.

The clause search helper is also visible in the Obligations tab as Clause library search, with the eyebrow label Manual clause tagging. Use it to find published clauses by clause number, title, or category before attaching them to a contract.

Contracts tab fields

UI field or action	Purpose
Attached clauses	Shows the number of clauses attached to the selected contract.
Published clause ID	Published clause identifier selected from the clause library.
Attachment reason	Why the clause is relevant to this contract.
Source document reference	Optional reference to the source contract document or section.
Attach clause	Saves the clause attachment to the selected contract.
Remove	Removes an attached clause when a removal reason is provided.

Obligations tab clause search fields

UI field or action	Purpose
Clause library search	Search surface for published clauses.
Clause search	Search by clause number or title.

UI field or action	Purpose
Category	Filter by published category such as FAR, DFARS, CMMC, Labor, Telecom, ByteDance, or Custom.
Search clauses	Runs the clause library search.
Select clause	Selects a mappable clause from the search results.

Clause family	Sample tag	Review status
FAR safeguarding	Basic safeguarding workflow required	Needs review
DFARS cyber	Cyber incident handling workflow required	Needs review
CMMC readiness	Readiness tracking relevant	Needs review
Flow-down	Subcontractor review may be required	Needs review

Step 4: Generate And Review Obligation Records

After mapped clauses are attached to a contract, FeDril generates source-backed obligation records for review. Each obligation should include source family, trigger, required action, owner, evidence examples, risk level, confidence label, and review state.

Where to find it in the app

Tab	UI section or action	Notes
Obligations	Obligation work queue	Shows tenant-scoped obligations after company profile, contract intake, and mapped clause attachment are in place.
Obligations	View details	Opens Obligation detail for the selected obligation.
Obligations	Obligation detail	Shows Why it applies, Required action, Owner, Assignment, Source, Confidence, Last reviewed, Evidence examples, Flow-down, Expert review, Linked tasks, and Linked evidence.
Dashboard	Priority obligations	Shows a high-level readiness view and selected priority obligations.

Obligation	Trigger	Required action	Owner	Due date	Review state
Maintain basic safeguarding workflow	Contract includes safeguarding requirement	Document responsible owner and evidence metadata	Security Lead	2026-08-01	Draft sample
Track cyber incident escalation path	Cyber incident workflow is contract-relevant	Record internal contact and escalation metadata	Security Lead	2026-08-07	Draft sample
Assign CMMC readiness owners	DoD supplier readiness workflow	Assign control-family owners and status	Operations Lead	2026-08-15	Draft sample
Review subcontractor flow-down applicability	Work may be subcontracted	Determine whether subcontractor tracking is required	Contracts Lead	2026-08-20	Draft sample

Step 5: Link Evidence Metadata

Evidence metadata should describe what exists, who owns it, where it is stored, and whether it is allowed under the No-CUI posture. Do not store prohibited content in FeDril.

Where to find it in the app

Tab	UI section or action	Notes
Evidence	Evidence metadata	Create or update reusable evidence records.
Evidence	Evidence list	Select an existing evidence record or use New evidence.
Evidence	Obligations (optional)	Link evidence metadata to an obligation ID.
Evidence	Controls	Link evidence metadata to CMMC or NIST control IDs where applicable.
Evidence	Review classification	Reclassify selected evidence metadata after review.

Evidence metadata	Linked obligation	Allowed in MVP?	Notes
Synthetic policy excerpt	Maintain basic safeguarding workflow	Yes	Synthetic demonstration data.
Redacted training register	Maintain basic safeguarding workflow	Yes	Confirm no SSNs, payroll, health, or sensitive employee data.
Incident response contact placeholder	Track cyber incident escalation path	Yes	Placeholder only; no sensitive incident details.
External secure repository pointer	Assign CMMC readiness owners	Yes	Metadata pointer only; do not include CUI.
Real marked CUI document	Any obligation	No	Must be blocked or kept outside FeDril MVP.

Step 6: Update Workflow Status

Use the app's workflow-oriented obligation statuses. Avoid pass/fail, certified, compliant, or assessment-success labels.

Where to find it in the app

Tab	UI section or action	Notes
Obligations	Obligation work queue	Select View details on an obligation.
Obligations	Update status	Choose a workflow status and select Save status.
Obligations	Assign by	Assign the obligation by Tenant member or Role, then save the assignment.

Status	Meaning
Open	Obligation exists and is waiting for owner action or review.
In progress	Owner assigned and work is underway.
Blocked	Work cannot proceed until an issue, missing input, or dependency is resolved.
Waiting for review	Work is ready for accountable-owner or reviewer review.
Done	Workflow item is complete for internal tracking purposes, not certified compliance.
Canceled	Workflow item is no longer active for this contract context.

Step 7: Generate Reports Or Evidence Package

Use the Reports tab to generate one of the current report artifacts:

Where to find it in the app

Tab	UI section or action	Notes
Reports	Compliance status	Select Generate status.

Tab	UI section or action	Notes
Reports	CMMC readiness	Select an Assessment, then select Generate readiness.
Reports	Subcontractor compliance	Optionally choose a Contract filter, then select Generate supplier report.
Reports	Evidence package builder	Configure Package title, Obligation, Contract, Control ID, Subcontractor, and draft/rejected evidence inclusion before generating the package.
Reports	Generated this session	Shows generated report artifacts during the current session.
Reports	Approved evidence packages	Shows approved evidence package artifacts.

- Compliance Status report.
- CMMC Readiness report.
- Subcontractor Compliance report.
- Evidence Package.

The selected report or package should show, where applicable:

- Contract workflow summary.
- Obligation matrix.
- Evidence metadata status.
- Owners and due dates.
- Open gaps.
- Audit history summary.
- Required No-CUI and no-legal-advice disclaimer.

Step 8: Record Audit History

Audit history should capture compliance-relevant changes:

Where to find it in the app

Tab	UI section or action	Notes
Settings	Audit log	Visible to users with audit-log permission.
Settings	Audit trail filters	Filter by Actor ID, Action, Entity, From, and To, then select Filter.
Settings	Tenant audit events	Review Date, Actor, Action, Entity, and Summary.

- Data-handling acknowledgement.
- Contract record creation.
- Clause tag creation or update.
- Obligation creation or update.
- Evidence metadata attachment.
- Report generation or evidence package export.
- Status changes.

Hidden Risks And Edge Cases

- A buyer may attempt to upload real CUI during a demo or pilot; the workflow must block or redirect the user.
- A readiness status can be misread as a certification decision; labels must remain workflow-oriented.
- Clause handling creates reviewer dependency; do not imply extraction candidates or generated obligations are final compliance determinations without review.
- Evidence metadata can still leak sensitive information if users paste prohibited details into descriptions.
- Advisor or counsel review is required before using this workflow as external customer-facing guidance.

Pre-Publication Checklist

Check	Pass condition
UI flow verified	The demo still matches Contracts, Obligations, Evidence, Reports, and Settings tab labels.
API enforcement verified	Any word such as required, blocked, or disabled maps to upload-related API enforcement or UI state.
Test evidence checked	No-CUI upload gating tests and contract document upload tests still pass or have been reviewed.
No-CUI posture preserved	Demo data is synthetic, redacted, or non-sensitive only.
Claims reviewed	No legal advice, CMMC certification, compliance guarantee, government endorsement, or secure CUI storage claim appears.
Counsel/product/security review	Required before sending this workflow as customer-facing guidance.