

GCCS UAT: No-CUI Readiness Workflow

Status basis: Implemented UI tabs and API behavior were checked against `apps/web/src/App.tsx`, `apps/api/Program.cs`, and focused API tests for contracts, clauses, obligations, evidence metadata, reports, audit logs, and RBAC.

Do not use real customer CUI, classified information, export-controlled technical data, credentials, payroll records, private keys, or production customer evidence in this UAT.

Acceptance Categories

Category	UAT Coverage	Current-State Label
One configured No-CUI readiness workflow that shows contract metadata	UAT-01 through UAT-04	Implemented
Attached or reviewed clauses	UAT-05 through UAT-06	Implemented
Generated obligations	UAT-07	Implemented
Owner/status tracking	UAT-08 through UAT-09	Implemented
Allowed evidence metadata	UAT-10 through UAT-12	Implemented
A current report artifact	UAT-13	Implemented
Audit history	UAT-14 through UAT-15	Implemented

Roles

Role	UAT Actor	Use In This Test	Permission Expectation
Owner	Morgan Lane, morgan.lane+uat@example.com	Tenant setup, No-CUI mode, audit review	Can manage tenant settings and view audit log
Admin	Jordan Miles, jordan.miles+uat@example.com	User setup and operational fallback	Can manage users and workflow records, but not tenant ownership
Compliance Manager	Priya Shah, priya.shah+uat@example.com	Contract, clause, obligation, evidence, reports	Can manage core compliance workflow
Contributor	Devin Brooks, devin.brooks+uat@example.com	Evidence metadata support	Can manage evidence and tasks, cannot approve evidence or generate reports
Auditor	Elena Carter, elena.carter+uat@example.com	Read-only acceptance review	Can view records and reports, cannot modify workflow data or audit logs
Advisor	Avery Quinn, avery.quinn+advisor@example.com	External compliance advisor review	Can help manage compliance workflow and view audit log inside tenant boundary

Note: In local development, the React app uses development authentication headers. Treat the names above as test personas unless separate login accounts are configured. Switch user lists only active users with an active membership in the selected tenant. Before UAT-09, confirm Priya Shah and Devin Brooks have active memberships; an invitation that has not been accepted is not sufficient.

Test Data

Data Type	Field	Value
Tenant	Active tenant	GCCS Development Tenant
Tenant mode	Data handling mode	NoCui
Contract	Contract number	DEMO-NC-26-0007
Contract	Title	Non-CUI Help Desk Support BPA Call
Contract	Agency or prime	Fictional Prime Systems Inc. for DHS
Contract	Role	Subcontractor
Contract	Contract type	Fixed price
Contract	Status	Active
Contract	Awarded	2026-06-15
Contract	Start	2026-07-01
Contract	End	2027-06-30
Contract	FCI/CUI posture	FCI only
Contract	Place of performance	Virginia, remote support
Contract	Description	Synthetic No-CUI contract for UAT. FCI-only support workflow, no customer CUI, no classified data, no export-controlled technical data.
Document	File name	demo-nc-contract.txt
Document	Content	Synthetic No-CUI contract fixture for UAT. Includes FAR 52.204-21, FAR 52.204-25, and FAR 52.204-27 references. No customer CUI, classified information, export-controlled technical data, credentials, payroll, or secrets.
Clause	Search terms	52.204-21, 52.204-25, 52.204-27
Evidence	Title	MFA configuration summary - synthetic
Evidence	Type	System configuration
Evidence	Owner	Security
Evidence	Status	Approved
Evidence	Effective	2026-06-01
Evidence	Expires	2027-01-31
Evidence	Tags	FAR 52.204-21, FCI, MFA, UAT
Evidence	Controls	AC.L1-3.1.1
Evidence	Classification	FCI
Evidence	Classification reason	User confirmed synthetic FCI-only evidence for No-CUI UAT.
Report	Package title	Prime review evidence package - No-CUI UAT

Pre-Publication Checklist

Before using this UAT as a sales, demo, or customer-facing asset, confirm:

Check	Required Evidence
Does the UI expose this flow?	Dashboard, Settings, Contracts, Obligations, Evidence, Reports tabs are visible for the role under test
Does the API enforce this rule?	Endpoint returns expected success, 403, 404, or validation error
Is there a test proving it?	Relevant API test exists for the behavior
Does wording avoid overclaims?	No claim of certification, official compliance status, legal advice, government approval, guaranteed security, or audit-ready status
Does it preserve No-CUI posture?	Test data is synthetic and NoCui mode rejects CUI handling

UAT-01: Confirm No-CUI Mode

Category: One configured No-CUI readiness workflow that shows contract metadata.

Role: Owner.

Tab: Settings.

Steps:

1. Open the GCCS app in local development.
2. Click the Settings tab.
3. Find Data handling mode.
4. Confirm the displayed mode is NoCui.
5. If the form is editable, enter NoCui for Mode.
6. Enter UAT reset to No-CUI compliance management mode. for Reason for mode change.
7. Leave Approval checklist ID blank.
8. Click Update mode.
9. Confirm Tenant data handling mode history shows a row with New = NoCui.

Expected result: The tenant is configured for No-CUI compliance management only.

Reason: This establishes the safety boundary for every later step. If the tenant is not in NoCui, evidence, reporting, and contract-document expectations may not match the MVP posture.

UAT-02: Verify Role Access Surface

Category: One configured No-CUI readiness workflow that shows contract metadata.

Role: Owner or Admin.

Tab: Settings.

Steps:

1. Stay on Settings.
2. Review the visible role guidance or current access details if shown.
3. Confirm the test actor can access Contracts, Obligations, Evidence, and Reports.
4. Confirm Auditor can view workflow records and reports but cannot create or update them.
5. Confirm Contributor can help with evidence and task work but cannot generate reports or approve evidence.

Expected result: UAT actors are assigned to roles that match the work they perform.

Reason: A UAT result is not meaningful if the actor has excessive privileges. This step separates operator behavior from reviewer behavior.

UAT-03: Create The No-CUI Contract Record

Category: One configured No-CUI readiness workflow that shows contract metadata.

Role: Compliance Manager.

Tab: Contracts.

Steps:

1. Click the Contracts tab.
2. Click New contract if an existing contract is selected.
3. In Create contract record, enter the contract data from the Test Data section.
4. Confirm FCI/CUI posture is FCI only.

5. Click `Create contract`.

6. Select `DEMO-NC-26-0007` in `Contract records`.

Expected result: The selected contract displays its number, title, agency or prime, relationship, type, status, dates, posture, place of performance, and description.

Reason: Contract metadata is the anchor for clause attachment, obligation generation, evidence scope, reporting scope, and audit history.

UAT-04: Upload Contract Document Metadata

Category: One configured No-CUI readiness workflow that shows contract metadata.

Role: Compliance Manager.

Tab: `Contracts`.

Steps:

1. Stay on `Contracts`.
2. Select `DEMO-NC-26-0007`.
3. In `Required before contract or evidence work`, confirm the current No-CUI notice is acknowledged. If it is not, check all four `Required user acknowledgement` statements and click `I acknowledge the No-CUI upload limitation`.
4. Confirm the acknowledgement status is `Acknowledged` before continuing.
5. In `Documents`, set `Document type` to `Contract`.
6. Set `Contract document classification` to `FCI`.
7. Choose a local text file named `demo-nc-contract.txt` containing the allowed synthetic text from `Test Data`.
8. Click `Upload metadata`.
9. Confirm the document appears in the document list with `FCI` classification.

Expected result: The app accepts synthetic FCI-only contract document metadata.

Reason: This proves the workflow can record contract-document context without accepting prohibited CUI content.

UAT-05: Search Source-Backed Clauses

Category: Attached or reviewed clauses.

Role: Compliance Manager or Advisor.

Tab: `Obligations`.

Steps:

1. Click the `Obligations` tab.
2. Find `Clause library search`.
3. Search `52.204-21`.
4. Record the published clause ID for the matching FAR clause.
5. Repeat for `52.204-25`.
6. Repeat for `52.204-27`.
7. Confirm each result includes clause number, title, source URL, confidence or review state when displayed.

Expected result: Published clause records can be located before attachment.

Reason: Clause-driven obligations should come from reviewed source-backed content, not free-form user text.

UAT-06: Attach Clauses To Contract

Category: Attached or reviewed clauses.

Role: Compliance Manager.

Tab: Contracts.

Steps:

1. Click the Contracts tab.
2. Select DEMO-NC-26-0007.
3. In Attached clauses, paste the published clause ID for 52.204-21.
4. Enter Manual UAT tagging from synthetic contract text. for Attachment reason.
5. Enter demo-nc-contract.txt for Source document reference.
6. Click Attach clause.
7. Repeat steps 3 through 6 for 52.204-25 and 52.204-27.
8. Confirm attached rows show clause number, title, source URL, and review metadata when available.

Expected result: Three clauses are attached to the contract.

Reason: Attachment creates the bridge from contract metadata to source-backed obligation generation.

UAT-07: Generate And Review Contract Obligations

Category: Generated obligations.

Role: Compliance Manager.

Tab: Contracts, then Obligations.

Steps:

1. Stay on Contracts.
2. In the attached clause row for 52.204-21, use the available generate action if visible.
3. If generation occurs automatically after attachment, proceed to the next step.
4. Click the Obligations tab.
5. In Obligation work queue, filter by contract DEMO-NC-26-0007.
6. Apply any useful filters: Risk = High, Owner = Security or IT/security, Module = Cybersecurity, Source = 52.204-21.
7. Open the matching obligation with View details.
8. Confirm detail sections include Why it applies, Required action, Owner, Source, Confidence, Last reviewed, Evidence examples, and Flow-down.

Expected result: At least one source-backed obligation appears for the contract, preserving clause and source metadata.

Reason: The acceptance point is not merely that a clause is attached. The system should turn reviewed clause mappings into actionable work while preserving provenance.

UAT-08: Update Obligation Status

Category: Owner/status tracking.

Role: Compliance Manager.

Tab: Obligations.

Steps:

1. Stay in the opened obligation detail.
2. In Update status, choose In progress.
3. Click Save status.
4. Confirm the status shown in detail or the work queue changes to In progress.

Expected result: The obligation status updates for the selected tenant-scoped contract obligation.

Reason: Status tracking is the operational control that turns static compliance content into an active readiness workflow.

UAT-09: Assign Obligation Owner

Category: Owner/status tracking.

Role: Compliance Manager.

Tab: Obligations.

Prerequisite: Priya Shah and Devin Brooks are active members of the selected tenant. Confirm both names appear under `Switch user` before assigning the obligation. If the selector is disabled or either name is absent, complete the tenant invitation/activation workflow first.

Steps:

1. Stay in the opened obligation detail.
2. In `Assign by`, choose `Tenant member`.
3. In `Tenant member`, choose `Devin Brooks`.
4. Leave `Also send assignment email` checked.
5. Click `Assign owner`.
6. Reload, reopen the obligation detail, and confirm `Currently assigned to`, `Assign by`, and `Tenant member` show `Devin Brooks`.
7. In the local test context, use `Switch user` to select `Devin Brooks` and apply the context.
8. Confirm the notification bell shows an unread direct assignment. Open it, then return to `Obligations` and select `My assignments`.
9. Switch the development user back to `Priya Shah`, assign the same obligation by `Role`, and choose `Compliance manager`.
10. Reload, reopen the detail, and confirm the saved role remains displayed.
11. Select `Role assignments` and confirm the obligation appears with the role-queue count.
12. Switch to an active `Compliance Manager` persona and confirm the bell contains the role-assignment notification.

Expected result: A tenant-member or role assignment remains visible after reload in both the persistent assignment summary and assignment controls. A directly assigned member receives an in-app notification and can find the obligation under `My assignments`. Active members of an assigned role receive one deduplicated in-app notification and can find the obligation under `Role assignments`. When direct-assignment email delivery is configured and the member's `Assignment emails` preference is enabled, an email is queued asynchronously. Role-assignment email remains disabled.

Reason: Direct and role ownership must survive reload, provide an explicit queue, and make eligible recipients aware of new work. Role notification fan-out remains tenant-scoped and in-app only to avoid ungoverned mass email. Asynchronous direct-assignment email delivery prevents an external email-provider failure from rolling back the obligation assignment.

UAT-10: Acknowledge No-CUI Evidence Rules

Category: Allowed evidence metadata.

Role: Contributor or Compliance Manager.

Tab: Evidence.

Steps:

1. Click the `Evidence` tab.
2. Find `No-CUI acknowledgement`.
3. Read the notice and confirm it prohibits real customer CUI in `No-CUI` mode.
4. Click `I acknowledge the No-CUI upload limitation`.
5. Confirm the status changes to `Acknowledged`.

Expected result: Evidence controls become available only after acknowledgement.

Reason: The acknowledgement is an operational safety gate. It educates users before they create or upload evidence in a No-CUI tenant.

UAT-11: Create Allowed Evidence Metadata

Category: Allowed evidence metadata.

Role: Contributor or Compliance Manager.

Tab: Evidence.

Steps:

1. Stay on Evidence.
2. Find Evidence metadata.
3. Click New evidence.
4. Enter the evidence data from the Test Data section.
5. For Obligations, paste the generated FAR 52.204-21 obligation ID if visible; otherwise leave blank and rely on the Controls link.
6. For Controls, enter AC.L1-3.1.1.
7. Click Create metadata.
8. Confirm the record appears in Evidence list.

Expected result: The evidence record appears with title, type, owner, status, dates, tags, classification, and control or obligation links.

Reason: Evidence metadata lets the system track proof without requiring storage of sensitive file content.

UAT-12: Negative Evidence Classification Check

Category: Allowed evidence metadata.

Role: Compliance Manager.

Tab: Evidence.

Steps:

1. Stay on Evidence.
2. Select the synthetic evidence item or create a new test evidence record.
3. Attempt to classify it as CUI while the tenant remains in NoCui mode.
4. Enter Negative UAT check: NoCui mode should not accept CUI evidence. as the classification reason.
5. Submit the classification change.

Expected result: The workflow is rejected or blocked by the No-CUI policy.

Reason: A positive-only UAT misses the main safety guarantee. This negative test proves that No-CUI mode does not silently accept CUI-labeled evidence.

UAT-13: Generate Current Report Artifact

Category: A current report artifact.

Role: Compliance Manager.

Tab: Reports.

Steps:

1. Click the Reports tab.
2. In Compliance status, click Generate status.

3. Confirm a report appears under Recent generated reports, then click its card and confirm the report detail panel opens. Reload the page and confirm the report remains listed.
4. In Evidence package builder, enter Prime review evidence package - No-CUI UAT for Package title.
5. Select the generated obligation if available.
6. Select contract DEMO-NC-26-0007.
7. Select control AC.L1-3.1.1 if available.
8. Leave Include draft/rejected evidence when authorized unchecked.
9. Click Generate package.
10. Confirm the package appears under Recent generated reports or Approved evidence packages, then click its card and confirm the package detail panel opens.
11. In the opened detail panel, confirm the report wording says it is workflow guidance and does not claim legal advice, certification decision, assessor determination, contracting-officer determination, or government endorsement.

Expected result: A current report artifact is generated from tenant-scoped obligations, contract data, and approved evidence metadata.

Reason: Reports are the handoff artifact for internal reviews and prime-review preparation. The acceptance test also verifies that the report avoids certification and legal overclaims.

UAT-14: Verify Audit History For Created Records

Category: Audit history.

Role: Owner, Admin, or Advisor.

Tab: Settings.

Steps:

1. Click the Settings tab.
2. Find Audit log.
3. Set Action to Created.
4. Set Entity to Contract.
5. Click Filter.
6. Confirm a created event exists for DEMO-NC-26-0007 or the created contract ID.
7. Change Entity to ContractClause.
8. Click Filter.
9. Confirm created events exist for attached clauses.
10. Change Entity to EvidenceItem.
11. Click Filter.
12. Confirm a created event exists for MFA configuration summary - synthetic.
13. Change Entity to Report.
14. Click Filter.
15. Confirm a created event exists for the generated report.

Expected result: The audit log shows tenant-scoped history for the contract, clause, evidence, and report actions.

Reason: Audit history is the accountability trail. It should show who did what, when, and to which tenant-scoped entity.

UAT-15: Verify Audit Access By Role

Category: Audit history.

Role: Auditor, Contributor, Owner.

Tab: Settings.

Steps:

1. As Owner, confirm the Settings tab and Audit Log are visible.
2. As Contributor, attempt to access Settings or audit log review.
3. Confirm Contributor cannot view audit logs.
4. As Auditor, attempt to access audit logs.
5. Confirm Auditor cannot access audit logs unless the implementation grants ViewAuditLog.
6. As Advisor, confirm audit visibility is available if assigned the Advisor role.

Expected result: Audit log access follows the role permission matrix.

Reason: Audit logs can expose sensitive operational metadata. Access should be restricted to roles with explicit audit permission.

Acceptance Exit Criteria

The UAT passes only if all of these conditions are true:

1. Tenant mode is NoCui.
2. Contract DEMO-NC-26-0007 exists and displays the expected metadata.
3. Published clauses are found and attached with source references.
4. At least one obligation is generated or visible from the attached clause mapping.
5. Obligation status and owner assignment can be updated by an authorized role.
6. Allowed synthetic FCI evidence metadata can be created.
7. CUI classification or upload is blocked in No-CUI mode.
8. A current report or evidence package artifact is generated.
9. Report language avoids certification, legal, compliance, government-approval, and audit-readiness overclaims.
10. Audit history shows the tested create/update/report events.
11. Unauthorized roles cannot mutate restricted workflow records.

Hidden Risks, Edge Cases, And Dependencies

Item	Risk
Local development auth	Role switching may require API header changes or manual test setup; the default UI does not present a production sign-in flow.
Clause IDs	Clause search returns implementation-specific IDs; testers should copy the actual published IDs from the current environment.
Obligation generation timing	Some obligations may generate automatically on clause attachment; others may require an explicit generate action.
Evidence linking	Evidence can be accepted without an obligation link if the obligation ID is not visible; this reduces report package completeness.
Report scope	Evidence packages include only evidence matching selected scope and status rules. Draft/rejected evidence requires authorization.
Audit filters	Audit records may be easier to find by Entity than by exact actor when local development uses generated user IDs.
No-CUI enforcement	Do not use real CUI to test blocking. Use synthetic classification labels and allowed synthetic text only.
Customer-facing claims	This UAT proves workflow behavior only. It does not prove CMMC certification, legal compliance, government approval, or production CUI readiness.